

19 Sizzling Notebooks

OCTOBER 1996

BYTE

NT 4.0 Put to the Test p.126
HDS's Hot Web PC p.50
Everything You Need
To Know About DVD p.139
Notes: Web Winner p.49

the global authority for computing technology



FOR
EVERYONE

PLUS:

- How to Build Big Networks
- Embedding Windows NT



\$3.95 U.S.A. / \$4.95 IN CANADA
A Publication of The McGraw-Hill Companies 0360-5280

www.byte.com

E HAPPEN TO MAKE THEM.

...iability, you really have to look inside. Micron focuses on superior engineering, from picking
... outstanding performance you can count on. Micron's first-tier reliability status proves it.

RELIABILITY RANKINGS

1ST TIER



2ND TIER



3RD TIER



Source: PC World Reliability & Service Monitor, May 20 - November 20, 1995



**Micron Power[®]**

Warranty & Support

- 5-year limited warranty on microprocessor and main memory
- 3-year limited parts-only system warranty
- 1-2- or 3-year optional on-site service agreement for Micron desktop systems
- 30 days of free Micron-supplied software support for Micron desktop systems
- 30-day money-back policy
- 24-hour technical support

The foregoing is subject to and qualified by Micron's standard limited warranties and terms and conditions of sale. Terms and conditions of sale may vary for specific configurations. Copies of the limited warranties may be obtained on our Web site or by calling Micron.

EDITORS' CHOICE AWARDS
MILLENNIA[™] P166 & P133

Designed for



MICRON[™]

ELECTRONICS, INC.

800-362-7306

<http://www.mei.micron.com>



LOOKING FOR THE BEST PCs ON THE MARKET?



May 30, 1996
Millennia P120



June 25, 1996
Millennia P133



June 25, 1996
Millennia P166

WHAT A COINCIDENCE, W

*To get an idea of how Micron Electronics™ products have achieved leadership status in re
the best components available to rigorous performance and reliability tests. The result*

FAST 8X CD-ROM

**166 MHz PENTIUM®
PROCESSOR UPGRADEABLE**

**32MB ULTRA-FAST EDO RAM
UPGRADEABLE TO 128MB**

**HIGH SPEED 512KB
PIPELINE BURST CACHE**

**EIDE OR FAST SCSI-2
HARD DRIVE**

**FULL-LENGTH SLOTS
ACCESSIBLE**

MASSIVE EXPANSION BAYS

**4MB EDO HIGH RESOLUTION
3D VIDEO ADAPTER W/MPEG**

**MOST ADVANCED
INTEL 82430HX CHIPSET**

**16-BIT STEREO
SOUND AND SPEAKERS**

**TOOL-FREE CHASSIS
W/SECURITY FEATURES**

**MS WINDOWS® 95 &
MS OFFICE INSTALLED**



MILLENNIA™ P166

- Intel 166MHz Pentium® processor
- 512KB pipeline burst cache, flash BIOS
- 8X EIDE CD-ROM drive, 3.5" floppy drive
- 16-bit stereo sound & speakers
- **PCI 64-bit 3D video with MPEG, 4MB EDO**
- Tool-free minitower or desktop
- Microsoft® Mouse, 104-key keyboard
- Microsoft Windows® 95 CD & MS® Plus! CD
- 5-year/3-year Micron PowerSM warranty



• **16MB EDO RAM** • 1.2GB EIDE hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
• Microsoft Works 95 CD **\$1,999**
Bus. lease \$68/mo.

• **32MB EDO RAM** • 2.1GB EIDE hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
• Microsoft Office Pro 95 & Bookshelf® 95 CDs **\$2,399**
Bus. lease \$82/mo.

• **64MB EDO RAM** • 3.1GB EIDE hard drive
• 17" Micron 17FGx, .26dp (15.8" display)
• Microsoft Office Pro 95 & Bookshelf® 95 CDs **\$3,149**
Bus. lease \$107/mo.

With 133MHz Pentium processor subtract \$200
With 200MHz Pentium processor add \$100

MILLENNIA™ P200 PLUS



- Intel 200MHz Pentium processor
- 512KB pipeline burst cache, flash BIOS
- PCI 32-bit Ultra SCSI Fast-20 controller
- 8X SCSI CD-ROM drive, 3.5" floppy drive
- 16-bit stereo sound & speakers
- **PCI 64-bit 3D video with MPEG, 4MB EDO**
- Tool-free minitower or desktop
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows 95 CD & MS Plus! CD
- 5-year/3-year Micron Power warranty

• **16MB EDO RAM** • 1GB Fast SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
• Microsoft Works 95 CD **\$2,499**
Bus. lease \$85/mo.

• **32MB EDO RAM** • 2GB Fast SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
• Microsoft Office Pro 95 & Bookshelf® 95 CDs **\$3,199**
Bus. lease \$109/mo.

• **64MB EDO RAM** • 4GB Fast SCSI-2 hard drive
• 17" Micron 17FGx, .26dp (15.8" display)
• Microsoft Office Pro 95 & Bookshelf® 95 CDs **\$4,249**
Bus. lease \$145/mo.

With 166MHz Pentium processor subtract \$100

MILLENNIA TRANSPORT™ NOTEBOOK SYSTEM

The Micron Millennium TransPort gives you no-compromise multimedia computing, long battery life and plenty of ways to customize from a variety of options.

- 133MHz Intel Mobile Pentium® processor
- Intel 430MX PCI chipset
- 256KB L2 pipeline burst cache
- 16MB EDO memory (48MB max.)
- 8X modular CD-ROM drive
- PCI graphics accelerator, 1MB EDO memory
- Pick-a-Point™ dual pointing devices integrate both pointing stick and touchpad
- Removable EIDE hard drive
- 3.5" modular floppy drive
- Intelligent modular lithium-ion battery
- 16-bit stereo sound
- Built-in stereo speakers and microphone
- 2 Type II or one Type III PCMCIA slots
- S-Video and NTSC video-outputs
- Headphone, microphone and line-in jacks
- 2 infrared ports, one front, one back
- Parallel, serial, VGA and 2 PS/2 ports
- Dimensions: 11.7" x 9.4" x 2.0", Weight: 6.9 lbs.†

- Nylon carrying case
- Microsoft® Windows® 95 and MS® Plus! CD
- Microsoft Office Pro 95 and Bookshelf® 95 CDs
- Kensington™ security lock‡
- 5-year/3-year Micron PowerSM limited warranty

• 16MB EDO memory (48MB max.)
• 12.1" active matrix color display, 800 x 600
• 1.2GB removable hard drive

\$4,399
Bus. lease \$150/mo.

• 32MB EDO memory (48MB max.)
• Motorola® Montana 28.8 fax/modem
• 12.1" active matrix color display, 800 x 600
• 1.2GB removable hard drive
• 2nd lithium-ion battery

\$5,199
Bus. lease \$163/mo.

OPTIONS:

- With 16MB DIMM module upgrade. add \$349
- With second 1.2GB removable hard drive. add \$599
- With second 2.0GB removable hard drive. add \$699
- With 150 Intel Mobile Pentium processor. add \$200
- With 3Com® Ethernet 10BT PCMCIA add \$149



August 1996

Millennia TransPort P133

900 E. Kierker Road, Nampa, ID 83687 • Mon-Fri 9am-7pm Sat 9am-5pm (MT) International Sales Hours: Mon-Fri 9am-7pm (MT) • 208-893-3434
Fax 208-893-3424 • Purchase Order Fax 208-893-8992 • Technical Support Available 24 Hours / 7 Days • Technical Support E-mail: techsupport.mei@micron.com

International Sales
208-893-8970

Tollfree from Puerto Rico
800-708-1756

Tollfree from Mexico
95-800-708-1755

Tollfree from Canada
800-708-1758

©1996 Micron Electronics, Inc. All rights reserved. Micron Electronics is not responsible for omissions and/or errors in typography or photography. All purchases are subject to availability. Prices and specifications may be changed without notice; prices do not include shipping and handling. 30-day money-back policy does not include return freight and original shipping/handling charges; applies only to Micron brand products and begins from date of shipment. All sales are subject to Micron Electronics' current terms and conditions of sale. Lease prices based on 36-month lease. Intel, Intel Inside and Pentium are registered trademarks of the Intel Corporation. Microsoft, Windows, the Windows logo and Windows NT are registered trademarks of Microsoft Corporation. All other service marks, trademarks and registered trademarks are the property of their respective companies. MILTRNS-BYTE-9610

Circle 228 on Inquiry Card.

MICRON™


ELECTRONICS, INC.

800-362-7306


<http://www.mei.micron.com>

Microsoft Windows NT Workstation 4.0

***has the ease of
It has the power***
It has



Windows 95. of Windows NT. *computers everywhere drooling.*



The new **Windows NT® Workstation 4.0** operating system has been designed to be the most powerful desktop operating system. And because all that power is controlled by the **Windows® 95 interface**, it's much easier to use. The total **32-bit power** of Windows NT Workstation means reliability, security, and easy access to the Internet and **intranet**. It's reliable because all applications run in their own memory space—so that new game beta won't crash last week's work. It's **secure** because integrated features let you **lock your system** all the way down to the file level, so you can count on applications and data being safe.

It's Internet-ready because it's loaded with built-in features like **TCP/IP**, the **Microsoft Internet Explorer** browser, and integrated **Peer Web Services**, which lets you create a small intranet for your workgroup. And because it's all controlled by the Windows 95 interface, you can customize your system to work and look however you like. So does all this mean Windows 95 is history? Absolutely not. Windows 95 may still be your best choice, depending on your existing hardware and applications. We suggest you dive headfirst into our Web site to compare and contrast operating systems to see which 32-bit desktop is best for you.

Microsoft®

Where do you want to go today?™ www.microsoft.com/ntworkstation/

for EVERYONE

76

By Udo Flohr

Coming soon to a screen near you: low-cost 3-D graphics. But first, some technical difficulties.



NT in Real Time

88NA 3

By Rick Grehan

Embedded-systems developers can now add Windows NT to their list of real-time OSes.

EDITORIAL

Wanted: New Software

14

By Mark Schlack

HTML converters for five-year-old applications: Is this the best we can hope for?

INBOX

19

BYTE readers write about new server architectures, Windows NT issues, MMX programming, and "free PCs."

CDs for the Gigabyte Era

139


By Tom R. Halfhill

Thanks to DVD technology, next-generation optical discs will hold 25 times more data than current CD-ROMs.

BITS

Tech-Support Software 26

New Face of Security 30



Aerial Telecommuting 30

The Next Internet File System 32

Dirt-Cheap Color Printers 36

Unix Survey 42

Network Cameras Go Mobile 44

Entomophagous Bruce Brown 48

STATE OF THE ART

How to Tame Big Networks

90

By Edmund X. DeJesus

It's easier when you use intelligent design, simulation, and maintenance tools.

Design and Conquer

93

By Nathan J. Muller

Intelligent tools can validate your network design and gauge its performance before you buy a single piece of equipment.

Building the Model Network

101

By Charles D. Knutson

Modeling and simulation provide a cure for pain.

See the Big Picture

107

By Tim Wilson

Software that helps manage mega-size networks.

EVAL

Notes Opens Up to the Web

49

By Steve Gillmor

Lotus Domino delivers Notes databases to Web clients and powerful tools to Notes developers.

X Terminal + Browser + Java = Web PC

50

By Peter Wayner

HDS's @workStation is a low-cost box for Web access, Java applets, and Windows.



Road-Show Romance

55

By G. Armour Van Horn

Proxima's Desktop Projector 4100Z sets a new standard for direct digital projection.

Alpha Learns to Do Windows

56

By Selinda Chiquoine

Digital's clever technology lets you run 32-bit x86 code on an Alpha machine.

CORE

OPERATING SYSTEMS

Windows 95: Aiding the Disabled

59

By Joseph J. Lazzaro

Computer users with disabilities need support from their OS to accomplish tasks independently.

NETWORKS

The Backbone of the Web

63

By William Stallings

HTTP 1.1 is a much-needed standard for the growing Internet. Here's what it does and how it works.

LAB REPORT

LAB REPORT: HARDWARE

19 Pentium Portables Do Multimedia

114

By Maggi Bender, Jim Kane, and John McDonough
The current crop of Pentium



notebooks are expensive, but testing shows they're worth it.

LAB REPORT: SOFTWARE

Running on NT

126

By Robert L. Hummel

NT 4.0's Win 95 interface and leading-edge connectivity features make for a valuable upgrade—but beware those nasty installation glitches.


WEB PROJECT

Web Surveys

133

By Jon Udell

With properly designed forms, the Web becomes a valuable resource for data collection.



COMPARISON

Net Savors

145

By Steven J. Vaughan-Nichols

Two backup products take very different approaches to saving network data.

REVIEWS

Enterprise Visual Basic? Almost...

149

By Volker Weber and Hans-Jochen Schmitt

ComUnity OT Framework, Siemens Nixdorf's software for augmenting Visual Basic with business logic and client/server tools, falls short of its goal.

| Properties - lbl_credit_limit | |
|-------------------------------|--------------|
| Caption | credit_limit |
| Enabled | True |
| Visible | True |
| Left | 120 |

A C++ Tool That Cures VB Envy

153

By Rick Grehan

Drag-and-drop C++ programming doesn't get any better than Powersoft's slick Optima++.

Notebook Under Construction

154

By Dave Rowell

You can reconfigure Compaq's Armada from a 5-pound notebook to a full-featured multimedia machine.



CHAOS MANOR

Of Zip and Spam and NT 4.0

157

By Jerry Pournelle

Jerry finds uses that go beyond backup for Iomega's Zip drives and takes a first look at the Windows NT 4.0 beta version on a dual-processor machine.

WHAT'S NEW

208

A preview of Matrox's Mystique PCI graphics board, plus a look at Microsoft's Outlook 97.

CODE TALK

Beyond the Bouncing Heads

216

By Rick Grehan

Rogue Wave's JFactory can get you started building Java applications quickly.

SERVICE

Reader Service

Inquiry Reply Cards 144A-B, 200A-B

Index To Advertisers

Alphabetical Order 200
Product Category 202
Editorial Index
by Company 204

PROGRAM LISTINGS

FTP: ftp.byte.com
From BIX: Join "listings/ frombyte96" and select the appropriate subarea (i.e., "oct96").

THE BYTE WEB SITE
and THE VIRTUAL PRESS ROOM
<http://www.byte.com/>

BYTE (ISSN 0360-5280) is published monthly by The McGraw-Hill Companies, Inc. U.S. subscriber rate \$29.95 per year. In Canada and Mexico, \$34.95 per year. European surface mail subscriptions \$60, airmail \$85. Non-European subscriptions, \$60 surface mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.95 in the U.S., \$4.95 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Periodicals postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba, Canada Post International Publications Mail Product Sales Agreement No. 246492. Registered for GST as The McGraw-Hill Companies, Inc. GST #123075673. Postmaster: Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520. Printed in the United States of America.

WINDOWS

Photo Quality Arrives for Low-Cost Printers . . . 36
Color ink-jet printers get better, and so do their prices.

Road-Show Romance . . . 55
Proxima's projector lets you leave your notebook home.

Alpha Learns to Do Windows . . . 56
We check out Digital's translator for running 32-bit x86 programs on Alpha boxes.

Windows 95: Aiding the Disabled . . . 59
Built-in features assist users who have disabilities.

3-D for Everyone . . . 76
Direct3D doesn't clear up all the confusion surrounding programming standards.

19 Pentium Portables Do Multimedia . . . 114
These notebooks can handle any Windows application.

Running on NT . . . 126
4.0 is an industrial-strength Windows, but our experience shows you've got to be prepared for compatibility snafus.

Enterprise Visual Basic? Almost... . . . 149
Siemens Nixdorf's ComUnity adds client/server smarts to Visual Basic 4.0.

A C++ Tool That Cures VB Envy . . . 153
Powersoft's Optima++ combines the best of Windows development environments with top-notch database tools.

Notebook Under Construction . . . 154
Compaq's Armada is the Lego of notebook computers.

Of Zip and Spam and NT 4.0 . . . 157
At Chaos Manor, Jerry gets

Windows NT 4.0 beta up and running on a dual-processor machine—almost painlessly.

What's New . . . 208
Mail meets PIM: Microsoft's Outlook 97 may be the next step in the evolution of e-mail.

MACINTOSH

Road-Show Romance . . . 55
With TI's digital optics and Adobe's Acrobat technology, Proxima's Desktop Projector 4100Z lets you take a really good show on the road.

3-D for Everyone . . . 76
QuickDraw3D bridges the gap for programmers who need to develop 3-D applications for Macintosh environments.

CDs for the Gigabyte Era 139
Gigantic multimedia products, including full-length movies, will fit on a single DVD.

UNIX

Datapro Report . . . 42
The latest User Ratings Survey shows that Unix folk like the OS's reliability, high performance, and scalability. Still, some are considering NT.

CDs for the Gigabyte Era 139
Besides cramming more data onto a disc, DVD technology will yield drives as fast as today's 9x CD-ROM drives.

NETWORKS

The Server's Helper . . . 67
Intel's i960 RP processor simplifies server architecture.

How to Tame Big Networks 90
This month's State of the Art section covers tools and techniques for designing and managing mega-node nets.

Net Saviors . . . 145
We compare two programs that take different approaches to network backup: Cheyenne's ArcServe and Stac's Replica.

Running on NT . . . 126
Windows NT 4.0 has some impressive connectivity features, but our tests show some compatibility glitches.

Enterprise Visual Basic? Almost... . . . 149
We review Siemens Nixdorf's ComUnity, software for augmenting Visual Basic with client/server tools.

INTERNET

Self-Help Software to the Rescue . . . 26
Call-avoidance programs put technical support on the Web.

Vendors Battle Over Next Internet File System . . . 32
WebNFS, backers say, could patch one of the potholes on the infohighway: the slow speed of file transfers.

Notes Opens Up to the Web . . . 49
A Web server for Notes users.

X Terminal + Browser + Java = Web PC . . . 50
HDS's @workStation: a low-cost network computer for Web browsing.

The Backbone of the Web 63
How the new version of HTTP supports interactive transactions on the Web.

Make Access and the Web Work Together . . . 71
You can use Access and ODBC to build an interactive database on a Web page.

Web Surveys . . . 133
Combine the right methodologies and tools, and the Web can be a valuable mechanism for conducting surveys.

Beyond the Bouncing Heads . . . 216
Boss says build a Java applet by tomorrow? You might want to check out JFactory.

| | |
|--------------------|--------------------------------------|
| Agents | 14, 145 |
| Backup | 38, 145, 157 |
| Bugs | 48 |
| CD-ROM | 44, 139 |
| Chips | 67, 76, 126 |
| Client/server | 149 |
| Code translation | 56 |
| C++ | 153 |
| Databases | 49, 71, 133, 139 |
| Disabilities | 59 |
| DVD | 139 |
| E-mail | 44 |
| HTML | 133 |
| HTTP | 32, 63 |
| Internet | 32, 49, 50, 63, 126 |
| I/O controllers | 67 |
| Java | 50, 216 |
| Memory | 76 |
| MMX | 19, 76 |
| Mobile computing | 55, 114, 154 |
| Multimedia | 114, 154 |
| Networking | 90, 93, 101, 107, 126, 145 |
| Operating systems | 19, 42, 59, 76, 126, 157 |
| PCI | 67, 208 |
| Programming | 19, 71, 76, 126, 149, 153, 216 |
| Projection systems | 55 |
| Printers | 36 |
| Security | 30 |
| Simulation | 101 |
| SNMP | 107 |
| Storage | 139, 157 |
| Tech support | 26 |
| 3-D graphics | 76 |
| World Wide Web | 26, 32, 42, 49, 50, 63, 71, 133, 216 |
| X Window | 50 |



Opticalability

Network Storage Solutions Ranging from 40 Gigabytes to 2.5 Terabytes

Reliability

Pinnacle's Optical Library Systems offer an ideal solution for archiving and retrieving databases, data warehousing and image storage applications with a media shelf-life up to 100 years.

Compatibility

Pinnacle Micro has developed relationships with the leading software manufacturers to ensure compatibility and long term customer satisfaction. Whether you are running UNIX, Novell Netware, Windows NT, Sun Solaris, HP UX or IRIX, we have a solution for you.

Rewritability

Each optical library system features Pinnacle's award-winning Vertex 2.6 GB rewritable optical drive, the fastest in the industry. This system provides random access to information, allowing users to rewrite data millions of times.

Networkability

Users can access large amounts of data from across a network with performance near that of a local system disk. System Administrators can save time by automating jobs such as unattended backup and restore processes that typically require human intervention after hours.

Expandability

Pinnacle's systems provide mass amounts of on-line data. Fill up your disks, remove and archive, then replace with new media for endless storage capacity.


Availability


Pinnacle Optical Library Systems are now available worldwide with a variety of service contracts to meet your needs. To receive a free copy of our **Guide to Optical Library Systems** or to speak to our storage experts call:

800-553-7070



PINNACLE MICRO
THE OPTICAL STORAGE COMPANY





EDITOR IN CHIEF

Mark Schlack

Editor in Chief's Assistant: Linda Higgins

EDITORIAL

EXECUTIVE EDITORS

International: Rich Friedman
New Media: Jon Udell

MANAGING EDITOR

Jenny Donelan

NEWS

Peterborough:
News Editors: David L. Andrews,
Martha Hicks
Frankfurt:
Senior Editor: Rainer Mauth

REVIEWS

Director of Reviews: David Essex
Senior Technical Editors: Rick Grehan,
Dave Rowell
Technical Editor: Russell Kay

FEATURES

Senior Editor/Features: Alan Joch
Peterborough:
Senior Technical Editor at Large:
Tom Thompson
San Mateo:
Senior Editor: Tom Halfhill
Lexington:
Senior Editor: Edmund X. DeJesus

NEW MEDIA

Production Associate: Jay-Lyn S. Blake

SENIOR RESEARCHER

Rowland Aertker

ASSOCIATE TECHNICAL EDITORS

Dennis Barker, Cathy Kingery,
Warren Williamson

SENIOR CONTRIBUTING EDITOR

Jerry Pournelle

CONTRIBUTING EDITORS

Dick Pountain, Udo Flohr, Mark LaPedus

CONSULTING EDITORS

Stephen Apiki, Nicholas Baran,
Raymond GA Côté, Trevor Marshall,
Stan Miaszkowski, Barry Nance,
Roberta Pournelle, Ellen Ullman,
Peter Wayne

EDITORIAL ASSISTANT

Jane Sheldon

DESIGN

Design Director: Charles Dixon III
Associate Design Director/Design &
Photography: Sharon Price
Associate Design Director/Graphics:
Joseph A. Gallagher
Designers: Barbara Busenbark,
Donna Sweeney
Design Assistant: Cindy Sands

FINANCE AND OPERATIONS

Vice President: Claudia Flowers

ADVERTISING PRODUCTION

Advertising Production Manager:
Linda Fluhr
Senior Advertising Services
Representative: Dale J. Christensen
Senior Advertising Production
Coordinator: Lyda Clark
Advertising Production Coordinators:
Karen Cilley, Rod Holden
Operations Assistant: Lisa Jo Steiner
Advertising Graphics Manager:
Susan Kingsbury
Graphics Production Coordinator:
Christa Patterson

FINANCE

Senior Financial Analyst:
Kathleen Deguise
Systems Administrator: Peggy Dunham
Junior Financial Analyst: Diane Henry

CIRCULATION

Director: Susan Blattman
International Circulation Manager:
Barbara Copcutt
Subscriptions Manager: Lynn Lagasse
Assistant Subscriptions Manager:
Christine Tourgee
Subscription Source Specialist:
Carol Sanchioni
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Circulation Assistant: Jill Wood

ADMINISTRATION

Human Resources Administrator:
Pat Burke
Receptionist: Agnes Perry

MARKETING AND PLANNING

Market Information Manager:
Edward Fielding
Marketing Services Administrator:
Meredith Bickford
Publisher's Assistant: Donna Nordlund

VICE PRESIDENT/PUBLISHER

John M. Griffin

ADVERTISING SALES

Sales Assistant:
Susan Monkton (603) 924-2635

NEW ENGLAND

John Ferraro (617) 860-6221,
(212) 512-2555
Jeanne Beeson (617) 860-6349

NEW YORK

Michael Feinberg (212) 512-4811
Jill Pollak (212) 512-3585

MID-ATLANTIC/SOUTHEAST

Neil Helms (770) 242-6298
Paul Franchak (614) 899-4912

CENTRAL U.S.

Lori Silverstein (614) 899-4908
Paul Franchak (614) 899-4912

SOUTHWEST

Bert Panganiban (214) 688-5165
Brian Higgins (603) 924-2596

SOUTH PACIFIC

Beth Dudas (714) 753-8140

NORTH PACIFIC

Roy J. Kops (415) 513-6861
Susan Rastellini (415) 513-6951
Lisa Farrell (415) 513-6862

INSIDE ADVERTISING SALES

Assistant: Vivian Bernier
(603) 924-2521

BYTE DECK

Brian Higgins (603) 924-2596

EURO-DECK

Mark Stone (603) 924-2533

REPRINT SALES

Susan Monkton (603) 924-2618

INTERNATIONAL ADVERTISING

SALES STAFF
Director: L. Bradley Browne
(603) 924-2501
Administrative Assistant:
Arja Neukam (603) 924-2636
Copyrights Manager:
Faith A. Ellington (603) 924-2525
See listing on page 201.

HOW TO CONTACT THE EDITORS

We welcome your questions, comments, complaints, kudos, and submissions.

MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.

San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.

Lexington: 24 Hartwell Ave., Lexington, MA 02173, (617) 863-5100.

GERMANY/EUROPE: Emil von Behring Strasse 2, 60439 Frankfurt, Germany, +49 69 5801 123.

ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.

MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own names.

OTHERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services.

WEB: <http://www.byte.com>

U.S. fax: Editorial: (603) 924-2550

Advertising: (603) 924-7507

U.K. fax: +44 71 495 6734

SUBMISSIONS:

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.

Vendors: We welcome news of your new products; please call the News department or the Reviews department at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:

For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

SUBSCRIPTION CUSTOMER SERVICE

Inside U.S. (800) 232-BYTE; outside U.S. +609 426 7676. E-mail-based customer service: mpcstvc@mcgraw-hill.com. Web-based customer service: <http://www.byte.com/admin/mpaddchg.htm>.

International subscribers may also contact our international customer service facility in Galway, Ireland, by calling +353 91 752792 or via fax: +353 91 752 793. For a new subscription, (800) 257-9402 U.S. only. E-mail: mporders@mcgraw-hill.com or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520.

Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. Internationally, US\$60.00 for fast surface delivery, US\$85.00 for air delivery. Single copy price is \$3.95 in the U.S. and its possessions, \$4.95 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:

Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Ellington, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

Copyright © 1996 by The McGraw-Hill Companies, Inc.

BYTE

A Division of The McGraw-Hill Companies

All rights reserved. BYTE and **BYTE** are registered trademarks of The McGraw-Hill Companies, Inc. Trademark registered in the United States Patent and Trademark Office.



Member Audit Bureau of Circulation

BIX GLOBAL CONFERENCING SYSTEM, AN ON-LINE COMMUNITY

ACTING MANAGING EDITOR

Peter Olson

EXCHANGE EDITORS

Amiga Exchange: Joanne Daw
Entertainment and Leisure Exchange: Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Toys Exchange: Jerry Pournelle
Windows Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.
Macintosh and Other Exchanges: At Large

INFORMATION ENGINEER

Peter Olson

BIX is the BIX Information Exchange, your best source for technical advice.

BIX is owned and operated by Delphi Internet Services Corporation.

Find us on the Web at <http://www.bix.com/> (all browsers are welcome).

E-mail our autoresponder at info@bix.com or fax us at 617-441-4902.

Dial us by modem at 800-695-4882 or 617-492-8300 (V.34 28.8kbps).

Telnet to x25.bix.com or call us (voice) at 800-695-4775 or 617-354-4137.

Connect via packet networks to host BIX.

Look in the last few pages of this magazine for our advertisement.

The world is changing faster than you think; don't be caught by surprise!

MEMBER SERVICES MANAGER

Chuck Greenslit

OFFICERS OF MCGRAW-HILL, INC.:

Chairman and Chief Executive Officer: Joseph L. Dionne; President and Chief Operating Officer: Harold W. McGraw III; Senior Vice President and General Counsel: Kenneth M. Vittor; Executive Vice President and Chief Financial Officer: Robert J. Bahash; Senior Vice President, Treasury Operations: Frank D. Penglass; President, Information Services Group: Michael K. Hehir; Executive Vice President, Publication Services: Norbert Schumacher.

Founder: James H. McGraw (1860-1948).



12.1" TFT 2GB HDD 28.8 FAX MODEM

133MHZ PENTIUM® CHIP
6X CD-ROM MODULE
12-CELL 52WATT SMART
LITHIUM ION BATTERY
16MB EDO RAM

\$4399

Models Start at \$3399



OPTIONAL TOUCHPAD SHOWN

WinBook FX

**CALL US TOLL-FREE TO
ORDER YOUR WINBOOK
OR FOR INFORMATION**

WinBook
COMPUTER CORPORATION
a subsidiary of Micro Electronics, Inc.

1-800-468-0712

Monday-Friday, 8am-9pm EST
Saturday, 9am-4pm EST

Use your WinBook Credit Card, VISA, Discover Card, MasterCard, personal check or P.O. with credit approval. U.S. sales only. 30-day unconditional money-back guarantee from date of purchase.

©1996 WinBook Computer Corporation. All rights reserved. WinBook is a registered trademark of Micro Electronics, Inc. The Intel Inside logo and Pentium are registered trademarks of the Intel Corporation. All other trademarks and registered trademarks are property of their respective corporations. All prices and specifications are subject to change without notice or obligation. Prices do not include shipping.

FX STANDARD FEATURES

- 3.5" 1.44MB DISKETTE DRIVE MODULE
- 6X CD-ROM MODULE
- 7.1 POUNDS (WITH FDD)
- 12-CELL 52W LITHIUM ION BATTERY
- 32-BIT LOCAL-BUS VIDEO
- 16-BIT SOUNDBLASTER STEREO SOUND
- 1MB VIDEO RAM
- 256K SYNCBURST CACHE
- ONE TYPE II & ONE TYPE III PCMCIA SLOT
- INTEGRATED DUAL-BUTTON POINTING STICK, OPTIONAL TOUCHPAD
- PARALLEL, SERIAL, PS/2, INFRARED AND GAME PORTS
- EXTENDABLE 1-YEAR LIMITED WARRANTY

\$3399
FX 120MHZ

- 120MHZ INTEL® PENTIUM® PROCESSOR, POWER SAVING NOTEBOOK CHIP
- 16MB EDO RAM
- 1GB REMOVABLE HARD DRIVE
- 28.8 SEND/RECEIVE FAX/DATA MODEM
- 11.3" TFT ACTIVE MATRIX DISPLAY

\$3599
FX 133MHZ

- 133MHZ INTEL® PENTIUM® PROCESSOR, POWER SAVING NOTEBOOK CHIP
- 16MB EDO RAM
- 1GB REMOVABLE HARD DRIVE
- 28.8 SEND/RECEIVE FAX/DATA MODEM
- 11.3" TFT ACTIVE MATRIX DISPLAY

IT'S ALL IN THE FX!

The modular bay gives you great flexibility. Swap modules to meet your immediate computing needs: a 6X CD-ROM module makes your FX multimedia-ready; use your floppy disk drive module to load programs or store files; or use an optional 8-cell lithium ion battery module to keep your FX running hours longer.



- 6X CD-ROM
- OR
- 3.5" Floppy Disk Drive
- OR
- 2nd 8-cell Lithium Ion Battery (option)

Circle 601 on Inquiry Card.

Deliver Industrial-Strength Decision Support Tools and Watch the Sparks Fly!

Delivering effective decision support for hundreds or thousands of users is definitely not child's play. It takes powerful, mature tools. IQ Software's decision support tools are industrial-strength, best-of-breed products that can be deployed individually or as a total decision support solution.

IQ/Objects™ Robust Query and Reporting

For end-user query and reporting, IQ/Objects is simply unbeatable. This award-winning tool's familiar, easy-to-use Microsoft look and feel belie the awesome power of its true object-based technology. IQ/Objects supports everything from simple ad hoc queries to the most sophisticated cross tabulations. Reusable objects let users combine new queries and reports with previously saved ones to create sophisticated reports easily and quickly. A selection of templates makes it easy to create presentation-quality results in minutes.



IQ/SmartServer™ Three-Tier Architecture

IQ/SmartServer provides production reporting, scheduling and job monitoring facilities. This elegant three-tier architecture implementation harnesses the power of servers (UNIX and NT) to reduce network traffic and deliver a scalable, manageable, high-performance solution. IQ/SmartServer cures fat client performance problems without limiting user access to information.

IQ/Vision™ Multidimensional Analysis

IQ/Vision works directly with relational databases and Arbor's Essbase or can be implemented with its own MDDDB to deliver a complete OLAP solution. For robust multidimensional and drill-down analysis, nothing is easier to use or functionally as rich as IQ/Vision. An intuitive interface displays information in interactive charts or cross tabs, allowing any user to visually slice and dice, drill up and down, nest dimensions, flip axes, and rotate dimensions – all with point and click simplicity.

"IQ/Objects – A breakthrough technology for query and reporting tools."

Aberdeen Group

"IQ Software has brought the power of objects to mainstream business intelligence."

Patricia Seybold Group

"IQ/Vision is an extremely powerful and easy to use OLAP tool that shines with complex data."

Information Week Labs

IQ/LiveWeb™ Web-enabled Decision Support

IQ/LiveWeb links corporate databases and cyberspace, turning your intranet into a source of live database information. With IQ/LiveWeb, users can request and view reports anytime, anywhere using a standard Internet browser. IQ/LiveWeb lets you design and build database reports, charts and cross tabs.

Server-based publishing makes it easy to keep those reports current. Simply tell IQ/LiveWeb the schedule. That's it. IQ/LiveWeb automatically executes your requests, refreshing the information and publishing it to your intranet.

Special Offer! For a limited time, download a fully operational copy of IQ/LiveWeb, valued from \$4,000 to \$20,000, absolutely free. See <http://www.iqsc.com> for details.

Start the sparks flying! Contact us today for details on our industrial-strength tools.

DOWNLOAD
FREE
SOFTWARE



SOFTWARE

800-458-0386

info@iqsc.com

<http://www.iqsc.com>

European Subsidiaries & Affiliates: UK (44) 1-962-844-777, France 33 (1) 474-903-04, Italy-Dexia Italia (39) 6-517-933. International Distributors: Australia (61) 2-369-1932, 2-975-7669, 2-436-2788, Canada-Information Access (416) 620-5811, Chile (56) 2-341-4785, Hong Kong (852) 2541-9900, Mexico (52) 5-575-6098, Singapore (65) 298-3838, South Africa (27) 11-421-4800, Spain (34) 50-27-55-11. For distributors in all other Pacific Rim countries, call (65) 334-1936. European countries call the UK office, and all others call IQ Software's U.S. headquarters.

Circle 171 on Inquiry Card (RESELLERS: 172).

Wanted: New Software

Today's shrink-wrapped applications are the last place you'll find innovation.

The search for the killer desktop app is dead, judging from the dearth of anything really interesting outside of the graphic arts/multimedia and geographic-information markets. Amidst a golden era of OSes, server software, Web stuff, and development tools, the best you can say about most desktop apps is that they are easier to install now that they come on CD-ROMs instead of floppies.

Too harsh? What was the last new client application authored by Microsoft? I come up with Access, in 1992, and even it wasn't totally homegrown in Redmond. This year's FrontPage was acquired in full, although it has since been seriously reworked. Lotus's now-defunct Improv came out for Next in 1990 and for Windows in 1993. Apart from these few, all we've seen are continuing improvements (albeit not unappreciated ones) to existing suites, accompanied by feature bloat.

"Who cares?," ask the Webmeisters. "With Hypertext Markup Language [HTML], Java, a browser, and plug-ins, shrink-wrapped software is a dinosaur."

The Web is a powerful tool, and it really has changed everything. The ferment in Web tools and server applications will obviously produce profound innovations—probably even one of those legendary paradigm shifts.

But I'm not buying into the idea that server apps will completely replace desktop apps in this decade. The bandwidth and network reliability are just not there. And ultimately, whether software vendors write applications in giant hunks of C++ code and deliver them on CD-ROMs—or write them in small pieces of Java code and wire them to us—apps will still need to be more innovative.

Nor will custom development replace packaged software, even if the most opti-

mistic scenarios about programmer productivity and code reuse come true. No company has the time or money to be its own sole source of software.

The greatest innovation in computing since the invention of the microprocessor has been shrink-wrapped software. The ability of computer professionals to deliver fast, inexpensive solutions will, for the foreseeable future, depend on the weaving together of custom and shrink-wrapped server and client applications.

My hope is that the industry will do something more than just add HTML converters to five-year-old apps. For example, seven years after Hewlett-Packard unveiled its ultimately unsuccessful New-Wave shell for Windows, I'm still waiting for easy-to-use but powerful agents.

Want thankful users? Give them software that automates the repetitive yet



to clear the hurdles that large software companies put in front of new product development. I imagine that any product manager with fire in the belly still has to answer to company bean counters who ask, "Is there a \$100 million market for

The greatest innovation in computing since the invention of the microprocessor has been shrink-wrapped software.

complex tasks that consume most workdays. I would love something that I could "program" to gather memos, spreadsheets, e-mail, and whatever else I need to assemble monthly reports.

My impression that the software industry has entered a slacker phase was reinforced by a recent trip to Xerox's fabled Palo Alto Research Center. At PARC, you can see real innovation in areas as conceptually simple and practically difficult as viewing large amounts of data (an entire company organization chart, for example) quickly and easily. The kinds of inexpensive graphics hardware discussed in this month's cover story open up even more possibilities in this arena.

Maybe it's hard for concepts like data visualization and cross-application agents

the product this year?" I sure hope that someone out there is looking beyond today's installed base.

When I go to Comdex next month, I'll be looking for interesting and practical new desktop applications to present our Best of Comdex awards to. (Vendors: See <http://www.byte.com/vpr/vpr.htm> for details.) Tell me what you need from shrink-wrapped software in our forum at <http://www.byte.com>. I'll carry the message back to the software industry.

Mark Schlack

Mark Schlack, Editor in Chief
mschlack@bix.com



Your applications on Windows software.



Your applications with
a little fine-tuning from IBM Software.

Want to make Windows® apps really sing?
Now you can exploit the graphical world of
VisualAge™ products to bring new power and
functionality to Windows applications. The
VisualAge ensemble gives you slick tools to
develop better applications faster and deliver

interoperability from Windows systems to OS/2®,
Sun Solaris®, AIX® and MVS® systems. Now, as
you build client/server solutions, never again
will you have to be limited by Windows software.
For all the harmonious details, just visit us at
www.software.ibm.com/info/growdev.

The IBM home page is located at www.ibm.com. IBM, OS/2, AIX and MVS are registered trademarks and VisualAge and Solutions for a small planet are trademarks of International Business Machines Corporation. *Windows, Windows NT and Windows 95 are registered trademarks or trademarks of Microsoft Corp. All other company and/or product names are trademarks or registered trademarks of their respective companies. © 1996 IBM Corp. All rights reserved.

Solutions for a small planet™



Tom Laffeur
Vice President, QUALCOMM Incorporated
www.qualcomm.com



AppleVision



THERE'S A PLACE WHERE WALLS BETWEEN OFFICES ARE REPLACED BY WORDS.

Where questions never go unanswered.
Where the people you need to find can always be found.

Where information forever eludes the bottleneck.
And misunderstanding has taken a leave of absence.

IT'S A PLACE CALLED THE INTRANET.

And you can take your business there on a Macintosh.

AsVP. and resident visionary for QUALCOMM — one of the brightest stars in digital wireless communications — Tom Latleur is finding innovative ways to stay ahead of his company's phenomenal growth with the help of the World Wide Web and Apple® Macintosh® computers. In fact, Tom started QUALCOMM's Intranet by running one of their own products on a Mac® — Eudora®, which has since become the most popular e-mail software for the Net. Today, people are using Macintosh to easily create web pages and share details of their projects with the rest of the organization. So engineers have instant insight into manufacturing problems, can pull up drawings and quickly resolve issues. Which has slashed the need for paper. Cut support costs. And sparked unprecedented collaboration. Not to mention knocking a few walls down along the way.



For more information on Apple products and solutions, or to subscribe to our electronic newsletter, visit us at www.solutions.apple.com/intranet



START REPLACING WALLS WITH WORDS.



It's time to remodel. And the Apple® Internet Server Solution is one of the fastest, easiest ways to transform your company.

By dramatically improving communications. By unlocking hidden information. By knocking down a few walls.

With it, you can easily turn your network into an Intranet—an information warehouse where people can find answers to just about any question, and share results with just about anybody.

Now, virtually any document—from internal phone books to requisition forms to invoices—can be converted to electronic form and quickly updated. So people can more accurately and easily manage their work flow.

The Apple Internet Server Solution makes it easy for people to find new ways to communicate. Easy to support Windows and UNIX®. Easy to grow. And, since security is built in, easy to prevent break-ins.

All the software that people need to set up, author and maintain their web page is included as well. Software available only for Macintosh®. Like Adobe™ PageMill™, which makes creating a web page as simple as creating a word processing page. No complex languages to learn. No editors or browsers to juggle.

To find out more, visit us at the web address below. And discover a whole new way to reengineer your business.



Apple
Premium
Server
Reseller



*Apple Premium Server
Resellers are available
to help you determine
which solutions are
best for your business.*

For more information on Apple products and solutions, or to subscribe to our electronic newsletter, visit us at www.solutions.apple.com/intranet



You're Welcome!

Tom Thompson's "The Network in the Server" (July) is the most lucid and helpful explanation of Tandem's ServerNet system area network and its potential applications that I have seen. That includes our own internal publications. Thank you.

Matt Riesz

*Senior advisory systems analyst
Tandem Computers*

I just read "The Network in the Server" and am impressed by the clarity with which you explained the NUMA-Q architecture. Congratulations.

Kevin Joyce

*Marketing manager, NUMA-Q
Sequent Computer Systems*

NT Trade-offs

I enjoyed the excellent article about Windows NT, "4.0 Isn't for Everyone," by David Linthicum in the July issue. I was puzzled, however, by the absence of a fairly obvious conclusion: The considerable performance penalty imposed by the new shell and the questionable architectural changes made to accommodate it may make sense on a workstation, but they are of dubious worth on a server. With 4.0, the design center of NT seems to have shifted decisively toward the client. That's fine for me; I'm interested in NT primarily as a workstation OS—interest motivated primarily by stability. But my guess is that

Microsoft will have a hard time converting server owners, whether from NT 3.51 or from other OSes.

Will Kling

Milford, NH

"4.0 Isn't for Everyone" was informative, but you make too much commotion about the kernel-mode issue. Although moving the graphical device interface (GDI) into the NT Executive gives it the potential to crash the OS, this does not seem likely. The current GDI/Window Manager subsystem is highly stable and rarely faults. The move to kernel mode only simplifies its design, making it easier to debug. Since version 3.1, all of NT's other low-level device drivers (disk device drivers, SCSI controller drivers, etc.) have operated within the Executive with a high degree of reliability. There is no reason to suggest that the graphics subsystem need be any different. If, in NT 3.51, CSRSS.EXE faults for any reason, the whole OS shuts down, as it is considered a critical process. What is the practical difference if the graphics subsystem crashes and the OS subsequently shuts down, or if the graphics subsystem crashes and takes the OS with it?

Rene Gollent

100642.1147@compuserve.com

The GDI issue involves the potential for OS failure due to reengineering of NT. The claim that the NT 3.5 kernel is inherently stable does not



automatically carry forward to the next instance of the OS, considering the changes that Microsoft has made. At the beta stage (Build 1234), it was unclear how moving GDI to Ring 0 might affect stability in the final release—we were not able to crash the beta system. However, as with other operating systems that exploit Ring 0, the trade-off is stability for performance. Microsoft is selling NT as an OS that is more stable than Windows 95 and as an OS reborn for the client. The changes made to NT to sell it as a high-performance client could jeopardize its traditional use as a server OS. That's why I made an issue of it. As I write, Windows NT 4.0 is just leaving beta. We'll

know who's right about the GDI issue very soon.

—David Linthicum

"NT and the Net" (July) provides a good overview of Microsoft's strategies surrounding its Internet Information Server (IIS). The discussion of the benefits of the Internet Server API (ISAPI), however, failed to give credit where credit is due. The interface now known as ISAPI was first developed as a proprietary interface by Process Software (<http://www.process.com>) for its Purveyor or Web server for Windows NT. Late last year Microsoft and Process announced their collaboration on an open standard—ISAPI—based on the Purveyor API. To both companies' credit, DLLs written to the original API still function under ISAPI using both Purveyor and IIS.

Steve Loper

*Amadeus Consulting Group
sloper@wolfgang.com*

You Can Teach an Old Chip

Kudos (again) to Tom Halfhill for his detailed yet

HOW TO CONTACT US

ON THE WEB

Visit The BYTE Site! Search our archives. Download articles. See industry press releases. Join on-line discussion conferences with other BYTE readers! <http://www.byte.com>.

BY FAX

(603) 924-2550

BY E-MAIL

Address letters to editors@bix.com. To reach individual BYTE editors, see The BYTE Site on the Web for a directory. Letters may be edited for publication.

BY POST

Editors, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458

SUBSCRIPTION CUSTOMER SERVICE

U.S. only: (800) 232-2983; international: (609) 426-7676; or see www.byte.com/admin/impstsvc.htm

For advertising and other noneditorial contacts, see page 10 or click on the Information link on The BYTE Site.

clear explanation of how the MMX instructions work with Intel-type CPUs ("x86 Enters the Multimedia Era," July). The article's nuts-and-bolts focus typifies why BYTE is a valuable resource for all of us.

Tony Dahlman
76456.3461@compuserve.com

Another Lesson Learned

As your July Web Project column was about "Lessons Learned," I am prompted to suggest this lesson: In cases where a quoted URL refers to a directory, or to the "top" of a site, almost everyone these days (including BYTE) seems to omit the trailing "/". This is wrong for at least two reasons.

First, if my browser requests <URL:http://www.some.company/directory>, an HTTP_error_302 is raised, resulting in an extra

transaction between browser and server to correct the URL to <URL:http://www.some.company/directory/>.

It works, but it generates extra traffic, which contributes to an already crowded Net. Second, consider a Web server, like Zeus (http://www.zeus.co.uk/), that actually does content negotiation. You don't, for example, put extensions on image files. Instead of , you would write .

The server looks at the HTTP_ACCEPT string and determines whether the browser can display GIF, JPEG, XBM, etc., then serves the best or smallest image accordingly. So, if we have a directory called /images/mypic/ but refer to it as /images/mypic, aren't we potentially in trouble?
Adam Shaun Nealis
adam@lbs.lon.ac.uk

I think you're right on both scores. I do try to include the trailing slash to avoid the extra bit of negotiation you describe. That's pretty well known. But the second case you bring up is really interesting. I've been only vaguely aware of progress in standards for content negotiation, but if it ends up working in the way you describe (i.e., no file extension means negotiate best type), then that would certainly be another reason we should all try to be more precise about trailing slashes. —Jon Udell, executive editor

Free PCs!

How is the system Gary Tripp describes in "Forget \$500 PCs: How About Free Ones?" (Bits, August) fundamentally different from the old mainframe model? The details may differ, but we still have terminals gaining access via communication lines to a central store of information and using a central, remote processor for anything beyond trivial or presentation-related tasks. Isn't this what personal computers were invented to get us away from? And isn't it a recipe for generating insatiable demand (presuming the cost can be made acceptable) for bandwidth? The basic idea of the personal computer was and is personal control over the physical computing machinery, as well as avoidance of the bureaucracy and high priesthood that inevitably develops around a mainframe or its network equivalent, along with the requirement that you pay every time you use it. Recall how IBM became great: by leasing computing power, not selling it. When networks become the computer, at

least in the form promoted by the "Web PC" types and Microsoft, computing is no longer personal; it has returned to the mainframe orientation we once rebelled against.

Mike Brady
73720.1544@compuserve.com

The PC revolution has brought us cheap computing power, but it's not cheap enough. The only way to get computing into the hands of the 75 percent of the U.S. population and 95 percent of the rest of the world that currently lack access is to change the model from a software and hardware base to a service base. Leasing won't work. Most people who need access wouldn't qualify, and necessary hardware and software upgrades require short amortization cycles. The "free PC" is a return to the central computing model, but with two changes: It is offered to the public, and it is fundamentally mobile. A service-based approach that uses PC servers connected via radio modems can give everyone access to e-mail, faxing, accounting, word processing, and the Internet, plus secure personal data storage, for about \$20 a month. This approach recognizes bandwidth limitations by placing the central processor close to the user at the local ISP and connecting everyone by radio-frequency cells. Using templates stored in the "free PC" rather than applications to do most tasks reduces local processing and the amount of data transmitted. Internet usage is the bandwidth hog in the model, but if you strip out the graphics, the data stream becomes small. The "free PC" will provide mobile access but will not replace the PC for more intensive computing uses. —Gary Tripp

MMX Misaligned

On reading your article on MMX performance optimization ("Programming Strategies for Intel's MMX," August), I find the example stack prologue code on page 64 does nothing to cause 64-bit alignment, only 32-bit alignment. The alignment mask should be 0FFFFFFF8, not 0FFFFFFC.

Jan Bottorff
janb@pmatrix.com

You are correct. The assembly code listing in the text box "Maintaining Stack Alignment" contained an error and, as a result, aligns the stack to 32 bits. In order to align the stack to 64 bits, the alignment mask should be 0FFFFFFF8, as shown below.

```
Prologue:
push    ebp           ;save old frame ptr
mov     ebp, esp      ;make new frame ptr
sub     ebp, 4        ;make room for stack ptr
and     ebp, 0FFFFFFF8 ;align to 64-bits
mov     [ebp], esp     ;save old stack ptr
mov     esp, ebp       ;copy alignment ptr
sub     esp, FRAMESIZE ;allocate space
```

—Bev Bachmayer, Intel Corp.



OUR STORAGE PRODUCTS ARE JUST AS TOUGH.
AND JUST AS GOOD-LOOKING.



When it comes to storing data, durability is a very attractive feature. So Kingston® offers a complete line of the world's most rugged and reliable data storage subsystems. Kingston's storage products were designed for the most demanding commercial environments. But they've also survived duty in tanks, submarines, and even the space shuttle. You can't buy a more reliable subsystem. To prove it, we offer a seven-year warranty — the longest in the industry. The Kingston Data Silo® DS500 tower or rack-mount enclosure can house 3.5-inch and 5.25-inch half- or full-



height SCSI peripheral devices. Our Data Express® DE300 removable device subsystems, integrated into our DS500 chassis, provide an ideal housing for up to 12 removable, hot-swappable SCSI devices. Of course, Kingston storage products are compatible with all major platforms. For more information call us domestically at (800) 435-0670 or for international sales call (714) 437-3334. It could be the beginning of a beautiful relationship.



Kingston
TECHNOLOGY CORPORATION

RAMfax call domestically at (800) 435-0056 or for international sales call (714) 435-2677 or visit our Web site: <http://www.kingston.com/b.htm>



Circle 142 on Inquiry Card (RESELLERS: 143).

Kingston Technology Corporation, 17600 Newhope Street, Fountain Valley, CA 92708 USA, (714) 438-1850, Fax (714) 438-1847 © 1996 Kingston Technology Corporation. All rights reserved. Computing Without Limits is a registered trademark of Kingston Technology Corporation. Data Express, Data Silo, and Kingston are registered trademarks of Kingston Technology Corporation.


What's the BEST WAY to eliminate MEMORY LEAKS?

- ☐ a) Plumbers Caulk
- ☐ b) Debug Them Yourself
- ☐ c) High Performance Garbage Collection for C/C++
- ☐ d) Ear Plugs

If you checked "c"...you are right just by linking Great Circle, a high-performance garbage collector, with your programs, you automatically eliminate all the memory leaks and premature frees—even from 3rd party libraries, legacy code, and DLLs.

And if you think "Memory Debugger" ought to have been an option above, then you should *really* look into Great Circle, because you're spending way too much time debugging leaks.

Call 1-800-360-8388 to learn about Great Circle or for your free copy of the "Garbage Collection for C/C++" White Paper. *And never debug a memory leak again!*



GreatCircle
from

Geodesic systems.

Phone: 312/728-7196

Fax: 312/728-6096

E-mail: info@geodesic.com

VISIT OUR WEB SITE:

<http://www.geodesic.com>

BY108

MOVING?

To change your subscription mailing address, please complete the form below and send it to:



BYTE Subscriber Services, PO Box 555, Hightstown NJ 08520

Fax: 609-426-7087

Phone (9 a.m. to 8 p.m., Eastern Time, Mon-Fri.)

800-232-2983 (U.S.), or 609-426-7676

Current/Old Address:

Account Number

Name

Company

Address

City/State/Zip

New Address:

Name

Company

Address

City/State/Zip

Please allow up to 8 weeks for this change to become effective.

A Division of The McGraw-Hill Companies



FIXES

Due to an editing error in "Adieu, Pentafluge... Hello Cyrus" (August), we described Jerry Pournelle's new Cyrix 6x86 machine as having an "EIDE CD-ROM drive running off an Adaptec Ultra SCSI board." We meant to say it has an EIDE CD-ROM drive, and a 4-GB Fast SCSI-2 hard drive running off an Adaptec Ultra SCSI board.

Due to an editing error in "Future Watch" (Bits, August, page 28), we wrote: "Because it runs at only 70 nanoseconds, EDO RAM

incurs wait states at higher speeds." The sentence should have said: When running at 70 nanoseconds, EDO RAM incurs an additional wait state in systems with 66-MHz or faster bus frequency.

In our news story "Cyrix 6x86 Matches Pentium" (Bits, September), we neglected to include the SYSmark/32 benchmark results for a baseline Cyrix 6x86-based PC, without 64-MB cache. That number, 159, is comparable to the score of a 200-MHz Pentium Dell, which pegged a 161.

COMING UP IN NOVEMBER

STATE OF THE ART

NEW CHIP TECHNOLOGIES

BYTE takes an in-depth look at how new CPUs will alter system design. We'll examine the recent evolution of Intel processors, from MMX technology to what we've learned about the P7 (Merced); look at chips designed to run Java applications; and bring you the latest news from October's Microprocessor Forum.

SPECIAL REPORT

OPERATING SYSTEMS

BYTE reports on the rise of 64-bit OSes, from existing examples, like SGI's Irix, to future possibilities, like Hewlett-Packard/SCO's joint project. We'll also check the progress of Microsoft's Cairo and analyze the technical merits of Apple's Copland.

CORE

PARALLEL PROCESSING FOR THE MAINSTREAM?

Dick Pountain reports on Bulk Synchronous Parallelism, a new programming model that promises portability between different parallel-computing architectures.

REVIEWS

NSTL HARDWARE LAB REPORT

NSTL rounds up systems based on Intel's leading-edge 200-MHz Pentium Pro processor.

THREE-TIER CLIENT/SERVER DEVELOPMENT TOOLS

In a follow-up to our June Software Lab Report, NSTL tests PowerBuilder 5.0 from Powersoft and Centura Application Server from Centura (formerly Gupta). Both upgrades offer important new application-partitioning features for distributing your application's objects over a network.



Ministry of
Economics,
Technologie and
Transport
Nordrhein-Westfalen
Germany



GERMAN PRECISION

Anyone who doesn't understand the problem can't solve it. We listen precisely in order to know what you need. And we have the know-how, the ideas and the capability to connect things. And that's how innovative products and solutions for the challenges of tomorrow come about.

We in NRW, where precision is tradition.

Comdex, Las Vegas, Sands Expo & Convention Center
18. - 22. November 1996

Toll free fax back: 1-800-700-8247 ext. 400

NRW.

made
in
Germany

COMDEX
Fall '96

Circle 193 on inquiry Card


<http://www.byte.com/vpr.htm>
scan for: nrw.



A DESKTOP THAT'S ACTUALLY CAPABLE OF



*I'm no wimp.
But it's pretty
hot in here.*



Talk about considerate. Beyond having a thermal sensor that tells you if it's too hot, the new Compaq Deskpro will warn you if its hard drive's about to fail anywhere. It's all part of what we call the next generation of Intelligent Manageability. Among other things, it



©1996 Compaq Computer Corporation. All rights reserved. Compaq and Deskpro registered U.S. Patent and Trademark Office. Deskpro is covered by our 3-year limited warranty. Dealer prices may vary. Features vary by model. Monitor not included. Thermal sensor available only on Deskpro 4000 and 6000. Some features available with Compaq Deskpro and independent software applications. Other features only available with Windows 95. The Intel Inside Logo and Pentium are registered trademarks and the Pentium Processor Logo and the Pentium Pro Processor Logo are trademarks of the Intel Corporation. Other products mentioned may be trademarks or registered trademarks of their respective companies.



give IS managers a broader range of integrated solutions. And to minimize installation and your configuration

time, we provide

an upgradeable

integrated NIC and network-ready software which protects your investment and allows for growth. Ultimately what you get with Intelligent Manageability is lowered cost of ownership. Add to that a three-year warranty, plus



allows you to take inventory of all your hardware and software from one location. In case of hard drive failure, it backs up your data on the network; and now, thanks to our new PD-CD drive backup, it also preserves your data locally. There's even a sensor in the hood that alerts the support desk if anyone's tampered with it. Intelligent Manageability is still based on open industry standards that ensure compatibility and integration with any network. Our partnerships with Microsoft, Novell, Intel and others dedicated toll-free technical support that's open for business seven days a week, 24 hours a day. Control. It's what makes the new Compaq Deskpro so hot. In a cool kind of way. For more information, visit us at www.compaq.com or call 1-800-392-8883.

COMPAQ

Has It Changed Your Life Yet?

Self-Help Software to the Rescue

Call-avoidance software helps companies improve customer support and reduce expenses.

New programs for the Web let beleaguered technical-support departments reduce costs and improve service by helping users help themselves. Tech-support calls are the bane of the computer industry. They cut into profits—as much as \$20 per call—and often make frustrated users wait, usually at their own expense. To reduce the number of support calls a help desk has to field, companies are turning to a new breed of product known as call-avoidance software.

Expert systems are not new: Companies have used them for years to help their support personnel find solutions more quickly. The new trend is to put answers directly into the hands of the user, potentially bypassing the tech-support phone call altogether. And the new vehicle for delivering that knowledge is—you guessed it—the Web.

“Call-avoidance programs such as our Web Advisor and Knowledge Builder won’t solve every problem out there,” says Keith Loris, vice president of development at ServiceSoft (Needham, MA), which recently released its first authoring tools for building Web-based problem-solving systems. “But they can reduce the number of phone calls a tech-

| Cases to Consider | | Clarifying Questions | |
|-------------------|--|--|--------------|
| Scores | Cases | Questions | Answers |
| 96 | Laser print quality: variable print density down the page - contacts on image receptor dirty | When was the image receptor replaced last? | Not answered |
| 81 | Laser print quality: residual images - image receptor is worn out | Is the print density control already set at maximum? | Not answered |
| 77 | Laser print quality: grey print - image receptor worn out | Does the print density control appear to be set more than half way (too high)? | Not answered |
| 71 | Laser print quality: large interval regularly spaced spots - surface of image receptor damaged | Has it been a while since preventive maintenance has been applied to this printer? | Not answered |
| 64 | Laser print quality: residual images - print density set too high | Can you see toner particles or paper dust in the transfer ion rod area? | Not answered |

Programs developed with ServiceSoft's tools provide users with several possible solutions, with the most likely presented at top.

nical-support department has to handle. They can also ensure that the answers users get are consistent.”

Some call-avoidance software goes a step beyond telling users how to fix a problem: Instead, the program fixes the problem automatically. For example, SystemWizard, from SystemSoft (Natick, MA), will detect, diagnose, and, in some

cases, automatically fix common PC problems. SystemWizard, which should start appearing in several vendors' Win 95 and NT PCs by the end of this year, comprises several components, including a client application with a built-in local knowledge base of problem/resolution data, a server that provides a second level of support, and a knowledge

geek mystique

By our count, viewers watching the Summer Olympics on TV were, on one night, inflicted with 91 ads between 8 p.m. and midnight. Of those 91 ads, seven (about 8 percent) listed Web addresses. The Web-aware advertising companies were Reebok, Kodak, NBC, and Xerox and IBM (both twice). The next day, in the Boston Globe, we count-

ed 121 display ads, six (5 percent) of which had Web addresses.

— Jason Krause

Other Web Statistics

- Estimated percentage of adults in the U.S. using the Web: 7.7
- Estimated volume of sales generated by the World Wide Web in 1995 (in millions of dollars): 436
- Projected sales to be generated by the Web in 1998 (in millions of dollars): 46,000
- Number of U.S. states with organized pro-

grams for schools on NetDay '96: 27

- Number of Internet service providers worldwide (as of July): 3054
- Estimated size of Internet access market in 1997, in billions of dollars: 2.5
- Proposed tax on Internet access providers serving Tacoma, Washington: 6 percent
- Number of U.S. states taxing on-line services: 6
- Number of domains in .COM: 316,271
- Number of private Internet providers in Egypt: 7

— Win Treese

builder for use by a PC vendor or MIS department to add solutions as new problems occur. If System Wizard doesn't find a solution in the local database, the program can dial up a server, either over the Internet or the phone lines. The server can also automatically fix the problem by downloading a software solution or making some other modification.

By including a prebuilt database of solutions in SystemWizard, SystemSoft also eliminates a potential drawback to expert systems: the amount of time required for an organization to develop a comprehensive help system.

"Authoring is clearly the biggest issue," says Keith Sturdivant, manager of advanced support technology at Microsoft, which is increasing the number of self-help solutions it puts on the Web. "Maintaining the content and ensuring that the information is accurate and current in the database is important. And if you have a broad range of issues to address, as we do at Microsoft, that becomes much harder to deal with."

One difficulty is that technical-support people are often too busy solving the latest customer problem to sit down for half a day or even an hour to get information out of their brain and into the



Problem resolution can be more visual than with a phone call, as shown in this application using Inference's Casepoint.

expert system. Writing a self-help program that solves problems for people who have little or no inkling about what is causing their technical difficulties still involves extensive work, even when using authoring tools that require little or no programming.

"Providing a solution for a user who

WEB SELF-HELP SOURCES

Advantage kbs:
(908) 287-2236; <http://www.akbs.com>
Inference:
(415) 893-7200; <http://www.inference.com>
ServiceSoft:
(617) 449-0049; <http://www.servicesoft.com>
SystemSoft:
(508) 651-0088; <http://www.systemsoft.com>

yeah, but...

A controversy swirling around the release of NT 4.0 involves Microsoft's limiting to 10 the number of computers that can connect simultaneously to NT Workstation. To support more than 10 people, you have to use the more expensive NT Server, which sells for about \$1100. Microsoft officials say they are justified in this practice, since they have not tested NT Workstation to ensure it can support heavy usage (for example, as an Internet Web server).

Yeah, but this practice puts other vendors of Web server programs at a disadvantage. Microsoft provides a free Web server program with NT Server. Microsoft's 10-user licensing restriction essentially prevents other vendors from selling Web software that runs on the less expensive (\$319) NT Workstation at an overall cost that's less than NT Server. Competing on the NT Server field means Microsoft's competitors have to play against a free product.

Microsoft can put whatever restrictions it wants on its products. If people want to use NT to host Web sites, they can upgrade to NT Server.

Yeah, but Microsoft's policy will make customers who want to use NT as a platform for Web servers pay more. And other vendors say NT Workstation easily supports more than 10 users connected simultaneously to a Web site. They also argue that Microsoft already backed down from its plan to build the 10-user limitation into the NT Workstation software. But then why did Microsoft reintroduce the limitation by putting it into its licensing agreement?

doesn't have any idea what's wrong requires pretty intense authoring," says Erik Stackhouse, technical-support representative at Internet service provider UltraNet (Marlboro, MA), which is currently developing solutions using authoring products from ServiceSoft. "In that situation, you have to ask the user a lot of questions. There are so many factors involved that, from an authoring standpoint, it might be more work than it's worth." This is why companies such as UltraNet often start with a self-help system that specifically addresses a subset of common problems that can be easily solved, usually by an intermediate or advanced user. Situations involving more complex questions, novice users, or a computer that can't even get onto the Net will still require a voice call.

But even if the first implementations of Web-based self-help systems divert only 20 percent of incoming tech-support calls, this would be a huge improvement. And many vendors say that after an initial pilot phase, they plan to roll out larger, more comprehensive applications that will eventually handle 50 percent or more of incoming calls. In those situations, it's critical that call-avoidance authoring tools be able to integrate with legacy problem/resolution databases and call-tracking programs. And here the Web may again play an important role. A browser can be a single access point to a

myriad of data sources, provided those databases can export into the Hypertext Markup Language (HTML) format. "If you're making the effort to author, you want it to be accessible to as wide an audience as possible," says UltraNet's Stackhouse. "Doing it on the Web is probably the best way to make this work on a large scale."

— Dave Andrews

– Dave Andrews

Contents

New Face of Security
30

Aerial Telecommuting
30

Dirt-Cheap Color Printers
36

Unix Survey
42

Network Cameras Go Mobile
44







Entomophagous
Bruce Brown
48

Microsoft Internet Explorer 3.0



Microsoft Internet Explorer

Special Offers

-  The Wall Street Journal Interactive Edition
-  ESPN[®] SportsZone
-  Hollywood Online
-  MTV Online
-  InvestorsEdge
-  And more!

SPECIAL R

MUTU
FUN

Quarterly

THE WALL


*Connect time charges may apply to all offers.

©1996 Microsoft Corporation. All rights reserved. Microsoft is a registered trademark and the Microsoft Internet Explorer logo and *Where do you want to go today?* are trademarks of Microsoft Corporation. The Wall Street Journal[®] Interactive Edition is a trademark of Dow Jones & Company, Inc. ESPN[®] is a trademark of ESPN, Inc. SportsZone is a trademark of Starwave Corp. MTV is a trademark of MTV Networks, a division of Viacom International, Inc. Hollywood Online is a trademark of Hollywood Online Inc. InvestorsEdge ©1995 Ethos Corp.

IS YOURS TO DOWNLOAD, ABSOLUTELY **free**,
COMPLETE WITH **subscriptions**
TO THE WALL STREET JOURNAL INTERACTIVE
EDITION AND ESPNET SPORTSZONE,
also free.

PORT
AL
OS
review

WALL STREET JOURNAL.
INTERACTIVE
EDITION.



Introducing Microsoft® Internet Explorer 3.0. The new browser that's a step ahead of all the rest. It lets you experience all the coolest content, like sound and animation, that's being developed for the Internet today. It lets you customize the way you access and view the web. And it's yours to download right now, absolutely **free**.*

From now through December 31, we have all kinds of special offers that make the experience even better: You get The Wall Street Journal® Interactive Edition, free. It's the web's leading source of business news, with 24-hour updated coverage of world business and deep background on thousands of companies and

topics. You also get a free subscription to the premium areas of ESPNET™ SportsZone™, the number one destination site on the web, including expert columnists, multimedia highlights, behind-the-scenes reports, in-depth player profiles, and more. Our new browser also gives you free access to "buy, sell, hold" stock recommendations from InvestorsEdge, the Internet's premier financial information service. And there's even special content on MTV™ Online and offers on other sites that can only be seen with it. Just go to www.microsoft.com/ie. Then click one button. And see what a real browser can bring you these days.

Microsoft®

Where do you want to go today?

www.microsoft.com/ie


Security Gets a New Face

Here's a twist on security that gives new meaning to the word "facetime." The old definition of facetime involves trying to remember people's names as you mingle at parties. But for the U.K. company Visage Development, facetime refers to an authentication mechanism that requires users to recognize a series of faces before they can access their computers.

Instead of asking a user to remember a password or carry an authentication token, the Visage program presents a row of three faces, some of which the user has learned to recognize. Faces are typically 16-level gray-scale images, 50 pixels square, and each has a number. The faces appear for about a second before they're covered up by a masking image that hides the pictures from bystanders. Then another row of faces appears for a second and is covered up. Finally, a third row (see the screen shot at right). The user types in or clicks on the three numbers of the faces recognized; this is verified, and access is granted or denied.

The faces are taken from a database of generic faces. Each time, the three key faces appear in different positions, and the surrounding faces are randomly selected from the rest of that database.

Visage requires an initial training period of five to 10 minutes, during which the user chooses three faces from the image database, then practices recognizing those faces. What's innovative about Visage is that it's a genuine one-time password that requires no extra hardware, does away with password changes and the attendant administrative hassles, and is easier than ever for users. No smart cards, no challenge-response number pairs, and no fingerprint readers are



Visage asks users to recognize faces, rather than remembering personal identification numbers.

required. In one test, a user who left on maternity leave returned six months later and was able to successfully log in right away. Tests conducted by University of Cardiff psychologist Hadyn Ellis have verified the reliability and recallability of facial recognition as an authentication mechanism. Another test involved one group of people using Visage and another using personal identification numbers (PINs). After three months of no usage at all, the subjects were tested on their recall: Faces scored 100 percent, PINs 0.

The strength of Visage is based on our ability to recognize a face almost instantly (i.e., in about 20 milliseconds), combined with our inability to describe it in words that would let someone else pick out that same face from a group of simi-

lar ones. Also, the number of faces displayed per row, the number of rows in the grid, and the number of matches required, can all be configured to individual situations. Asking the user to pick three faces from five rows of four faces each and then to repeat with a new grid provides enough security to meet the standards of the British Computer-Electronics Security Group.

The company (contact William Visick, +01442 230471; fax +01442 212142; bvisick@cis.compulink.co.uk) is primarily interested in licensing the Visage technology, not in developing user-level products itself. Visage is currently available for NetWare 3 and 4, and a Windows NT version is nearing completion.

-Russell Kay

Coffee, Tea, or FTP?

Communications for air travelers in the future won't be so disconnected or rely so heavily on battery-powered notebooks. Delta Air Lines (Atlanta, GA), in partnership with Olin Aerospace Company (Redmond, WA), has already begun testing its first in-seat power supply system. Passengers on the airline's Spirit of Delta

future watch

Boeing 767 can sit down, plug in their computers, and not worry about battery power. Other airlines are also evaluating similar in-flight power systems.

Further out are communications systems that would let airplane passengers browse the Web

live. Systems such as Airview, from a company called The Network Connection (Alpharetta, GA), combine video entertainment, catalogs, PC games and applications, and possibly Web access. With Web access, travelers could send e-mail or browse competi-

tors' sites. However, before live Web access is possible, the satellite network that planes currently use for in-flight phone and fax services will need upgrading. And there's another matter. "Before deploying any next-generation communication system," says a spokesman for United Airlines, "we're going to take a close look at how much weight they add to the airplane." **-DA**



Netscape Plug-ins and Web Server Objects. Get ready to launch dynamic business applications out on the World Wide Web with PowerBuilder 5.0.

Now you can use market-leading PowerBuilder® 5.0, together with Powersoft's new web.pb™ to build real-world applications that run on any Web server, access corporate data with our patented DataWindow™ technology, and generate HTML on the fly for your favorite Web browser.

What's more, PowerBuilder 5.0 lets you create applications that run as Netscape Plug-ins for any Plug-in compatible browser. And since



Visit us at www.powersoft.com
and you may win free products
or other great prizes.

PowerBuilder 5.0 supports ActiveX controls, you can extend your applications' reach even further with new Internet components.

So "Web-ize" your applications today with PowerBuilder 5.0. It's available in three editions: Desktop, Professional, and Enterprise. To explore it at one of our seminars or to get more information, call us at 1-800-395-3525. And get ready to send your PowerBuilder applications into orbit.



web.pb for Web Server Development

Window Plug-Ins

DataWindow HTML Generation

ActiveX Support

Multi-Tier Application Partitioning

Compiled Code

Designed for Windows® 95

ObjectCycle™ for Version Control

Native Database Drivers

Foundation Class Library

©1996 Sybase, Inc. All rights reserved. Powersoft, PowerBuilder, web.pb, DataWindow, and ObjectCycle are trademarks of Sybase, Inc. or its subsidiaries. All other trademarks and registered trademarks are property of their respective owners. (508) 287-1500. <http://www.powersoft.com>

Vendors Battle Over Next Internet File System

Browser wars, step aside. The next battle looming in cyberspace is over which file system will provide the underpinnings for better file transfer and group collaboration services on the Internet. Such a file system, whether from Sun or Microsoft or some other vendor, would improve upon the Internet's current HTTP and FTP.

Sun's proposed new standard, the Web Network File System (WebNFS), is just what the Web needs, claims Brian Croll, director of marketing for Solaris Servers at Sun. "The Internet is like a dirt road with a lot of potholes. One of these potholes is the slow speed of file transfers," Croll says. An advantage of WebNFS is its superior performance over FTP and HTTP for transferring large blocks of data, Sun says. WebNFS also lets you edit documents instead of simply viewing them as you do in today's browsers. This read/write capability will allow vendors to develop applications that let you collaborate with others from within your Web browser or Web-enabled application, without having to cut and paste text from the browser into another program.

Sun's NFS has been the TCP/IP file distribution standard for more than a decade. Not tied to any architecture or operating system, NFS is the glue that holds together heterogeneous file sys-

tems. Until recently, there hadn't been an open implementation that would work consistently over Internet connections. But with Sun's submission of WebNFS to the Internet Engineering Task Force as a proposed open standard, that's no longer true.

WebNFS springs ahead of the Net's hypertext (HTTP) and data transfer (FTP) protocols because neither of them are network file systems. HTTP must constantly close and open sockets to transfer information, and both HTTP and FTP require high latency between packets. WebNFS cuts down on both the interprocess communication and latency factors. This results in WebNFS offering block file transfers that are up to 10 times faster than the current versions of HTTP and FTP, Sun claims.

WebNFS already has powerful supporters, including Oracle and Spyglass, who are incorporating it into their browsers. Auspex, IBM, and Sequent plan to include WebNFS in their Web servers. Sun, of course, is putting all its resources behind WebNFS. The most visible sign of this support is the Netra NFS file servers, which depend as much on WebNFS as they do on HTTP for data transfer.

However, two prominent names are missing from the list of WebNFS adopters: Microsoft and Netscape. HTTP and FTP leave much to be desired for seeking, reading, and writing operations, agrees J. Allard, a program manager at Microsoft. But Microsoft's remote file access protocol, called Common Internet File System (CIFS), complements HTTP. CIFS is based on the company's service message blocks (SMBs), which are

already used in existing network components of Windows and NT, Allard notes, as well as on Unix.

Allard finds Sun's WebNFS speed claims to be somewhat disingenuous. "Byte Read-Range and HTTP connection keep-alive is evolving HTTP into a rival for WebNFS," he says. According to Allard, it may be too late to expect the entire Internet community to make a fundamental shift from HTTP to a new standard for file transfers.

Netscape, usually a staunch Sun ally, is still evaluating WebNFS, according to Andreas Cook, product PR manager. "Even if we turn it down now, we may use it in the future," he says.

"The big powers of the Web will fight over WebNFS. If Sun is successful, adding WebNFS will require many companies to retrofit their servers and browsers," says Ross Rubin, senior analyst for Jupiter Communications (New York City), a research firm that covers consumer online services and the Internet.

WebNFS is a threat to Netscape, says Stephen Auditore, president of Zona Research, an Internet market research house. "WebNFS plus Java is a direct competitor to HTTP and HTML," he says. "If Sun is successful in replacing the existing infrastructure, all the other major Web companies are in serious trouble." According to Auditore, Netscape is balking because WebNFS/Java would undercut all its technology dollars.

As for Microsoft, "Redmond already has its own distributed file system oriented to the NT environment and SMB, and they would love to see it expanded onto the Net," Auditore says. After all, whichever company controls the standards also controls the marketplace: WebNFS's success or failure could drastically influence Sun's and other companies' revenue streams.

Will WebNFS become the Net standard? "A lot will depend on whether Sun can gain the mind share of people using other third-party HTTP servers," says analyst Rubin. "If someone ports WebNFS to popular freeware servers, like Apache, it will be a matter of time until people start hacking together WebNFS add-ons for both Netscape's and Microsoft's browser and server product lines." If that happens, then the Web could be completely reinvented with WebNFS as its standard.

— Steven J. Vaughan-Nichols

Bug of the Month

cc:Mail: Not OK

A BYTE editor found this interesting dialog when attempting to read new e-mail using cc:Mail 2.01 under Win 95. After the editor logged in, cc:Mail announced that he had new mail. When the editor attempted to read the new e-mail, the dialog message at right appeared. When he attempted to close the dialog box, he got the dreaded ringing-bell error sound. Clicking on another application minimized the dialog, and

attempting to read cc:Mail caused another instance of the same error message. Now bells were ringing in stereo. The quick-and-dirty solution:

Close cc:Mail and all other applications, reboot, and try again. The next time, everything worked as expected.



Send yours to edejesus@bix.com!

"They thought my new Multipath[™] Back-UPS[®] Office[™] was just a big surge suppressor – then the lights went out."

Back-UPS Office's Internet Ready Fast/Modern Protection prevents surges from damaging internal & external modems, motherboards, input/output cards, and other system components.

Circuit breaker provides protection in the event of an overload or short circuit; no fuse, no hassle.

Recessed Master On/Off Switch prevents accidental shut-off and conveniently controls power to the entire connected system.

Convenient BlockSafe[™] outlet spacing can accommodate all size plugs, including large transformer blocks.

LIFETIME EQUIPMENT PROTECTION \$25,000

Back-UPS Office has User-replaceable Batteries that can be easily swapped out, saving time and expense; no need to return to the factory for service. Batteries last 3-6 years under normal usage.

Six outlets guard your hardware with full-time surge protection. Three of the six outlets provide instantaneous battery back up to keep your system from crashing in the event of a brownout or blackout.

Full-time Surge Protection

Guaranteed protection against all power problems, on all power paths, for PCs and peripherals.

At last, a safe place to plug everything: Multipath Back-UPS Office for workstations, PC's and peripherals



Facing the darkness is hard, but inevitable: You have a better chance of winning the lottery than of escaping power problems. They're the single largest cause of computer data loss and hardware damage.

Back-UPS Office provides reliable power for your entire system. Instantaneous battery backup ensures uninterrupted operation of your CPU, monitor and an external storage device. Full-time surge suppression and site-wiring fault protection spreads a true Multipath[™] safety net under any remaining integrated peripherals, like modems, printers, faxes and phone systems. Back-UPS Office also provides convenient BlockSafe[™] outlet spacing to handle all size plugs – even large block transformers.


Unique Multipath protection keeps your PC and data safe

Plugging a phone line into your computer doubles your vulnerability to power



problems; add any peripheral, and it triples. Even if your AC power-line is shielded, when a surge hits an unprotected peripheral, it can blaze down serial and data lines, and toast your expensive PC.

Multipath[™] Means Total Power Protection



Multiple peripherals and data lines to and from your system are vital, but dangerous. Without them, you can't do your job. However, if a power sag makes your modem drop the line while you're downloading from the Internet, or locks your keyboard before you've saved work, you lose time, money and spend another late night at the office to meet your deadline.

Back-UPS Office protects your entire system

Until now, protection for your entire system required several devices. But multi-device protection can leave you vulnerable to line noise and unwanted data glitches created by the voltage differential between outlets. Those glitches are prevented with the Back-UPS Office common voltage reference.

Back-UPS Office means true Multipath[™] protection, clean, safe power to every

peripheral, and instant battery backup to keep your cutting edge system and OS from crashing. It means protection for less by integrating the security of a surge suppressor with the power of a UPS, guaranteed up to \$25,000.

APC has won more awards for reliability than all other brands combined



"Back-UPS Office [is] a show-in for the small-office/home-office computing market and for general desktop workstation."

| THE MULTIPATH POWER PROTECTION ADVANTAGE | TRADITIONAL SURGE PROTECTOR | TRADITIONAL UPS | BACK-UPS OFFICE |
|--|-----------------------------|-----------------|-----------------|
| Protected Paths | | | |
| AC | • | • | • |
| Data | | | • |
| Phone | | | • |
| Total Outlets | 7 | 2 | 6 |
| Number of Block Outlets | | | 2 |
| Protected Items | | | |
| Surge | • | • | • |
| Surge | • | • | • |
| Modem | • | • | • |
| Storage Device/Drives | | | • |
| Typical Response to Fluctuation with Protection (ms) and Frequency | | 10 | 10 |
| Surge Protection for | | | |
| PC | • | • | • |
| Modem | • | • | • |
| Storage Device/Drives | | | • |
| Full-time surge protection for | | | |
| Full-time | • | • | • |
| Line Power | • | • | • |
| System | • | • | • |
| Surge protection for | | | |
| Modem or Network | | | • |

Traditionally, protecting all your equipment meant buying a surge suppressor and a UPS. Even then, only your AC line was protected. Now Back-UPS Office protects all paths to your equipment. Bulletin of Multipath protection.

Protect yourself before you kick yourself. Get your new Back-UPS Office today (list price: \$179.99), or call APC for a FREE 60-page catalog!

APC
AMERICAN POWER CONVERSION

(800)800-4APC • <http://www.apc.com>

(603)786-1747 Fax • (603)747-4434 PowerFax
Computer: 603-APC-SUPPORT • Email: bsoffice@apc.com
121 Farquhar Road, West Kingston, NJ 02891 USA

Dept. A2

Circle 123 on Inquiry Card.

**PICTURE THIS:
6X CD-ROM,
11.3" DISPLAY AND
ZOOMED VIDEO.**

**NOW
PICTURE THIS:
\$2499.[†]**

**ZOOMED
ZV
VIDEO**

FULL-MOTION VIDEO

With Toshiba's Zoomed Video technology and a ZV PC Card, you get full-screen, full-motion video and MPEG support without sacrificing system performance.

11.3"

800 x 600 RESOLUTION
Sure, the screen is huge. And it also has 800 x 600 resolution, which means that every inch of viewing area delivers crystal-clear definition and vibrant colors.

PENTIUM® PROCESSOR

A 100MHz Pentium processor and 40MB of EDO memory can speed up any multimedia presentation. Plus, the 2.9v processor was designed specifically to maximize notebook battery life.

EXPANSION

Satellite Pro's two PC Card slots unlock a world of expansion capabilities. And the optional NoteDock™ I Enhanced Port Replicator offers additional PC Card slots as well as easy connection to your desktop setup.

ADVANCED MULTIMEDIA

With a 6X CD-ROM, microphone, speaker and stereo headset, Satellite Pro offers the most advanced multimedia features you can get at this price.



INTRODUCING THE NEW SATELLITE PRO™

When it comes to multimedia features, the Satellite Pro offers the big picture at a small price. It all starts with a huge display and full-motion video to make your multimedia presentations look more like feature films. And it's easy to take your show on the road with a 100MHz Pentium processor, up to 40MB of memory and a massive hard drive.

Add to that a 6X CD-ROM, integrated AC adapter and PC Card slots and you've got more than you need to get the job done. So when you want some real portable power, pick up the Satellite Pro. No other notebook can give you so much for so little. For more information visit the Toshiba website at <http://computers.toshiba.com>, or for a dealer near you, call 1-800-457-7777.



Satellite Pro™

420CDT*

- 11.3" dia. color active-matrix TFT display
- 1.3 billion byte (=1.26GB) hard drive**

420CDS*

- 11.3" dia. color dual-scan DSTN display
- 810 million byte (=772MB) hard drive

BOTH MODELS

- 100MHz (2.9v) Pentium® processor
- 8MB of EDO DRAM expandable to 40MB
- Modular 6X CD-ROM and 3.5" floppy drive, swappable in the SelectBay™
- MPEG support via ZV Port technology (requires optional PC Card)
- HiQVideo™ graphics controller

- 16-bit Sound Blaster® Pro compatible audio system with microphone, speaker and stereo headset
- Two stacked PC Card slots (two Type II or one Type III)
- IrDA compliant
- Lithium Ion battery
- Integrated AC adapter
- Optional NoteDock™ I Enhanced Port Replicator
- Windows® 95 or Windows® for Workgroups included
- 3-year limited warranty
- Toll-free technical support - 7 days a week, 24 hours a day

In Touch with Tomorrow
TOSHIBA

The World's Best Selling Portable Computers.

©1996 Toshiba America Information Systems, Inc. All prices, specifications and availability are subject to change. *Price is for 420CDS model, price of 420CDT model begins at \$3299. **The 420CDT and 420CDS are sold at selected resellers as the 425CDT and 425CDS with Windows® 95 and additional pre-installed software. ***The 425CDT comes with an 810 million byte (=772MB) hard drive. All products indicated by trademark symbols are trademarked and/or registered by their respective companies. Intel Inside and Pentium Processor Logos are trademarks of Intel Corporation.

Circle 159 on Inquiry Card.

Photo Quality Arrives for Low-Cost Printers

Ink-jet printers were once the poor substitute for people who couldn't afford a laser printer. Now, these inexpensive devices are delivering much that laser printers can't, including near-photorealistic images at a fraction of the price.

Improvements in ink formulations, dot-placement accuracy, and better software are all combining to produce the best-looking color ink-jet output yet for personal desktops. And the prices are

coming down to staggeringly low levels for this type of output.

An excellent example is Epson's Stylus Color 500C, which puts the company's 720-by-720-dots-per-inch (dpi) output technology in a printer expected to

sell for about \$279. The 500C produces sharp black text, but the real attraction is the photo-quality output. Samples printed on coated stock were as close to conventional photographs as we've seen from a color ink jet, regardless of price. The Epson prints black text at up to 4 pages per minute (ppm) and color at about 1 ppm or slower.

Hewlett-Packard is countering with its midrange model, the 693C. This printer produces laudable photo-quality output in its basic mode, but HP has added an optional (\$49) photo cartridge for even higher-quality output. Inserting the photo cartridge in place of the black ink cartridge produces a much wider range of possible colors, resulting in smoother and better looking output. The results we saw were very impressive, making the HP competitive with the Epson, though it is somewhat more expensive (\$349) and does not come ready to work with a Mac.

Canon's latest iteration of its BubbleJet technology is the BJC-4200, which prints at 720 dpi for crisp, lifelike images. Canon offers specialty neon inks for the BJC-4200, though it has no photo-specific inks like HP. List price is \$399. Canon's BJC-240, also new, sells for \$179, but it's slower than the BJC-4200: 4 ppm in black and white and way under 1 ppm in color.

Lexmark's latest, the Color Jetprinter 2050 (\$299), prints black or four-color output at 600-dpi resolution. The company rates its speed as up to 5 ppm in black and 2 ppm in color. Lexmark offers an accompanying line of special paper for high-quality photographic reproduction.

These color ink jets aren't perfect. They are slower than laser printers when it comes to high-volume black-and-white output, and they can be very slow when producing photo-quality color pages (as much as 3 minutes or more a page). Still, at these prices, they make color printing very affordable.

— Jon Pepper

COLOR INK-JET PRINTERS

| | Text Speed | Color Speed | Resolution | Cost | Photo Color |
|-------------------------------|------------|-------------|------------|-------|-------------|
| Epson Stylus Color 500 | 4 ppm | 2 ppm | 720 x 720 | \$279 | Yes |
| Canon BJC-4200 | 5 ppm | 1 ppm | 720 x 360 | \$299 | Yes |
| HP DeskJet 693C | 3 ppm | 1 ppm | 600 x 600 | \$349 | Yes |
| LexMark Color JetPrinter 2050 | 5 ppm | 2 ppm | 600 x 600 | \$299 | Yes |


Note: HP and Canon require optional cartridges for true photo color output.

Internet/Intranet Survey


From where do you access the Internet?




How do you use the Internet at work?



Time frame for intranet implementation



How do you use the intranet?



Source: BYTE Survey
(<http://www.byte.com>)

"Now that my
company is on
the Internet,
will a fancy
port scanner
algorithm make

mincemeat

of my
firewall?"

DEFENSE

The Internet lets your company open its doors to millions of potential customers, partners and contributors and, unfortunately, some potentially dangerous hackers, crackers and online troublemakers.

That's why we at IBM have some dedicated hackers of our own. We call them "ethical hackers." Working with the [IBM Global Security Analysis Lab](#), these scientists explore the cutting edge of hacking techniques to develop better and better security countermeasures. And, as part of [IBM's Security Healthcheck](#), they'll even try to break into your network (with your permission, of course) to look for weak spots and strengthen defenses.

Where the healthcheck leaves off, [IBM's Emergency Response Service](#) takes over. On call

24 hours a day, seven days a week around the globe, the response team makes itself intimately familiar with your network and systems ahead of time so that, in an emergency, they can respond quickly to close the breach and fix the problem.

To learn more about [IBM's IT Security Consulting](#), [Security Healthcheck](#), ethical hackers, the [Emergency Response Service](#) and all the products and services in the [IBM SecureWay™](#) family, visit us at www.ibm.com/security or call [1 800 IBM-7080](tel:1800IBM7080), ext. G 121.

Solutions for a small planet™



New Products Make Backing Up Easier

Most PC users look forward to backing up their files about as much as they look forward to a visit to the dentist. They know they have to do it, but they would prefer not to. A new round of products seeks to make the system-backup chore a little less painful.

With its Zip drive, Iomega (801-778-1000; <http://www.iomega.com>) made backup peripherals, if not the process itself, fashionable. With 100-MB data cartridges, a cool design, and the right price (under \$200), the Zip became a best

seller, with a claimed installed base of more than 2 million units. Now, Iomega and others are evolving their backup products into devices that perform a multitude of operations, such as exchanging large data files, archiving, protecting hard drives from viruses, and many other functions. Iomega has followed its 1-GB Jaz drive (\$499) with a new version of its tape-backup line, called the Ditto2GB, that offers an intuitive user interface, 2-GB storage capacity, and \$149 drive price (\$20 per additional tape).

Syquest (510-226-4000; <http://www.sales@syquest.com>), known for its tape backup products, counters with its EZFlyer, a 3½-inch 230-MB removable-cartridge hard drive (\$299). The EZFlyer offers more storage than the Zip, but it's also

more expensive. The media itself is inexpensive at \$29.95. The EZFlyer is available in both parallel and SCSI versions.

Only about 5 percent of PC users currently have some type of backup or archive device, according to Jim Porter, president of Disk/Trends (Mountain View, CA), a market research firm. "It is too early to tell what technology will dominate, but I am inclined to think none will take over a very high percentage of the PC base," Porter says. "It is like life insurance: People don't need it until they are dead, and they feel the same about backup against failures." However, when the dark day comes that your hard drive fails, you will wish you were among the fashionable minority that uses a backup product.

—JP

Book Reviews

How Free Should Internet Speech Be?

If you believe, as I do, that free speech should prevail on the Internet, you'll find this book a friendly and informative aid the next time you argue this subject. You won't, however, find it a comforting one.

Authors Jonathan Wallace and Mark Mangan take on disturbing denizens of the Net to show why the likes of snuff fiction writers and bomb makers should not be used as excuses for restricting the Internet. Civil-libertarian-minded readers will be chilled to the bone—and their convictions tested—upon reading about the university professor who posted, in an open newsgroup, fantasies of raping and murdering a female student.

Keeping the Net accessible will ultimately place a greater responsibility on all of us to counter that which we find offensive by social, instead of legal, means. In the above case, the authors argue persuasively that prosecuting the professor for conspiracy to commit the acts he'd written about was misguided; more effective and entirely justifiable was his removal by the university from his teaching post.

After an admirable attempt to boil down the legalese of several landmark court cases, the authors conclude that we should treat the Net as a series of printing presses and book stores. They chose this metaphor carefully: A long history of U.S. Constitutional law extends the fullest protection of the First Amendment to those two institutions. In contrast, virtually every advanced communications technology, from telegraph to television, has in some way been restricted by the government.

I found the printing press/book store comparison useful; it cuts through the colorful attempts by some people to portray the Internet as an invasive, irresistible deluge of information. On the contrary, it takes an act of will to connect to the Internet. And this paradigm leaves a place for responsible filtering by on-line services and parents (and

room for argument about just what "responsible" means).

Mangan and Wallace sound the alarm about the political and commercial forces who hide behind outmoded arguments to gradually roll back freedom of speech. The Net has the same chance of moving humanity forward as did the first books. Also, like the printing press, new electronic media will disseminate communications ranging from the objectionable to the subversive to the broadly acceptable.

Mark Schlack is *BYTE*'s editor in chief. You can send mail to him at mschlack@bix.com.

Practical Help for the Disabled

The personal computer is a powerful tool for opening the world to people with disabilities. How to make it happen is less obvious—and the subject of this book.

The focus and tone are relentlessly practical. Joseph J. Lazzaro (an occasional contributor to *BYTE*) is less concerned with theory than with what you can buy and use today. You'll find a surprising range of hardware and software to aid people with impaired vision, motor skills, or hearing. The descriptions that make up most of the book (and the shareware and demo programs on the accompanying CD-ROM) summarize the capabilities of each product well enough to let you make a preliminary judgment on its usefulness.

Software developers aren't forgotten. The book includes a developer's guide for writing accessible software; it's full of tips on how to design programs that don't shut out people with disabilities. As Lazzaro demonstrates, a little thought in the design phase can make the difference between software anyone can use and software that excludes people using nonstandard I/O. If you know someone who is disabled, or if you are disabled yourself, *Adapting PCs for Disabilities* is invaluable.

—Rick Cook

Sex, Laws, and Cyberspace
by Jonathan Wallace and Mark
Mangan; Henry Holt & Company;
ISBN 0-8050-4767-0;
\$24.95

Adapting PCs for Disabilities
by Joseph J. Lazzaro;
Addison-Wesley Publishing;
ISBN 0-201-48354-8;
\$39.95

"Now that my company
is on the Internet,
will I have to explain
to management
what a Resident
Stealthed

Evil Empire

virus is and
why it brought down
the New York office?"

ANTIDOTE

Monkey. B...Queeg...Screaming Fist. Right now there are people out there making newer, smarter computer viruses at the rate of about four a day. And the more your company ventures onto the Internet, the more you open yourself up to attack.

Fortunately, we've got the world's leading antivirus researchers on our side: a whole lab of men and women whose aim in life is to thwart viruses before they can do damage. They've developed an integrated suite of antivirus products and services you'll find in our SecureWay™ family, including the most advanced security measures in industry history. IBM AntiVirus software detects more than 6,800 strains of computer viruses, including polymorphic viruses and others previously thought to be undetectable. The system

also provides false alarm elimination and infection verification. It will alert you to suspicious virus-like activity anywhere on the network. And it works across multiple client/server operating systems from Windows® 95, Windows 3.1, DOS and OS/2® Warp to Novell NetWare® and Windows NT.™

As an IBM AntiVirus customer, you get signature updates, Bulletin Board support and you can subscribe to comprehensive quarterly software upgrades and get a fully updated antivirus product every three months, including the latest polymorphic fixes.

For more on our antivirus solutions and all our security products, visit www.ibm.com/security or call 1 800 IBM-7080, ext. C 120.

Solutions for a small planet™



WHEN THE JOB CALLS FOR A PRO



MICRON HAS YOU COVERED.

Now there's a desktop PC that's flexible and sensibly priced for your office or department—the **Micron ClientPro™**. Designed for long life and reliable, affordable performance, this new PC offers years of productive and adaptable computing without costly system upgrades. And now we are matching the power and reliability of the Pentium® processor with powerful system software. Introducing the new 32-bit operating system everyone is talking about—Microsoft® Windows NT® 4.0. A network operating system known for its reliability, Windows NT features the popular Windows 95 interface for the business network and integrates built-in management and support tools. Windows NT 4.0 also offers important innovations in graphics, multimedia, business productivity and the Internet, and it has excellent mixed-platform integration, a full complement of security features, multiplatform and multiprocessor scalability, and reliability enhancement features. With Micron, you get a system custom configured to fit your office needs, network ready with Windows NT 4.0 and backed by our industry-leading Micron Power™ warranty.

Micron Power™



Warranty & Support

- 5-year limited warranty on microprocessor and main memory
- 3-year limited parts-only system warranty
- 1-, 2- or 3-year optional on-site service agreement for Micron desktop and server systems
- 30 days of free Micron-supplied software support for Micron desktop systems; 3 free network operating system incident resolution calls for Micron server systems
- 30-day money-back policy
- 24-hour technical support

The foregoing is subject to and qualified by Micron's standard limited warranties and terms and conditions of sale. Terms and conditions of sale may vary for specific configurations. Copies of the limited warranties may be obtained on our Web site or by calling Micron.

SYSTEM CONSIDERATIONS

MICRON Just won three PC Magazine Editors' Choice awards

- ✓ 5-year Micron PowerSM Warranty
- ✓ 1st Tier Reliability
- ✓ Stable network performance
- ✓ Priced right

DELL

- 3-year warra
- 2nd Tier Relia
- High price

GATEWAY

- 3-year limited warranty
- High price

ClientPro™ P100

- Intel 100MHz Pentium® processor
- 256KB pipeline burst cache, flash BIOS
- 3Com® 3C509 Combo network adapter
- 3.5" floppy drive
- Tool-free minitower or desktop
- Microsoft® Mouse, 104-key keyboard
- MS-DOS® 6.22/Windows® for Workgroups 3.11
- 5-year/3-year Micron PowerSM warranty

- PCI 64-bit graphics accelerator (2MB EDO)
- 8MB EDO RAM
- 1.2GB EIDE hard drive
- 14" Micron 14FGx, .28dp (12.9" display)
- Microsoft Works preinstalled


\$1,499
Bus. lease \$51/mo.


- PCI 64-bit graphics accelerator (2MB EDO)
- 16MB EDO RAM
- 2.1GB EIDE hard drive
- 15" Micron 15FGx, .28dp (13.7" display)
- Microsoft Office Pro 4.3 preinstalled

\$2,018
Bus. lease \$69/mo.

- With 133MHz Pentium processor.....add \$100

 Tollfree from Canada
800-708-1758

 Tollfree from Mexico
95-800-708-1755

 Tollfree from Puerto Rico
800-708-1756

International Sales 208-893-8970
International Fax 208-893-7393

900 E. Karcher Road, Nampa, ID 83687 • Mon-Fri 6am-10pm Sat 7am-5pm (MT) International Sales Hours: Mon-Fri 6am-7pm (MT)
208-893-3434 • Fax 208-893-3424 • Purchase Order Fax 208-893-8992 • Technical Support Available 24 Hours / 7 Days
Technical Support E-mail: techsupport.mei@micron.com

©1998 Micron Electronics, Inc. All rights reserved. Micron Electronics is not responsible for omissions and/or errors in typography or photography. All purchases are subject to availability. Prices and specifications may be changed without notice; prices do not include shipping and handling. 30-day money-back policy does not include return freight and original shipping/handling charges, applies only to Micron brand products and begins from date of shipment. All sales are subject to Micron Electronics' current terms and conditions of sale. Lease prices based on 36-month lease. Intel, Intel Inside and Pentium are registered trademarks of the Intel Corporation. Microsoft, Windows, the Windows logo and Windows NT are registered trademarks of Microsoft Corporation. All other service marks, trademarks and registered trademarks are property of their respective companies. BYTE-CLPR-9610

Circle 168 on Inquiry Card.

ClientPro™ P200

- Intel 200MHz Pentium processor
- 256KB pipeline burst cache, flash BIOS
- 3Com 3C509 Combo network adapter
- 32MB EDO RAM
- 3.1GB EIDE hard drive
- 3.5" floppy drive
- 8X EIDE CD-ROM drive
- PCI 64-bit graphics accelerator (2MB EDO)
- 17" Micron 17FGx, .26dp (15.8" display)
- Tool-free minitower or desktop
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows NT® Workstation
- Microsoft Office Pro 95 & Bookshelf® 95 CDs
- 5-year/3-year Micron Power warranty

\$3,257
Bus. lease \$111/mo.

- With 166MHz Pentium processor.....subtract \$100



MICRON™
ELECTRONICS, INC.

800-486-2059
<http://www.mei.micron.com>

Web Address COMbat

While the Internet community wrestles with implementing the new version of the Internet protocol that increases the number of possible IP addresses, another struggle is taking place over the shortage of domain names. The situation stems from the fact that Network Solutions Inc.'s InterNIC controls more than 90 percent of all domain names in this country, including the top-level domains such as .com, .edu, .gov, and .net. With such a limited number of domains, the selection of good domain names appears to be shrinking.

But is there really a shortage? Rosalind Resnick, president of NetCreations (Brooklyn, NY; <http://www.netcreations.com/>), an Internet software and marketing company, doesn't think so. The problem of companies who can't get their favorite name into the domain of their Web address is analogous to trademarks, she says. "If someone already has your name [in their Web address], then you have to come up with another name. After all," Resnick points out, "in the real world, you can't start up a fast-food chain called McDonald's because that's already been trademarked."

But that doesn't stop people from wanting just one name and no other for their domain. In that sticky sort of situation, a vendor can turn to AlterNIC (<http://www.alternic.net>), which lets a company get the key words it wants in its Web address by using alternative top-level domain names. By giving enterprises more opportunities to have the name they want, AlterNIC argues, it fulfills consumers' desires and helps prevent businesses from slugging it out over who gets what domain name.

Sounds good, but there's a storm looming. InterNIC believes it is the sole gatekeeper of top-level domain names and that attempts by other companies to infringe on that responsibility interfere with its legal right to control domains. Whether AlterNIC is successful in freeing up top-level domains is an open question. But it seems certain that as more companies put marketing and sales operations on the Web, some opening up of top-level domains is certain to happen.

- SJVN

Datapro Report

Unix Survey: Users Like Reliability, Scalability, and Performance

While many users are including Microsoft operating systems in their purchasing plans, that doesn't mean they are downsizing their plans for Unix. According to Datapro's 1996 International User Ratings Survey on Unix and Open Systems, Windows NT is used in 38 percent of the organizations surveyed, and 23 percent more are planning to add NT this year. However, Unix remains popular due to its flexibility, scalability, and power, with which Microsoft currently cannot compete.

NT is the logical upgrade path for organizations that have outgrown Windows, and NT is making major inroads into Unix's low-end server market. Over the past two years, Unix vendors have reacted to market shifts caused by NT by moving to the high-end server market. For example, SCO, once considered the premier low-end Unix vendor, now markets its OS as an enterprise-class product for client/server and host-based systems.

Although users like Unix's reliability, high performance, scalability, interoperability, and client/server support, they also complained that Unix systems still cost too much, and that installation, ease of use, and user interfaces could be better. One version of Unix that received high marks for affordability is Linux, which is available for free or for a nominal CD-ROM charge. The Linux ratings cannot be considered statistically valid, but it's interesting to note that the OS scored quite well in ease of use, development tools and utilities, and of course price. It didn't score as well as the others in scalability. One reason could be that ports of Linux to RISC processors are newer to the market than versions for Intel-based PCs.

Over the years, one common complaint with Unix has been that it's too expensive. If Linux had been available 10 years ago, one can't help wonder what its impact would have been.

Mary I. Hubley, principal analyst. For more information on Datapro Information Services: (800) 328-2776; (609) 764-0100; <http://www.datapro.com>.

| Product | IBM AIX | Digital Unix | HP-UX | SCO* | SunOS/ Solaris | System V | Linux |
|---------------------------------|------------|-----------------|-------|------|-------------------|----------|-------|
| Number of responses | 181 | 81 | 224 | 202 | 297 | 114 | 33 |
| Client/server support | 3.5 | 3.6 | 3.7 | 3.4 | 3.9 | 3.5 | 3.4 |
| Development tools/utilities | 3.1 | 3.2 | 3.4 | 3.1 | 3.6 | 3.1 | 3.8 |
| Interoperability/communications | 3.6 | 3.7 | 3.6 | 3.2 | 3.9 | 3.5 | 3.7 |
| Performance | 3.6 | 3.9 | 3.8 | 3.4 | 3.7 | 3.7 | 3.6 |
| Scalability | 3.6 | 3.5 | 3.8 | 3.2 | 3.7 | 3.7 | 3.1 |
| Security | 3.2 | 3.3 | 3.3 | 3.2 | 3.2 | 3.3 | 2.8 |
| User interface | 3 | 3.2 | 3.4 | 2.7 | 3.2 | 2.8 | 3 |
| Ease of installation | 2.9 | 3.1 | 3.2 | 2.8 | 3.2 | 3 | 3 |
| Ease of use | 3.1 | 3.3 | 3.3 | 2.9 | 3.1 | 3.1 | 3.4 |
| Price | 2.7 | 3 | 2.9 | 2.8 | 3 | 2.9 | 4.7 |
| Reliability | 3.6 | 3.7 | 3.9 | 3.4 | 3.8 | 3.8 | 3.8 |
| Maintenance/support | 3.4 | 3.3 | 3.6 | 2.9 | 3.3 | 3.4 | 3 |
| Overall satisfaction | 3.3 | 3.4 | 3.5 | 3.1 | 3.5 | 3.3 | 3.5 |

Ratings are on a 5-point scale, where 1 = poor, 2 = fair, 3 = good, 4 = very good, 5 = excellent. * (Unix, Xenix, Open Desktop, OpenServer)

600 DPI COLOR
CAPABLE on any
office paper or
transparency

5¢ A COLOR PAGE
A fraction of the
cost of color
photocopies

\$3,495 From the work-
group color leader with 14
years in color printing.

6 PPM COLOR
Twice as fast as
any competitor's
desktop laser.

FREE BLACK INK
Now you can send
everything to your
color printer

Brilliant performance. Breakthrough price.

The new Phaser® 350 costs less to own, less to use than any other laser-class, workgroup color printer. With award-winning performance that's become the hallmark of Tektronix: RISC processing. Ample RAM. Networking. So now our incredible speed and brilliant color are the most affordable and economical, too. No wonder, at over \$500 million in color printing revenue, Tektronix sells more workgroup color printers than anyone.

Call 800/835-6100, Ext. 1314. <http://www.tek.com/CPad?1314>

Tektronix



Phaser 140



Phaser 240



Phaser 350



Phaser 440



Phaser 550



Phaser 480X



Phaser 300X


cd-rom review

Use Multimedia to Learn Multimedia

With today's new point-and-click authoring tools, anyone can toss together a multimedia project. But mastering the text, audio, video, hyperlinks, and varied production skills often required in creating a CD-ROM, Web page, or business presentation is another matter. The Sonic CD-ROM for Desktop Audio Production focuses on one special aspect of multimedia: sound.

The disc offers a thorough lesson in audio production basics, and it makes good use of plentiful examples. This product will be most useful for technicians who want to polish their sound skills.

Another valuable CD-ROM for audio production is the IEEE's Standards in



The Sonic CD covers techniques of audio production.

Computer Generated Music. This CD offers essays and documents concerning desktop music publishing, MIDI, high-level music programming, digital audio, 3-D sound, multimedia, and computer-assisted instruction.

The amount of information varies from subject to subject. The CD may disappoint people interested in a specific angle (e.g., only one study covers 3-D sound). Overall, however, this disc delivers practical information for audio developers on a wide variety of topics.

— Jason Krause

The Sonic CD-ROM for Desktop Audio Production
AP Professional, (800) 321 5068;
<http://www.hbuk.co.uk/app/approf.htm>
\$44.95

Standards in Computer Generated Music
IEEE, (800) CS BOOKS;
<http://www.computer.org>
\$49.95 for IEEE Computer Society members, \$69 for nonmembers



Web Cameras Hit the Road

A new type of diminutive network gadget—cameras that snap images you can view with a Web browser—could start showing up in some unusual places, like highways and hallways and even your front door. Current network cameras from Microplex (800-665-7798; <http://www.microplex.com>) and Axis Communications (800-444-AXIS; <http://www.axisinc.com>) are 1-pound devices that can take color images and put them on self-contained Web servers at a rate of about 1 frame per second. Anyone with a standard browser can view those images, opening up all kinds of possibilities for remote surveillance and other types of applications that can take advantage of the Web.

The drawback with current versions of the Axis and Microplex products is they don't have serial ports; instead they use standard Ethernet UTP connections to a network. Both companies say they are planning new versions with serial ports. That would let a modem transmit the images over a standard phone line, thus providing much more flexibility in camera location. Who knows? Maybe one day commuters will rely on Web-enabled cameras placed along pop-

ular travel lanes to avoid rush-hour traffic; or maybe high-tech workers on the coast will use a network camera to see when the surf is up.

— DA

Vendors Ready Better E-Mail Boxes


If you live in e-mail, your house may be about to undergo a major reconstruction. Lotus, Microsoft, SoftArc, and others have renovated their mail client programs to make them more tightly integrated with contact management, scheduling, and other business tasks.

Microsoft's new Outlook program, which will be part of the next version of MS Office, offers a wealth of new features (for more information, see the What's New Software Preview on page 208). And Lotus has similar developments in the works for cc:Mail (see the screen below).

cc:Mail Release 7's new capabilities include basics like the ability to apply styles to individual words in a message. More comprehensive design overhauls include a user interface that more closely resembles that of Notes Mail and tighter synchronization for remote users. The interface for creating rules for handling messages automatically has been improved, and you can test those rules before making them operational. Remote users can access files on the LAN, and new message-sorting capabilities help you tailor your mailbox interface.

SoftArc's FirstClass 4.0 (slated to ship in early 1997) will integrate new calendaring features with its e-mail, collaboration, and other capabilities. Further in the future, expect closer integration of e-mail and telephony, SoftArc officials say.

— DA



The new cc:Mail finally lets you apply styles to individual words.

There Is Only One Choice For Data Compression.

PKZIP® for Windows



**New Version
Just Released**

New Features in PKZIP for Windows Version 2.50

- ▶ Ability to create .ZIP files that span multiple diskettes
- ▶ Create a Windows self-extractor
- ▶ Self-extractor can span multiple diskettes
- ▶ Long file name support for Windows 95 (16 and 32-bit) and Windows NT (32-bit)
- ▶ Integration with Windows 95 & NT Explorer
- ▶ Plus additional features

The growth of the Internet and the increased use of World Wide Web browsers are creating a greater need to compress and uncompress data files. Saving disk space and saving on-line phone charges are big benefits of compressing data files with *PKZIP® for Windows*. PKZIP for Windows compresses files an average of 50-70% with many large text and database files compressing well over 90%. PKZIP's simple point-and-click interface lets you easily compress one file or all files on an entire hard drive, and store them in the .ZIP file. PKWARE provides the best and fastest data compression technology on the market, try it and see!

PKZIP for Windows allows you to easily open files created with PKZIP for DOS Version 2.04g. PKZIP is also compatible with Windows 3.1 or higher, Windows 95 and Windows NT.

PKZIP for Windows \$49, PKZIP for DOS \$47 plus shipping and handling.

**To order call (414) 354-8699
or visit our Web Site <http://www.pkware.com>**

Other PKWARE Products

Put Your Executables on a Diet



PKLITE™ increases your valuable disk space by compressing DOS and Windows 16-bit executable (.COM, .EXE and .DLL) files by an average of 45%. The operation of PKLITE is transparent, all you will notice is more available disk space! Price \$46

Software developers, save disk space and media costs with smaller executables. You can distribute your software in a compressed form with PKLITE Professional™. PKLITE Professional gives you an extra option to compress files so that they cannot be expanded by PKLITE. This discourages reverse engineering of your programs. Price \$146

Put Compression Into YOUR Application

The PKWARE Data Compression Library® products allow you to incorporate data compression technology into your software applications. The application program controls all the input and output of data, allowing data to be compressed to or extracted from any device or area of memory.

The all-purpose Data Compression Algorithm compresses ASCII or binary data quickly. The routines can be used with most compatible language compilers. Separate DOS, DOS32, Windows, OS/2, Win32, UNIX and Macintosh versions are available! Call for pricing.



PKWARE® INC.
The Data Compression Experts®

9025 N. Deerwood Drive / Brown Deer, WI 53223 USA
FAX: 414-354-8559 BBS: 414-354-8670
Email: info@pkware.com



1992-1996 PC World World Class Award
1996 Government Computer News
Best New Product Award at FOSE Finalist
1995 Computer Currents Readers Choice Award
1993 Shareware Industry Award
1992 Premiere Computing Magazine Award
1992 Dvorak/Zoom Award



BY-1096

Copyright 1996 PKWARE, Inc. All Rights Reserved. All trademarks or registered trademarks are property of their respective owners.

Circle 151 on Inquiry Card.

check
out *it*!

**www.
data.
Com**

**Check out the new web site
from Data Communications**

www.data.com

Blasts from the Past

Years ago in BYTE

Desqview/X from Quarterdeck finally brought the X Window System to DOS, to tepid response from the market. Microsoft admitted that NT wouldn't support OS/2. Bill Gates said sales of special Presentation Manager versions of Excel and Word were dismal. Meanwhile, Lotus released the first version of 1-2-3 for Windows and the Mac. Lotus later turned its back on the Mac version. And rifts started appearing in the Advanced Computing Environment when it turned out you really would need at least two versions of source code and four compilers. Meanwhile, Compaq's new systems promised Plug and Play, but not *The* Plug and Play. Compaq's version mostly promised that you'd be able to upgrade the processor.

Years ago in BYTE

The Apple II GS received mixed reviews. We liked its new 16-bit processor but worried that the GS cost too much and didn't offer graphics superior to the Amiga or Atari. Also, we wondered why Apple would invest such energy in preserving 10-year-old technology.

Years ago in BYTE

In their first good look at the brand new IBMPC, BYTE's editors were impressed and even surprised that Big Blue, known then for its big iron, could do such a swell job on a PC. We also ran a long tutorial on an up-and-coming new technology for PCs known as the local-area network.



A Dark Cloud of Bugs

Bruce Brown, president of BugNet, discusses beta software, the proliferation of bugs, and their threat to the industry.



BYTE: How did you decide to get into the bug-reporting business?

Brown: About two years ago, I had a sense that compatibility, glitches, and bugs were going to become an increasing concern to PC users. It seemed clear to me that the bowl of jelly was going to shake when Windows 95 and Windows NT 4.0 hit. I felt this was going to create a need for products and services that would help users get over, or around, these problems. At the outset, we were doing a traditional newsletter, but the newsletter is now 100 percent electronic on the Web. We also sell a database of bug/fixes in HTML, and are syndicated in a half dozen major dailies, as well as InfoWorld and Computer Currents. We also just signed an exciting new mass marketing deal with Online Interactive.

BYTE: With all the free beta software available today, do you feel that people are more willing to put up with bugs?

Brown: That's a complex question which has to be addressed from a couple of angles. Because of the need to generate revenue and sustain stock prices, there is a lot of pressure to release product as quickly as possible and to deal with bugs later. This is a fact of the business and, if anything, is becoming more prevalent, even though vendors obviously don't want to put out products which are so buggy that they depress sales. Beta is a little different, but it also plays into the

software vendors' almost maniacal desire to curtail support costs. Beta looks like a dream come true to the vendors because they can say up front, "We're not going to support this," and at the same time they derive certain testing benefits from people who use a beta product and inform the company of problems.

BYTE: Why then is beta a threat?

Brown: The threat is that installing beta can screw something else up in your system. For example, in a bug that BugNet broke, it was revealed that Internet Explorer 3.0 Beta 2 running under Windows 95 replaces one or more system files with versions that are incompatible with some commercial products that you pay money for. So you install the beta and, all of a sudden, some commercial products don't work as they should. And you go to the vendor you paid money to, and now the vendor may very well say to you, "This is a beta, and we don't support beta. You're on your own." Users don't realize that the "free" program that they download may in fact cost them a lot of time and money.

BYTE: Do you think this will change?

Brown: This gets into an issue that I think is really societal. We have come into a situation where the expectations of the user are changing. There is a conflict between the expectations of the traditional users of PCs, the PC enthusiasts, and the new group, normal people who may not want to spend their weekend screwing around with their printer drivers. To make the PC an everyday appliance, this large new group must be satisfied. But these folks expect the darn thing to work when they turn it on, and of course the PC fails this basic test far too often. And so even though the industry as a whole may be doing a better job in the minds of traditional users, it may be doing worse in the minds of the users that the vendors most want to reach. And this, in turn, may be part of why such a shockingly small percentage of PC sales are made to first-time purchasers.

For more information, see
<http://www.bugnet.com/~bugnet>

The eagerly awaited Lotus Domino serves up a goodly dose of Notes functionality to Web clients. By Steve Gillmor

Notes Opens Up to the Web

Domino, a.k.a. HTTP Services for Lotus Notes, gives Notes developers a powerful jumpstart in creating dynamic Web sites, and it offers unique interactive tools not yet available from other major players. Domino extends Notes' proprietary architecture onto the Web, serving Notes databases to browsers on-the-fly. It loads as a Notes 4.x server task, delivering both a traditional HTTP server and the Domino engine that interacts with the Notes document and object store.

While not eliminating the need for Notes clients, Domino does give Web browsers a great deal of Notes' functionality. Users can browse multiple views; create, edit, and delete documents; perform full-text searches; download binary files; read and send Notes mail; and post documents that trigger work-flow agents.

Installing Domino on our Windows NT server required updating the Notes Release 4.1 Public Address Book and registering Web users, adding them to a special Domino Users group. You can give

TECH FOCUS

Who's on Guard?

Domino creates new security exposures. Even with optional Secure Sockets Layer encryption, there's somewhat less security when accessing the Notes environment via a Web browser. With a standard Notes client, authentication requires an authorized Notes ID in addition to a password.

Domino globally exposes all Notes databases, requiring you to manually disable confidential databases from the Open Database dialog and Catalog lists. For now, Lotus suggests putting Domino databases on a separate server, using Notes replication to update and maintain communication between Internet and intranet.

Lotus Domino
Free download
from <http://domino.lotus.com>
(requires Notes 4.x Server)

Lotus Development Corp.
Cambridge, MA

(800) 343-5414
(617) 577-8500

<http://www.lotus.com>

Circle 1049
on Inquiry Card.

Domino lets you customize Notes templates, databases, and forms for interactive HTTP serving.

group members access to databases at a variety of Notes security levels. You can also create an Anonymous entry in the Notes Access Control List to give access to unregistered users.

Domino allows Web developers to leverage Notes tools such as input validation and translation formulas, hiding and revealing information based on time-sensitive and user-identity criteria, and displaying threaded discussions that are automatically indexed for querying. The "gold" release we tested supplied several sample databases, including a registration application with several agents.

With Domino, you can detect the type of client and optimize the look of a database according to whether a Web browser or a Notes client is viewing it. Domino supports the insertion of Hypertext Markup Language (HTML) code, combining HTML and Notes data and pass-

ing it to the browser. You can use HTML pass-through code to process graphics, run Common Gateway Interface (CGI) scripts, and add URL links. Browsers don't sup-

RATINGS

| TECHNOLOGY | ★ ★ ★ ★ ★ |
|----------------|-----------|
| IMPLEMENTATION | ★ ★ ★ ★ ★ |
| PERFORMANCE | ★ ★ ★ ★ ★ |

port the same rich server connections as Notes clients, so only server-based agents can use LotusScript scripting.

Domino will evolve as Web browsers acquire more capabilities. But even in its first release, this HTTP server add-in propels Notes to the head of its class. **B**

Steve Gillmor, of Southern Digital, Inc. (Charleston, SC), has extensive experience using and installing Notes. You can reach him at sgillmor@aol.com.

HDS's @workStation is a low-cost box for Web access, Java applets, and Windows. By Peter Wayner

X Terminal + Browser + Java = Web PC

Many people are fascinated by the concept of a "network computer" that provides a low-cost way to get on the Net, browse the Web, and run Java applets. One of the first such machines to reach the market comes from HDS, which is selling an enhanced version of its X Window terminal called the @workStation. The system offers a surprisingly versatile way to give many users access to both the Web and Windows applications for as little as \$750 per seat.

HDS could jump into this new market so quickly because smart terminals that run X Window are a fixture in the Unix community. These are often diskless systems with a small amount of memory that simply display whatever the workstation tells them to. HDS took these functions and added three crucial ROM-based components: a Web browser, a Java virtual machine to run applets, and NTRIGUE client software from Insignia Solutions (Santa Clara, CA) that lets you fire up Windows applications remotely. The @workStation provides excellent browsing and Java applet speed because these operations run locally on an Intel i960 embedded RISC machine.

We tested the @workStation Prima, the 25-MHz model. The basic unit (\$749) comes with 8 MB of RAM, no hard disk, and a 17-inch grayscale monitor. A system with a 15-inch color monitor costs \$1199, while 17-inch color costs \$1499. Our test unit—with 36 MB of RAM (128 MB is tops) and a 15-inch color display—priced out at \$1899.

The browser firmware, licensed from Spyglass (Champaign, IL), loads documents directly from the Web if you let the @workStation have its own IP address (which can be statically or dynamically assigned). To use Windows applications, however, you must run them remotely on an NT server that's running NTRIGUE



@workStation Prima \$1899

(as tested, with 25-MHz i960 processor, 36 MB of RAM, 15-inch color display)

HDS Network Systems
King of Prussia, PA

(800) 437-1551
(610) 277-8300
fax: (610) 275-5739

info@hds.com
http://www.hds.com

Circle 1059
on Inquiry Card.

The HDS @workStation uses Insignia Solutions' NTRIGUE to access Windows applications on an NT server.

(\$1995 for five-user license, \$195 per additional user). Computation is done on the server machine, but drawing takes place on the @workStation. Sending the drawing information over the network is relatively slow, but not prohibitively so.

We hooked our test unit through its built-in 10Base-T Ethernet connection to an AST Bravo 200-MHz Pentium Pro system running NTRIGUE. Windows performance on the @workStation was respectable, but the user interface could not duplicate the snappy response of the big machine. For example, when I typed in the NT MS-DOS editor (an old 16-bit application), screen output lagged one or two characters behind. Clearly the network limits the ability for the low-end box to compare with a dedicated PC.

If you're building a network of computers for people who occasionally use Windows applications that are not graph-

ics-heavy, then an array of @workStations could save you money. Hooking up a dozen or so terminals to a good high-end server running NT can cut the cost of hardware and dramatically reduce system upkeep because you have to upgrade only the software on the central NT server. In terms of performance, the @work-

RATINGS

| | | | | | |
|----------------|---|---|---|---|---|
| TECHNOLOGY | ★ | ★ | ★ | ★ | ★ |
| IMPLEMENTATION | ★ | ★ | ★ | ★ | ★ |

Station is comparable to that of a PC when using basic applications like word processing. It falls short when running graphics applications like games. But who plays games at work anyway? **B**

Peter Wayner is a BYTE consulting editor who lives in Baltimore. You can reach him at pcw@access.digex.net.

Introducing
the first PC
worthy enough
to work beside
your trusty
HP printer.



HP Vectra 500 PC



You never give your HP printer a second thought. You just know it's going to work. Now that same HP performance can be found in a line of PCs designed specifically for the demands of small business. The HP Vectra 500 PCs. They all arrive ready to work. Some are HP/Microsoft® Small Business Centers—they're armed with Microsoft Office for Windows® 95 Professional Edition. And to make everything a little more manageable, every Vectra 500 comes with



Designed for

Microsoft®
Windows® 95

free online service and support. Dealers include: Intelligent Electronics, Computerland, Datago, MicroAge, Inacom and CompUSA Corporate. For more information, call 1-800-322-HPPC, Ext. 1557.¹ And see what a good family name can do for you.


FROM **\$1,389***

Minitower or Desktop models:

- Intel 100, 120, 133, 150 or 166 MHz Pentium processor
- 8 or 16MB EDO Memory (128MB max)
- 256KB cache memory²
- 64-bit PCI video
- 2.5GB hard drive³
- 4X, 6X or 8X EIDE CD-ROM Drive⁴
- 28.8 fax/data modem with telephone answering machine⁵
- 16-bit Sound Blaster audio⁶
- Hands-free headset with microphone⁷
- 1-year on-site warranty⁸
- 1-year free phone support for hardware, 90-day free software support

¹In Canada, call 1-800-387-3867. *Average U.S. street price for Pentium® processor-based HP Vectra 510/575 PC. Monitor not included. HP Vectra 500 PCs come with Microsoft Windows 95 preinstalled. ²Standard on 133 and 166 MCx models, optional on all other models. ³Other capacities available. ⁴Standard on CD, MC and MCx models. ⁵Multimedia models only. ⁶On-site, second-day business service. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation. Pentium and the Intel Inside logo are registered trademarks of Intel Corporation. ©1996 Hewlett-Packard Company PPG429

HP PCs For Small Business



PEAK PERFORMANCE IS THE NAME OF THE GAME

The name of the book to get you there is the

BYTE Guide to Optimizing Windows 95

Don't let Windows 95 run your life. With the BYTE Guide to Optimizing Windows 95, you're in control. Filled with fresh solutions and optimizing shortcuts, you'll find slick tips and expert advice on

- Installing Windows 95
- The Internet
- Multimedia
- Handling old Windows and DOS applications
- Networking with Windows
- Troubleshooting... and much more

You'll also get the real scoop on hardware issues and third-party products. An ideal guide and handy reference, you'll turn to the BYTE Guide to Optimizing Windows 95 again and again as you power up Windows 95 to your standards.




BYTE Guide to Optimizing Windows 95
by Lenny Bailes
with Bermant, Menefee, and Heilborn
\$29.95 USA
ISBN: 0-07-882120-7



BYTE Guide to CD-ROM,
Second Edition
by Michael Nadeau
Includes One CD-ROM Disc
\$39.95 USA
ISBN: 0-07-882104-5




BYTE Guide to OpenDoc
by Joshua Sussner &
Andrew MacBride
\$29.95 USA
ISBN: 0-07-882118-5



Schildt's Windows 95
Programming in C and C++
by Herbert Schildt
\$29.95 USA
ISBN: 0-07-882081-2




Schildt's Advanced Windows 95
Programming in C and C++
by Herbert Schildt
\$29.95 USA
ISBN: 0-07-882174-6

OSBORNE 

<http://www.osborne.com>

CODE=SF36BYL

Available now at your local book and computer stores
or call 1-800-822-8158 and use your American Express,
VISA, Discover, or MasterCard.

A Division of The McGraw-Hill Companies 

AT NATIONWIDE STORES

BARNES & NOBLE

BEST BUY

BOOKSTAR

BORDERS

COMP USA

ELEK-TEK

MEDIA PLAY

MICRO CENTER

SOFTWARE, ETC.

SUPER CROWN

TAYLORS

WALDENBOOKS

BYTE/OSBORNE BOOKS ARE AVAILABLE AT THE FOLLOWING LOCATIONS

ARIZONA
Tempe
Computer Library
PH: 602-820-0458

CALIFORNIA
Capitola
Capitola Book Cafe
PH: 408-462-4415
FAX: 408-462-2536

Cupertino
A Clean Well Lighted Place
PH: 408-255-7600

Stacey's Professional
Bookstore
PH: 408-253-7521
FAX: 408-253-5861

Irvine
Irvine Sci-Tech Books
PH: 714-733-1002
FAX: 714-733-0122

Los Angeles
OPAMP Technical Books
PH: 800-464-4322
FAX: 213-464-0977

Menlo Park
Kepler's Books &
Magazines
PH: 415-324-4321

Mountain View
Tower Books
PH: 415-941-7300

Palo Alto
Stacey's Professional
Bookstore
PH: 415-326-0681
FAX: 415-326-0693

Sacramento
Tower Books
2538 Watt Avenue
PH: 916-481-6600

San Diego
San Diego Technical
Book, Inc.
PH: 800-346-0071
FAX: 619-279-5088

San Jose
Computer Literacy
Bookshops
PH: 408-435-1118
EMAIL: info@clbooks.com

San Luis Obispo
El Corral Bookstore
CAL Poly SLO
PH: 805-756-1101
FAX: 805-756-5351

Santa Barbara
Earthling Bookshop
PH: 805-965-0926

Stanford
Stanford Bookstore
Stanford University
PH: 800-533-2670

COLORADO
Boulder
Biblio Tek
PH: 303-443-7037

Colorado Springs
McKinzie-White
Booksellers
PH: 719-590-1700
FAX: 719-531-7631

Denver
Auraria Book Center
PH: 303-556-3230

Tattered Cover Bookstore
PH: 303-322-7727

Englewood
Softpro Books
PH: 303-740-7751
FAX: 303-740-8152

DELAWARE
Newark
University Bookstore
University of Delaware
PH: 302-831-2637

GEORGIA
Atlanta
Engineers Bookstore
PH: 404-221-1669
FAX: 404-221-1119

HAWAII
Honolulu
Honolulu Book Shops
PH: 808-536-9512
FAX: 808-538-7580

IDAHO
Moscow
University of Idaho
Bookstore
University of Idaho
PH: 208-885-6469

IOWA
Ames
Iowa State University
Book Store
PH: 515-294-5684
FAX: 515-294-5669

MARYLAND
College Park
University Book Center
University of Maryland
PH: 301-314-7855
FAX: 301-403-8326

MASSACHUSETTS
Boston
Waterstone's Booksellers
PH: 617-859-7300
FAX: 617-437-0997

Cambridge
Harvard/Co-Operative
Society
PH: 617-499-2000
FAX: 617-868-7038

Wordsworth Books
PH: 617-498-0080
FAX: 617-354-4674

Worcester
Tatnuck Bookseller/
Databooks
PH: 800-642-6657
FAX: 508-756-9425

MINNESOTA
Minneapolis
Baxter's Books
PH: 612-339-4922
PH: 800-626-1049
FAX: 612-339-6134
EMAIL:
tombaxter@aol.com

NEBRASKA
Lincoln
Nebraska Bookstore
PH: 402-476-0111
FAX: 402-476-0111

NEW JERSEY
Newark
Newark Book Center
PH: 201-642-7956
FAX: 201-642-3345

Princeton
Princeton University Store
PH: 609-921-8500
FAX: 609-924-9651

NEW YORK
Blasdell
Village Green Bookstore
PH: 716-827-5895
FAX: 716-827-5898

Fairport
Village Green Bookstore
PH: 716-425-7950
FAX: 716-425-4968

New York
Barnes & Noble #200
PH: 212-807-0099

Classic Bookstore
PH: 212-466-0668
FAX: 212-466-0363

Computer Book Works
PH: 212-385-1616
FAX: 212-385-8193

McGraw-Hill Bookstore
PH: 212-512-4100
FAX: 212-512-4105

Tower Books
PH: 212-228-5100
FAX: 212-228-5338

Rochester
Total Information, Inc.
PH: 716-254-0628
FAX: 716-254-0153

World Wide News
PH: 716-546-7146

NORTH CAROLINA
Chapel Hill
Bull's Head Bookshop
PH: 919-962-5060
FAX: 919-962-7392

OHIO
Cincinnati
University of Cincinnati
Bookstore
PH: 513-556-1800
FAX: 513-556-5555

Dayton
Books & Co.
PH: 513-298-6540
FAX: 513-298-7895

Wilkie's South
PH: 513-434-8821

Kent
Kent State University
Bookstore
PH: 216-672-2762
FAX: 216-672-3758

Lima
Readmore's Hallmark
2100 Harding Hwy
PH: 419-229-2601

OREGON
Beaverton
Book Vault
PH: 503-646-8119
FAX: 503-646-4459

Corvallis
Oregon State University
Bookstore
PH: 503-737-4323
FAX: 503-737-3395

Portland
Portland State Bookstore
PH: 503-226-2631
FAX: 503-725-3800

Tower Books
PH: 503-253-3116
FAX: 503-253-4189

PENNSYLVANIA
Edwardsville
Village Green Bookstore
PH: 717-283-9340
FAX: 717-283-9367

King of Prussia
Gene's Books, Inc.
PH: 610-265-6210
FAX: 610-265-6260
EMAIL:
genes1@netaxs.com

Philadelphia
Tower Books
PH: 215-925-9909
FAX: 215-923-5969

Pittsburgh
Carnegie Mellon
University Shoppe
PH: 412-268-2966
FAX: 412-268-5592

West Chester
Chester County Book
Company
PH: 610-696-1661
FAX: 610-429-9006

TENNESSEE
Knoxville
University Book &
Supply Store
University of Tennessee
PH: 615-974-1049

TEXAS
Arlington
University Bookstore
University of Texas
Arlington
PH: 817-273-2785

Dallas
Major's Scientific Books
PH: 214-631-4478

Denton
University Bookstore
University of North Texas
PH: 817-565-2592

Houston
Major's Scientific Books
PH: 713-522-1361
FAX: 713-524-5860

VIRGINIA
Blacksburg
Volume II Bookstore,
Virginia Tech
PH: 703-231-5991
FAX: 703-231-7786

WASHINGTON
Bellevue
Tower Books
PH: 206-451-1110
FAX: 206-454-0453

Bellingham
Students Cooperative
PH: 206-650-3958

Seattle
Elliot Bay Book Co.
PH: 206-624-6600
FAX: 206-343-9558

University Bookstore
PH: 206-634-3400
FAX: 206-634-0810

WASHINGTON DC
Washington DC
Reiter's Scientific &
Professional Books
PH: 800-537-4314
FAX: 202-296-9103

WISCONSIN
Milwaukee
Harry W. Schwartz
Bookshop
PH: 414-274-6400
PH: 800-236-7323
FAX: 414-274-6408



“The
HEART
of an
Artist”

EO75
EO SERIES

Vivid colors. Ergonomic design. Performance and features to indulge the visionary in you.

Princeton Graphic Systems® monitors have always had a solid reputation for pushing performance barriers far beyond industry standards. This tradition was proven with the highly respected Ultra 15 which won *PC World's* Best Buy Award a remarkable three times in a row. The 135MHz/82KHz Ultra 17+ further redefined the industry with its award-winning, high refresh rate performance and ultra-low price. Now, our ExtraOrdinary new models surpass even our own stellar benchmarks.



Case in point, the EO75. With its super-high 95KHz horizontal frequency, 200MHz video bandwidth and an ultra-fine 0.26mm dot pitch, this 17" (15.8" viewable) monitor delivers a bold, flicker-free resolution of 1600 x 1200 @ 75Hz. That's rock-solid performance. Furthermore, our engineers added Enhanced Imaging Circuitry for a sharper focus without the moiré problems so common to other 0.26mm monitors. That's a difference you can see!

Princeton's next generation of EO monitors incorporates PreVu™ controls and Coloright™ technology perfect for intense, graphical applications. In addition, Princeton offers an ExtraOrdinary, full three year "Bucket to Bezel" limited warranty*.

The EO Series is already available at your nearby dealer. See it today. Their performance will win your heart. Their price will ease your soul.

“The **SOUL** of an
Accountant”

\$722^{ESP}



Princeton Graphic Systems • 2801 S. Yale St., Ste. 110 • Santa Ana, CA 92704 • Tel. 800/747-6249 or 714/751-8405 • Fax 714/751-5736 • Fax-On-Demand 714/751-0168 • Web Site: www.pgr.com

© 1996 Princeton Graphic Systems. All rights reserved. All trademarks are the properties of their respective owners. As an Energy Star™ Partner, Princeton Graphic Systems has determined that these products meet Energy Star™ Guidelines for energy efficiency. Prices and specifications are subject to change without notice. *PreVu™ and Coloright™ are not available on the EO40. Full three-year limited warranty is offered on the following models: EO40, EO50, EO17, EO70 and EO75.

COMDEX
Fall '96 Las Vegas Convention Center
Booth No. LS205

PRINCETON
GRAPHIC SYSTEMS

800-747-6249 ext. 165

Innovative optics and integrated Adobe Player firmware make Proxima's new projector a presentation stunner. By G. Armour Van Horn

Road-Show Romance

By combining Texas Instruments' Digital Light Processor (DLP) optics and Adobe Acrobat technology into its Desktop Projector 4100Z, Proxima has set a new standard for direct digital projection systems. The \$7750 DP4100Z uses DLP optics to project bright, sharp, 24-bit, 640-by-480-pixel color images through its 1.5-to-1 zoom lens. With the optional Media Express package (\$1495), you can present slides in Acrobat .PDF file format without an attached computer.

After carrying the unit through several airports on a speaking engagement, I have only one complaint: its 27-pound weight. That said, the projector's brightness (350 ANSI lumens), clarity, and flexibility impressed fellow speakers.

The DP4100Z's DLP display engine uses an active semiconductor reflective surface that modulates red, green, and blue images in turn as a tricolor filter rotates through the illumination source (see "Micromirrors Project Better Images," July BYTE). The filter absorbs less



Desktop Projector 4100Z
\$9745

(with Media Express option
and 540-MB hard drive)

Proxima Corp.
San Diego, CA

(800) 447-7692
(619) 457-5500
fax: (619) 457-9647

<http://www.prxm.com>

Circle 976
on Inquiry Card.

Adobe Acrobat technology turns the DP4100Z into a presentation appliance. DLP optics provide big, bright, razor-sharp images.

light than polarizers, so the image is brighter than images from LCD-based projectors. Because the same addressable matrix forms the three component images, there is no color misregistration.

The DP4100Z accepts 24-bit video from two computers, has RCA jacks and S-Video inputs for two video sources, and accepts stereo sound from all four. Other connections include a microphone jack, a serial-mouse connector, and outputs for VGA and stereo sound. Its 3-W stereo speakers face backward.

The Media Express option includes Acrobat Exchange PDF editing software (five-user Windows and Mac licenses; Unix is optional), an internal floppy drive to hold PDF presentations, and a plug-in cartridge with a Motorola 68EC040 processor and Acrobat Player firmware to present the slides. Exchange lets you rotate images (a crucial feature), establish transitions between slides (e.g., wipes, window blinds, zooms, and dissolves), crop, set display intervals, and

combine different presentations. The cartridge firmware includes limited Exchange capabilities: deleting and sorting slides, adding some transitions, and setting intervals.

The optional Optimizer plug-in com-

RATINGS


| | | | | | |
|----------------|---|---|---|---|---|
| TECHNOLOGY | ★ | ★ | ★ | ★ | ★ |
| IMPLEMENTATION | ★ | ★ | ★ | ★ | ★ |

presses PDF presentations. You can fit 1000 slides on a floppy disk. An optional 540-MB hard drive increases capacity.

Equipped with Media Express, the DP4100Z is both a sophisticated presentation system and an "appliance" that requires only the remote control to advance from slide to slide—you can leave your notebook home. Either way, the DLP optical system is superb. **B**

G. Armour Van Horn is a production artist and consultant in electronic imaging and prepress. You can reach him at vanhorn@bix.com.

Many Routes to PDF




Digital's FX!32 is the key to running Win32 software on Alpha/Windows NT. By Selinda Chiquoine

Alpha Learns to Do Windows

Executing code written for one CPU on another has always been like the talking dog: Though she didn't speak very well, the wonder was that she could do it at all. A new application from Digital Semiconductor has changed the way we think about emulators and what they can do. FX!32 lets you run 32-bit x86 Windows programs on Alpha/NT systems at surprising speeds. Depending on the applications and how they are used, they might run faster on an Alpha system than on a high-end Intel machine, though never as fast as native Alpha programs. In our tests, FX!32 1.0 achieved about 40 percent to 50 percent of the performance of the same code compiled for Alpha.

BYTE editors gave FX!32 the Best Technology award at Comdex last fall because it breaks the emulator mold. It looks at the instructions you're using and translates some of them into native Alpha code, saving the result in a separate DLL. It intercepts system calls and directs them to a native Alpha library. FX!32 thus combines both translation and interpretation, saving execution profiles and analyzing them heuristically (see "An Alpha in PC Clothing," February BYTE).



| Application Name | Size | Run Count |
|-------------------------------|---------|-----------|
| Adobe Photoshop 3.0.5 | 3479596 | 6 |
| FASTBOOT.EXE | 26708 | 20 |
| FINDFAST.EXE | 1372772 | 20 |
| Mathcad 6.0 6.00 | 3955468 | 19 |
| Microsoft Excel 7.0a | 6420272 | 7 |
| Microsoft Office 7.0a | 1437056 | 20 |
| Microsoft Access 7.00 | 5784928 | 1 |
| Microsoft Visual C++ 2.10.000 | 111248 | 21 |

| Image Name | Size | Run Count |
|---------------|-------|-----------|
| AGM.DLL | 48588 | 6 |
| AI_PARSER.8by | 5188 | 6 |
| CSDTRN32.DLL | | |
| cll3d32.dll | | |
| FastCore.8BX | | |
| msvcrt10.dll | | |
| MThread.8BX | | |
| photos01.dll | | |
| photos02.dll | | |
| photoshp.exe | | |
| PLUGIN.DLL | | |
| Pressure.8BX | | |

| | |
|---|-------------|
| Database directory: | D:\x32\data |
| Maximum disk usage: | 104857600 |
| Current usage (bytes): | 25229108 |
| Re-optimize threshold: | 25 |
| <input type="checkbox"/> Interpret only | |

The FX!32 Manager reports the status of Win32 applications and background code optimization.

I tested FX!32 on a 466-MHz Alpha system with 128 MB of RAM running a beta version of Windows NT 4.0. The BYTEmark test results are summarized in the chart. The FX!32 translations ran at 47 percent (integer) and 32 percent (floating point) of native speeds. Straight emulation clocked at 2 percent to 3 percent.

I also ran scripts using Microsoft Visual Test 4.0, Word 7.0a, Excel 7.0a, Bentley Systems' MicroStation 95, and Maple V release 4. Because FX!32 translates only those parts of an application that you execute, scripts and users that use different commands and system calls will produce different results. Most applications will have a relatively slow first run and increasingly fast second or third run. After that, performance gains taper off.

You can set a maximum disk space allotment for translations, delay optimization, optimize now, delete translated

code, or set optimization profile sizes. FX!32 itself takes up 10 MB. Its translations are between one and two times the size of the original code.

The real value of FX!32 is that Alpha users no longer need an Intel system to use Win32 applications. For 16-bit Win-

| RATINGS | |
|----------------|-------|
| TECHNOLOGY | ★★★★★ |
| IMPLEMENTATION | ★★★★★ |

dows applications, however, you'll need Insignia Solutions' SoftWindows, a traditional (slow) emulator.

Digital will offer FX!32 free to Alpha customers and bundle it with all Alpha systems. FX!32 should end Alpha critics' cries of, "Where's the software?" **B**

Selinda Chiquoine is a former BYTE technical editor. You can reach her at selinda@bix.com.



built to order

High Quality Custom-Configured Systems at Off-the-Shelf Prices

Want a custom system?
Until SAG, that meant high-priced VARs and other costly consultants.

Want to save money without compromising on quality?

Until SAG, your only options were pre-configured systems and their many limitations.

Precision-Engineered Power Systems

Now you can have custom quality configurations without compromise. All SAG workstations and systems are

precision-built and packed with features. We offer the latest in technology with speed, data integrity, and compatibility in mind. For affordable disk arrays, tape backup solutions and RAID 5 technology, SAG Electronics is the acknowledged "High-End Solutions Company."

The Choice Web Server
Companies like *Business Week Magazine* are choosing SAG Electronics as their high performance web server solution.



| Quad Pro 200MHz | Dual Pro 200MHz SMP | Dual 200MHz SMP RAID 5 | Alpha 433 Power System | Dual Ultra Graphics 200MHz |
|--|--|---|--------------------------|---|
| 2 Intel Pentium Pro [®] Processors Exp. to 4 | Contains Intel's New Pentium Dual Pro Motherboard Built-in Expandability with SMP Natoma Chipset | 1 Intel Pentium [®] 200MHz Processor, Upgradable to 2 CPUs | 256 Bit Bus | Imagine 128, Fastest Graphics, Drive Supports Intel Pentium 200, 166MHz Pentium Processor |
| 64MB of ECC 4 way Interleaved Memory to 1GB | 1 Intel Pentium [®] Pro 200 Processor | 512K Pipeline Cache | 1 DEC 433MHz Alpha CPU | 1 Intel Pentium [®] 200MHz Processor, Upgradable to 2 CPUs |
| Slots (6) PCI; (4) EISA | 32MB of 60 NOS RAM Expandable To 512MB | 32MB EDO | 64MB RAM to 1GB | Triton II Chipset |
| Adaptec 2940 UW | ECC Supported | 3 4GB 7200 RPM | Sony 8x CD-ROM | 16MB RAM Expandable to 256MB |
| 9.1GB 7200RPM Ultra Wide HD | Imagine 128 Series II 4 MB VRAM | Removable HD | ELSA Gloria 8 Video Card | Slots (4) PCI, (4) EISA |
| Sony 8x CD-ROM | Open Slots: (3) PCI, (1) ISA | RAID 5 Controller | 4GB 7200 RPM | Sony 8x CD-ROM |
| #9 2MB DRAM Video | Adaptec 2940 Ultra Wide Controller | Slots (4) PCI, (4) EISA | SCSI Wide HD (8ms) | Floppy, Mouse |
| 8GB DAT Drive | 16 Bit Sound Card | 10 Bay Tower 300 Watt | SCSI Wide HD (8ms) | Imagine 128 Series II 128 Bit "3D" 4MB VRAM Video 2940 UW |
| Quad PCI Ethernet 10/100 | 4.1GB Ultra Wide SCSI HD (8ms) | Redundant Power Supplies | Slots (4) PCI, (2) ISA | 2.1GB Ultra SCSI Wide HD (8.5ms) |
| Floppy, Keyboard and Mouse | Intel 10/100 Ethernet Sony 8x CD-ROM | Sony 8x CD-ROM | Tower 300 Watt | 32 PNP Sound Midtower Case |
| 12 Bay Tower 450 Watt Power | Keyboard, Mouse Hardware Monitoring Utility Tower Case 300 Watt | Keyboard, Mouse | | MAG MXP17F Monitor |
| \$10700 | \$3473 | \$6899 | \$7990 | \$3478 |
| | | | | 3.2GB IDE Solution (9.5ms) |
| | | | | \$3333 |

ATAI on-site and 4 year extended warranties are available. Lease options available. Returns may be subject to restocking fee. RMA# must be acquired. Some devices have not been approved by the Federal Communications Commission. These devices are not, and may not be, offered for sale or lease, or sold or leased until the approval of the FCC. has been obtained. CNA Schedule #16-31F-33051

SAG
ELECTRONICS
More Server Power, for Less

1.800.989.3475

SAG Electronics • 451 Andover Street • North Andover, MA 01845
508-682-0055 Fax 508-688-0180 Hours: 8:30am-7:00pm, Monday-Friday CST
5 Year Limited Warranty
<http://sagelec.com>



February 20, 1996
SAG STF 150 Pentium



February 20, 1996
SAG STF 166 Pentium



120MHz Pentium STC 120



Internet Server SFT Alpha

A developer's dream come true...

#1 Protection Supplier
You'll have peace of mind with your software backed by world leader Rainbow

Leading Technology
Sentinel® is the only protection combining multiple algorithms and ASIC technology

ISO 9002 Certified
The Highest Quality
Only Sentinel keys meet ISO quality standards and offer the best reliability

Truly Compatible Security
The industry's largest engineering staff is dedicated to making your software safe on any platform

Increase Your Revenue
Sentinel stops piracy, ensuring you that every user of your software is a paying customer

NEW

The SentinelWizard™ GUI is an innovative tool that makes protecting your software easier than ever

The world's #1 software protection is now the easiest to implement!

You've always dreamed of superior software protection that was simple to integrate into your entire product line. The new SentinelWizard makes your dream a reality.

Just tell the SentinelWizard how you want to sell your products. It then automatically configures your Sentinel keys and generates the pseudo code necessary to complete the protection process.

Call now to order your Sentinel Developer's Kit, featuring the SentinelWizard.



1-800-852-8569

SENTINEL
Software Protection

Circle 154 on Inquiry Card.

Ask us about SentinelLM™ - the new software-based network license manager

Visit our web site
www.rnbo.com

RAINBOW
TECHNOLOGIES

HEADQUARTERS: 50 Technology Drive, Irvine, CA 92618 ■ Tel: (714) 450-7300 ■ Fax: (714) 450-7450
ASIA/LATIN AMERICA: (714) 450-7300 ■ FRANCE: (33) 1 41 43 29 00 ■ GERMANY: (49) 89 32 17 98 0 ■ U.K.: (44) 1932 579200
©1996 Rainbow Technologies, Inc. Sentinel, SentinelM and SentinelWizard are trademarks of Rainbow Technologies. All other names are property of their respective owners.

ALGERIA: AFAC (213) 41 85 61
ARGENTINA: Agri-Aid, S.A. (54) 1 8030536
AUSTRALIA: LOADPLAN (61) 3 9690 0455
BELGIUM/LUXEMBURG: E2S (32) 92 21 11 17
BRAZIL: MIPS Sistemas Ltda. (55) 11 574 8686
BULGARIA: KSIMETRO (35) 9279 1478
CHINA (East): Shanghai Pudong Software Park Electronics Company (86) 21 6403 1966
CHINA (North): CS&S (86) 10 6217 7722 X2404
COLOMBIA: Construdata (57) 1 622 6011

CZECH REPUBLIC: ASKON Int'l (42) 2 3103 652
EGYPT: ZEDAN-ADS (202) 248 8994
GREECE: Byte Computer S.A. (301) 924 17 28
GUATEMALA: Soft Corporation (502) 2 304006
HONG KONG: AllLink Tech. Co. (852) 2333 0626
HUNGARY: Polyware Kft (36) 76 481 236
INDIA: ANC Engineering Co. (91) 11 4615680
INDONESIA: PT. Promtrade Infocan (62) 21 375 166
IRAN: GAM Electronics (98) 21 87 44 001
ITALY: BFI IBEKSA SPA (39) 23 31 00535

ITALY: Siosistemi (39) 30 24 411
JAPAN: Green Shop Co., Ltd. (81) 52 972 6544
JORDAN: CDG Engineering (96) 26 863 861
KOREA: Genesis Technologies (82) 2 578 3528
LEBANON: National Group Cons. (961) 1 494317
MALAYSIA: Eastern Systems Design (M) Sdn Bhd (60) 3 241 1188
MEXICO: Impex Comp., S.A. de C.V. (52) 66 210 291
MOROCCO: Futur Soft (212) 2 40 03 97

NETHERLANDS: IntroCom (31) 74 2430 105
NEW ZEALAND: Software Images (64) 09 378 9790
PERU: OpenSoft (51) 1 224 2125
PHILIPPINES: Mannasoft Technology Corporation (63) 2 813 4162
POLAND: HiTEX Sp. z o.o. (48) 22 41 97 51
PORTUGAL: COMELTA (351) 1 941 65 07
RUSSIA: Multisoft Int'l (7 095) 186 35 84
SAUDI ARABIA: ZEDAN (966) 2 665 1904
SCANDINAVIA: Pentix A/S (47) 2249 1500

SINGAPORE: Systems Design PTE LTD (65) 741 2266
SOUTH AFRICA: SOFTSECURE (27) 11 477 6053
SPAIN: MECCO (34) 3 422 7700
SWITZERLAND: IBV AG (41) 1 745 92 92
SWITZERLAND: Safe Compaid S.A. (41) 2 421 5386
TAIWAN: Evershine Tech. (886) 2 319 4451
TUNISIA: Soft Informatique Tech (216) 17 19 486
TURKEY: BIMEKS, Ltd. (90) 216 348 3508
VENEZUELA: HRT-M Diers (58) 2 261 4282

New Windows 95 features assist computer users who have disabilities. By Joseph J. Lazzaro

Windows 95: Aiding the Disabled

If you run an office staffed with more than 15 employees, you must comply with the Americans with Disabilities Act. This may require that you provide adaptive hardware and software on office workers' computers. Such equipment enables workers with disabilities to accomplish many tasks independently. For example, if you are blind, it can transform on-screen text to synthesized speech or braille. If you can't hear, adaptive hardware transforms a computer's audible cues into a visual format.

So far, adaptive technology has consisted of third-party add-ons to OSes, with the exception of the Mac. This has resulted in adaptive equipment that only sometimes works. Fortunately, because of lobbying by the disabled community, OS vendors have begun to embed adaptive-access features directly into their OSes. This makes such features widely available right out of the box, more reliable, and a lot less expensive.

Microsoft began to build a suite of disability-access features starting with Windows 3.x. Win 95 offers access to a built-in set of utilities that accommodate users with hearing, motor, and some visual disabilities. Furthermore, the Win 95 Help system includes information on these built-in accessibility features.

The control and configuration of most of these features are centralized in an Accessibility Options Control Panel, as shown in the screen at right. This Control Panel lets you activate or deactivate specific access features and customize timings and feedback for certain utilities. It also lets you set hot keys so that you can activate these features quickly.


Keyboard and Mouse

Using a keyboard requires a significant amount of hand dexterity, particularly when using the modifier keys, such as

Shift, Control, and Alt. For persons unable to use a standard keyboard or mouse easily—if at all—several Win 95 utilities can help by altering the keyboard's behavior. You can configure these utilities in a pane on the Accessibility Options Control Panel.

The StickyKeys utility, for instance, helps you type capital letters or manage complex key sequences, like Control-Alt-

ToggleKeys is a utility that provides audio feedback for certain keystrokes. This is a useful tool for computer users who are unable to determine the status of the keyboard's modifier keys by using any other method. The ToggleKeys utility provides both high- and low-pitched beeps that indicate the current status of the Caps Lock, Num Lock, and Scroll Lock keys.



You can configure Win 95 to accommodate users with hearing, motor, and some visual disabilities.

Delete, that require the use of both hands. StickyKeys lets you press one key at a time in a sequence instead of pressing multiple keys simultaneously.

Another powerful utility, FilterKeys, helps users who accidentally strike keys by filtering out those keystrokes that do not fall under a user-definable time duration. In other words, for a key press to become a valid keystroke, it must be held down long enough to register. Any keystrokes that don't last for the specified duration are discarded.

Driving a mouse demands strong hand/eye coordination and good hand/arm agility. It's a prerequisite for using the GUIs on many of today's desktop computers. MouseKeys assists users who have difficulty pointing the rodent. The program lets you use the arrow keys on the keyboard's numeric keypad to move the mouse pointer around the screen and emulate mouse actions, such as clicking, double-clicking, dragging, and dropping. Holding down the Control key accelerates pointer movement, while holding

down the Shift key propels the pointer a pixel at a time, offering fine-grained control.

Video and Sound

For persons who have difficulty seeing images on a standard computer screen, Win 95 offers several features that make the monitor easier to see. Some of these features are simply a matter of adjusting certain Control Panel settings. For example, if you are visually impaired, you can use the Display Panel to scale the size of various user-interface elements, such as window titles, scroll bars, borders, menu text, and icons.

The Mouse Control Panel allows you to adjust the mouse pointer's characteristics. You can select from among several sizes (small, medium, and large), which is valuable for users with limited vision or learning disabilities. You can also adjust the pointer's color and apply animation effects to increase its recognition factor and visibility.

For users with limited vision, color plays an important role in their ability to read comfortably—or at all. Again, Win 95's built-in customization features enable you to modify the color scheme of the environment. You can select a high-contrast mode or choose from several ready-made appearance schemes that make it easier for users with limited vision to focus on the screen. The Accessibility Options Control Panel allows you to set a global flag that instructs your applications to employ the high-contrast color scheme, as shown in the screen above. It also enables you to avoid schemes that are difficult to see, such as text that's displayed over pictures.

For users who are deaf or hearing-impaired, Microsoft has implemented several useful features into Win 95 that increase access to the computer and its data.

This is of vital importance as many applications begin to use text-to-speech or audio playback.

Win 95's SoundSentry lets you have sounds presented in an alternative format, such as visually or through text captions. ShowSounds lets you set a global flag that displays sounds in a visual format. This can be accomplished by several methods, depending on your preference.

is one of the latest Win 95 screen readers to enter the market. ASAW works with Win 3.x and Win 95 applications. Biolink's ProTalk32 is a screen reader for Win 95. A Win 3.x and NT version is also available. Winvision, from Artic Technologies, runs on both Win 3.x and 95 and supports several commercially available speech synthesizers. Winvision also drives braille displays, providing a tactile rep-



A high-contrast layout makes for easy reading, but not all applications (such as the toolbar on the left) support this feature.

For instance, you can have the active window flash every time a sound is generated or display text captions that represent the sounds.

Third-Party Speech-Access Products

Despite all these improvements, Win 95 still lacks critical support for users who are totally blind and must rely on speech-synthesis systems to read the information on a computer screen. Microsoft plans to implement an off-screen model that captures on-screen information so that special-purpose software can perform a text-to-speech conversion on it or drive a braille-output device.

Unfortunately, the hooks to this mechanism might still be unavailable when this article sees print. This sorry state of affairs presents an opportunity for third-party access technology, chief among them speech- and braille-output packages designed to read the screen.

The Automatic Screen Access program for Windows (ASAW), from MicroTalk,

resentation of Windows screens. Syntha-Voice's Window Bridge, which runs under Win 3.x, Win 95, and DOS, was the first Windows-based screen reader to enter the adaptive market.

Computers play a major role in our society; they're used at home, at school, and on the job. It only makes sense for OSes to provide adaptive-access features. This makes the computer accessible to everyone, no matter what their abilities, so they can make a contribution in the workplace. Microsoft has done a commendable job so far with much-needed improvements to Win 95. But the company still has a lot of work to do if Windows is going to provide OS-level support for blind computer users. **B**


Joseph J. Lazzaro is the author of Adapting PCs for Disabilities (Addison-Wesley, 1996). He is also project director of the Adaptive Technology Program at the Massachusetts Commission for the Blind in Boston. You can reach him at lazzaro@world.std.com or at lazzaro@bix.com.

WHERE TO FIND

| | |
|--|---|
| Artic Technologies Troy, MI (810) 588-7370 fax: (810) 588-2650 | MicroTalk Texarkana, TX (903) 792-2570 fax: (903) 792-5140 http://www.screenaccess.com |
| Biolink North Vancouver, British Columbia, Canada (604) 984-4099 fax: (604) 985-8493 http://biz.bct61.net/biolink | Syntha-Voice Stoney Creek, Ontario, Canada (905) 662-0565 http://www.synthavoic.ca/~davidk |




Human resource tools like organization charts and relationship diagrams



Management support diagrams like cause & effect, decision trees and timelines



Business process re-engineering diagrams like flow charts and data flow diagrams



Marketing tools like venn diagrams, targets, pyramids and geographic diagrams



Total quality management diagrams like process charts and maps



IT and software design tools like network diagrams and object oriented design diagrams

ROCKET FUEL FOR THE BUSINESS PROCESS

Great businesses run fast. As fast as you can make obstacles disappear. That's why you need ABC FlowCharter® 6. It shows you your business. Clearly. With diagrams that add a boost to your entire business process.

ABC FlowCharter is not just another drawing tool. It actually lets you relate charts to data, and automatically analyze the results. Unlike diagramming tools that hit the wall at the edge of the page, ABC FlowCharter is powerful. It can diagram any process. Across any number of pages. No matter how complex. With lines that re-route automatically and shapes that drop into place. In fact, it's so powerful,

it's used as the engine for Process Model®—the world's most advanced business simulation tool.

ABC FlowCharter does the work, while you work on making your business run better. See for yourself. Pick up your copy of ABC FlowCharter 6 today. If you want even more graphics power, you'll find ABC FlowCharter bundled in ABC Graphics Suite™. Visit your favorite reseller, or call 800-428-8716 now.



MICROGRAFX®

www.micrografex.com



Softmart
The smart resource for business
1-800-328-1319

SOFTWARE SPECTRUM
1-800-624-0503

Stream
1-800-SOFTWARE

Display Business Savvy.



Whether your business relies on basic spreadsheets or the most advanced multimedia applications, ViewSonic® has the perfect Graphics Series monitor for YOU! In fact, our Graphics Series offers NINE different monitors, ranging from 15" through 21" (various viewables) for both PC and Mac® systems. Each provides a unique combination of performance, features, value and screen size to meet your specific needs.

Graphics Series Monitors

Our Graphics Series offer features like OnView® controls for easy on-screen adjustments, ViewMatch® to match screen color to printer output, and overscan capabilities which provides use of the entire screen. And *Plug & Play*® for easy installation with Windows® 95.

For multimedia, personnel training and internet applications, the Graphics Series PerfectSound™ 15GA and 17GA multimedia monitors are the ideal choice.

With high fidelity speakers integrated into the bezel for directed stereo sound, a built-in microphone®, headphone jack, as well as mute and volume controls, these *award-winning* monitors offer a unique experience in sight and sound.

The ultimate in high performance monitors, the ViewSonic GT770 and GT800 blend aperture grille mask technology and the vertically flat SonicTron™ screen to produce the sharpest, most brilliant colors from center to corner. The high contrast images are the richest and brightest available today.

Our monitors are backed by a limited 3-year warranty on CRT, parts and labor... the best in the business. Plus your company can take advantage of our special 48-hour Express Exchange™ Service option.



ViewSonic®

At ViewSonic, we make more than just good business monitors. We make good business sense.

Phone: (800) 888-8583 or (909) 869-7976; Agent Code 1256
Internet: <http://www.viewsonic.com>

*Optional microphone adapter may be required with certain Macintosh® systems.
Prices and specifications subject to change without notice. Corporate names and trademarks stated herein are the property of their respective companies. © 1996 ViewSonic Corporation. All rights reserved.

| Product | CRT Size/ Viewable | Dot Pitch Aperture Grille* | Max. HI Resolution | OnView Controls | TCO Certified | MSRP |
|-----------------|-----------------------|-------------------------------|-----------------------|--------------------|------------------|---------|
| ViewSonic 15G | 15"/13.8" | 0.28mm | 1,280 x 1,024 | Yes | | \$425 |
| ViewSonic 15GS | 15"/14.0" | 0.28mm | 1,280 x 1,024 | Yes | Yes | \$449 |
| ViewSonic 15GA | 15"/14.0" | 0.27mm | 1,280 x 1,024 | Yes | Yes | \$499 |
| ViewSonic 17GS | 17"/16.0" | 0.27mm | 1,280 x 1,024 | Yes | Yes | \$699 |
| ViewSonic 17GA | 17"/16.0" | 0.27mm | 1,280 x 1,024 | Yes | Yes | \$799 |
| ViewSonic GT770 | 17"/15.9" | 0.25mm* | 1,280 x 1,024 | Yes | | \$899 |
| ViewSonic 20G | 20"/18.4" | 0.28mm | 1,600 x 1,280 | | Yes | \$1,299 |
| ViewSonic GT800 | 20"/19.1" | 0.30mm* | 1,600 x 1,280 | Yes | | \$1,899 |
| ViewSonic G810 | 21"/20.0" | 0.25mm | 1,600 x 1,280 | Yes | | \$1,745 |

All monitors are EPA Energy Star™ and MPR II certified. *Aperture Grille. Free VMA-1 Mac cable adapter available.



Circle 162 on Inquiry Card (RESELLERS: 163).

A look at HTTP version 1.1, a necessary new Internet standard. By William Stallings

The Backbone of the Web

The Hypertext Transfer Protocol is the foundation protocol of the World Wide Web. The name is somewhat misleading. HTTP is not a protocol for transferring hypertext; it is a protocol for transmitting information with the efficiency necessary to make hypertext jumps. The data transferred by the protocol can be plain text, hypertext, audio, images, or any Internet-accessible information. Information in this article is based on the most recent (June 7, 1996) specification—HTTP 1.1, draft 05—which has been forwarded to the Internet Engineering Standards Group as a proposed standard.

HTTP is a transaction-oriented client/server protocol. To ensure reliability, HTTP uses TCP. Nevertheless, HTTP is a “stateless” protocol: It treats each transaction independently. A typical implementation will create a new TCP connection between client and server for each transaction, then terminate the connection as soon as the transaction completes. However, the specification does not require this one-to-one relationship between transaction and connection lifetimes; i.e., the connection can stay open so that more transactions can be made.


The stateless nature of HTTP is well-suited to its typical application. A normal Web session involves retrieving a sequence of pages and documents. The sequence is, ideally, performed rapidly, and the locations of the various pages and documents may be widely distributed among a number of servers, located across the country or around the globe.

The figure “Types of HTTP Transfers” illustrates three examples of HTTP operations. The user agent is the client, such as a Web browser, that initiates the request. The origin server is the server on which a resource resides; an example is a Web server where a desired home page

is located. The simplest case is one in which a user agent establishes a direct connection with an origin server. The client opens a TCP connection that is end-

response itself, and possible body content. The TCP connection is then closed.

The middle section of the figure shows a case in which there is not an end-to-end



HTTP supports operations via direct connection, intermediary systems, or a cache.

to-end between the client and the server. The client then issues an HTTP request. The request consists of a specific command (referred to as a *method*), a URL, and a message containing request parameters, information about the client, and perhaps additional content information.

When the server receives the request, it attempts to perform the requested action and then returns an HTTP response. The response includes status information, a success/error code, and a message containing information about the server, information about the

TCP connection between the user agent and the origin server. Instead, there are one or more intermediary systems with TCP connections between logically adjacent systems. Each intermediary system acts as a relay, so that a request initiated by the client is relayed through the intermediary systems to the server, and the response from the server is relayed back to the client.

The Machine in the Middle

The HTTP spec defines three forms of intermediary systems: proxy, gateway,

and tunnel (see the figure "Intermediary HTTP Systems"). A proxy acts on behalf of other clients and presents requests from other clients to a server. There are several scenarios that call for the use of a proxy. In one scenario, the proxy acts as an intermediary through a firewall. In this case, the server must authenticate itself to the firewall to set up a connection with the proxy. The proxy accepts responses after they have passed through the firewall. Another scenario involves handling different versions of HTTP. If the client and the server are running different versions of HTTP, then the proxy can implement both versions and perform the required mapping.

A gateway is a server that appears to the client as if it were an origin server. It acts on behalf of other servers that may not be able to communicate directly with a client. There are several scenarios in which servers can be used. As with the proxy, a gateway manages transfers through a firewall. In this case the client must authenticate itself to the proxy, which can then pass the request on to the server.

Another common scenario involves working with a non-HTTP server. Browsers have built into them the capability to contact servers that use protocols other than HTTP, such as FTP and Gopher servers. This multiprotocol capability can also be provided by a gateway.

A tunnel is simply a relay point between two TCP connections. HTTP messages are passed unchanged as if there were a single HTTP connection between user agent and origin server. Tunnels are used when there is an intermediary system between client and server, but it is not necessary for that system to understand the contents of messages.

Now let's take a look at another type of HTTP operation. A cache is a facility that stores previous requests and responses for handling new requests. If a new request arrives that uses the same stored request, then the cache can supply the stored response rather than access the resource indicated in the URL. The cache can operate on a client or on a server or on an intermediary system other than a tunnel. In the figure "Types of HTTP Transfers," a server has cached a request/response transaction, so a corresponding new request from the client need not travel the entire chain to the origin server; instead, the cache server handles it.

Not all transactions can be cached, and a client or a server can dictate that a certain transaction may be cached only for a given amount of time.

HTTP Messages

HTTP messages comprise two types: request and response. A request message is sent by an agent to a server to initiate some action. A response message is returned by a server to an agent in response to a request. Some possible actions are:


- GET: A request to retrieve information.
- POST: A request to accept the attached

received and processing continues. No entity body accompanies this response.

- Successful: The request was successfully received, understood, and accepted.
- Redirection: Further action is required to complete the request.
- Client error: Request contains a syntax error or request cannot be fulfilled.
- Server error: The server failed to fulfill an apparently valid request.

We Need This Standard

HTTP is the foundation of the World Wide Web. This request/response proto-



HTTP allows requests and responses to pass through disparate systems that build the network.

entity as a new subordinate to the identified URL.

- PUT: A request to accept the attached entity and store it under the supplied URL. This may be a new resource with a new URL, or it may be a replacement of the contents of an existing resource with an existing URL.

- DELETE: Requests that the origin server delete a resource.

A response message may include an entity body containing hypertext-based information. In addition, the response message must specify a status code, which indicates the action taken on the corresponding request. Status codes are organized into the following categories:

- Informational: The request has been

col used on top of TCP carries commands from browsers to servers and responses from servers back to browsers. As the explosive growth of the Web continues, and as new features are added to both browsers and servers, a standardized transfer protocol is essential to maintain the Web's growing functions and interoperability. HTTP provides the standardized definition required to meet these needs. **B**

William Stallings is a consultant and author of over a dozen books on data communications and networking. This article is based on material from his most recent book, Data and Computer Communications (Prentice-Hall, 1996). You can reach him at ws@shore.net.



Introducing the first handheld Windows PC that's tough enough for any occupation.



- 75MHz 486DX4 Processor
- 260MB Hard Drive
- Up to 32MB RAM
- 2 Type I, II, or III PCMCIA slots
- 1 Printer & 2 Serial ports
- Pen, Touch or Keyboard-based
- Temp: -10 to 50° C
- Shock: 20g (3-foot drop)
- Vibration: 2 G, 5-200 Hz
- Humidity: 5-95% R.H.
- Duracell Smart Battery
- Bundled: Windows, DOS, PenWindows

You know the mobile PCs you're used to? Mama's boys, all of 'em.

Especially with the birth of the new Hardbody™ Handheld PC—the first full-featured 486 PC made for people with really tough jobs.

The Hardbody goes places that make other mobile PCs whimper in fear. It can take a punch. It laughs at heat, sunlight, cold, dust and rain. It scoffs at proprietary systems. It goes looking for trouble.

Yet the 3-pound Hardbody Handheld PC is a full-featured PC

in every sense of the word. It runs off-the-shelf PC apps. It's completely networkable. And you can attach just about any piece of hardware or peripheral you'll ever need.

So if you've had your fill of cream-puff PCs, call Texas Micro or return the attached reply card today for more information, or to schedule a demonstration. And visit us at www.texmicro.com.



CALL TODAY 1.800.627.8700

Circle 177 on Inquiry Card (RESELLERS: 178).

© 1996 Texas Microsystems, Inc., a division of Sequoia Systems. Hardbody is a trademark of Texas Microsystems, Inc. All other product names referenced are the property of their respective holders.



WANT A 486 UPGRADE THAT OUTPERFORMS INTEL?
FOR \$139 YOU CAN PUT KINGSTON INSIDE.



Making your 486 run like a Pentium® doesn't take magic. It just takes a TurboChip™ and a little pocket change. Instantly, you will have 5 x 86 clock-quadrupled technology that will help your system run three times faster. And the TurboChip has all the power you need to run today's demanding software, whether you have a 486-based DX2, DX, SX2, or SX system. So how does the TurboChip compare to Intel's OverDrive®? Not only does the TurboChip beat the OverDrive in price,

compatibility, and warranty, but in a recent study* it also outperformed it. The TurboChip is designed with AMD's Am 5 x 86-P75 CPU and upgrades with most IBM-compatible desktop systems. And since the TurboChip is a chip-for-chip replacement upgrade, it's easy to install. Plus it preserves your system configuration. To find your nearest Kingston® distributor call us at (800) 251-9059, domestically or (714) 437-3334 for international sales.

Kingston
TECHNOLOGY CORPORATION

For more information call us domestically at (800) 251-9059, or for international



sales call (714) 437-3334 or visit our Web site: <http://www.kingston.com/b.htm>



Circle 140 on Inquiry Card (RESELLERS: 141).

*WinTach test, Advanced Micro Devices, 1995. Kingston Technology Corporation, 17600 Newhope Street, Fountain Valley, CA 92708 USA. (714) 435-2600, Fax (714) 435-2699. © 1996 Kingston Technology Corporation. All rights reserved. Kingston is a registered trademark and Computing Without Limits and TurboChip are trademarks of Kingston Technology Corporation. All other registered trademarks are the property of their owners.

RISC powers Intel's intelligent I/O controller for servers. By Tom Thompson

The Server's Helper

The changing nature of information that office workers use has had an impact on the role the network server plays.

Today's server must pump out digital video, audio, and 3-D graphics on demand; handle complex database queries; and manage Web transactions. As a consequence, a server requires a more efficient architecture than just a souped-up desktop-computer design. A faster processor and system bus aren't enough. The computer must manage the vast amounts of I/O this type of data demands. Radical architectures from Tandem and Sequent address this problem on high-end server designs, as described in "The Network in the Server" (July BYTE).

Moderate-size servers must also work with the same type of data, on a smaller scale. When it comes to handling I/O, such servers must work smarter, not harder. Even a multiprocessor server can grind to a halt if each processor is supervising a peripheral or—worse—waiting to access a congested system bus.

To this end, Intel just started sampling the i960 RP, a 32-bit RISC processor that functions as an intelligent I/O controller. It supports DMA transfers, address translation, various memory types, and multiprocessor interrupt control. Thus, it can manage most of a server's peripheral I/O traffic without CPU intervention, eliminating many throughput bottlenecks.

The i960 RP also acts as a PCI-to-PCI bridge unit, which lets you add more slots to the design. At the same time, the bridge unit reduces the number of components required to build a server that uses state-of-the-art high-speed PCI peripherals. This enables a server to provide high throughput yet remain affordable.


RISC at the Core

Like other chip vendors' smart I/O processors, Intel took the core of its tried-

and-true i960 JF embedded processor and wrapped I/O support logic around it. Our tour of the processor begins with this RISC core. The i960 JF core consists of 32 32-bit registers. Sixteen of them are local (general-purpose); the other sixteen are global registers used for parameter passing or storing critical variables. An on-

chip local-register cache stores up to eight copies of the local registers. This provides hardware support for the rapid entry and exit of function calls, a useful feature for time-critical interrupt handlers.

The core includes a 4-KB two-way set-associative instruction cache, a 1-KB



This intelligent I/O controller manages DMA transfers and memory timing. It also acts as a PCI-to-PCI bridge.

chip local-register cache stores up to eight copies of the local registers. This provides hardware support for the rapid entry and exit of function calls, a useful feature for time-critical interrupt handlers.

The core consists of 700,000 transistors and has a four-stage pipeline. It has several independent execution units (EUs): one for instruction processing and address generation, a multiply-divide-unit (MDU) for 32-bit math computa-

direct-mapped data cache, and 1 KB of on-chip data RAM. You can enhance interrupt processing by locking sections of interrupt-handler code within the instruction cache and by storing a number of interrupt vectors in the on-chip memory. At 33 MHz, the core delivers 31 VAX MIPS.

A bus-control unit (BCU) supports 8-, 16-, and 32-bit memory addressing, plus big-endian and little-endian addressing

modes. This lets the i960 connect to a large variety of memory and peripherals. Up to eight sections of memory, each 512 MB in length, can be defined with different memory-width attributes. Regions of memory ranging in size from 4 KB to 4 GB can also be defined as cacheable (typically for program memory) and noncacheable (typically for I/O devices).

Device Interfaces

The i960 RP provides a wealth of device interfaces and control functions, such as a memory controller, DMA controller, and PCI-to-PCI bridge unit, as shown in the figure "The i960 RP Architecture." These features can be used to both simplify a server design and improve system throughput.

The built-in memory controller generates the appropriate timing and signals for three different RAM types: fast page-mode (FPM), extended data out (EDO), and burst extended data out (BEDO). The controller supports memory interleaving for FPM RAM. The controller also handles 8- or 32-bit-wide ROM, static-RAM (SRAM), and flash-memory devices.

The i960's integrated DMA controller has three DMA channels that perform high-speed transfers between PCI peripherals and local memory (i.e., memory directly managed by the memory controller). Each DMA channel has a hardware packing and unpacking unit that can handle unaligned data transfers.

The DMA controller also implements *chain descriptors*. A chain descriptor is a data block that describes a DMA transfer, such as the amount of data to move, the source and destination addresses, a control value, and a pointer to the next descriptor. The pointers let you link descriptors into a "chain" of operations that can gather scattered blocks of data and transfer them in one chunk to the destination. These chains can implement sophisticated data transfers, perhaps moving data from a hard drive into memory and then to a network device, as shown in the figure "An Intelligent I/O Operation." Such a chain can supervise this type of complex transfer without


interrupting the host processor, unless an error occurs.

A Built-In Bridge

The most versatile feature of the i960 RP is its PCI-to-PCI bridging capability. It supports two PCI buses: a primary PCI bus, which connects to the host CPU, and a

data to an Ethernet interface, and both these PCI-based devices reside on the PCI secondary bus. The bridge logic blocks these transfers from the primary PCI bus, so that it can independently handle a different set of I/O operations.

The DMA controller works in tandem with the PCI-to-PCI bridge unit to boost



Sequences of DMA commands can manage complex I/O transfers without CPU support.

secondary PCI bus that's maintained by the i960. These interfaces let you add the i960 to a PCI-based server design without using additional glue logic. This secondary bus complies with the 5-V PCI standard, and at 33 MHz, it provides nine extra PCI loads. This lets the server design offer more PCI devices or card slots. You can attach additional i960 RP processors to the secondary bus to build a hierarchy of PCI buses, so that the system can handle a large number of network interfaces and storage devices.

The i960's PCI bridge logic can forward memory, I/O, and command transfers between the two PCI buses. However, you can program the bridge logic to "filter" certain PCI transactions. This reduces traffic in other buses on the server and aids in the implementation of intelligent I/O subsystems. For example, suppose a hard drive is streaming video

throughput. Also, properly written descriptor chains can add smarts to low-cost PCI peripherals, so that their use improves performance while minimizing CPU overhead.

As you can see, the i960 RP offers many capabilities to a server design. Certain functions, such as the DMA controller, allow the systems designer to hand off data transfers between memory and peripherals to the i960, thus relieving the server's CPUs of this chore. Other functions, such as the memory controller and the PCI-to-PCI bridging capability, allow the engineer to eliminate some parts from the design, thus reducing the server's cost and complexity. **B**

WHERE TO FIND

Intel Corp.
Santa Clara, CA
(800) 628-8686
fax: (503) 264-6835
<http://www.intel.com/DESIGN/I/O>

Tom Thompson is a BYTE senior technical editor at large. He has a B.S.E.E. degree from the University of Memphis. You can reach him on the Internet at tom_thompson@bix.com.

Removable one-gig disks,
unlimited space,
fast as a hard drive.

For the nearest dealer, call:
888-2-IOMEGA, ext. j22
Or see us at: www.iomega.com



The Jaz™ drive is you, man. It's fast, it holds tons of stuff, and it's personal. You won't find an easier or cooler way to upgrade your hard drive. Just connect it to your PC or Mac and you're jammin': files, pictures, graphics, video, CAD stuff, whatever. And with its dark green color, hey, the cat's got style.

That's a jammin' gig.

jaz



The Unlimited Personal Hard Drive.

Endless storage space.
Load and edit projects instantly.
Goes anywhere you go.



1GB disks for as low as \$99.95.

Compact one-gigabyte cartridges.
Great for graphics, sound, and video.
Portable files. Fast, easy backup.



BECAUSE IT'S YOUR STUFF.

MORE DEVELOPERS PROTECT.



See Us At
Software Development Expo
October 29-31
Washington, DC



HASP Packs More Into Less.

Based on a full-custom ASIC utilizing 2500-gate, 1.5-micron F² technology, HASP packs the most advanced protection into the smallest key in the world.

HASP[®] PROTECTS MORE.

NSTL Study Rates HASP No. 1!



A recent test conducted by the National Software Testing Labs, the world's foremost independent lab, compared the flagship products of leading software protection vendors.* The result? HASP was rated the clear overall winner - and number one in all the major comparison categories.

NSTL TEST RESULTS, OCTOBER 1995†

| Scoring Category | Aladdin HASP | Rainbow Sentinel |
|----------------------|--------------|------------------|
| Security | 9.3 | 6.3 |
| Ease of Learning | 9.1 | 7.1 |
| Ease of Use | 8.3 | 7.2 |
| Versatility/Features | 10 | 8.7 |
| Compatibility | 6.7 | 6.5 |
| Speed of API Calls | 0.9 | 1.2 |
| Final Score | 8.5 | 6.5 |

*For a full copy of the NSTL report, contact your local HASP distributor

These days, more and more developers are choosing to protect their software against piracy. They're protecting more products, on more platforms, with better protection – and selling more as a result.

And more of these developers are protecting with HASP. Why? Because HASP offers more security, more reliability and more features than any other product on the market.

HASP supports the most advanced platforms, including all Windows 32/16-bit environments, OS/2, DOS, Mac, Power Mac, NEC, UNIX and LANs.

To learn more about how you can protect better – and sell more – call now to order your HASP Developer's Kit.

Grow With Aladdin!

The fastest growing company in the industry, with over 4 million keys sold to 20 thousand developers worldwide, Aladdin is setting the standard for software security today.



1-800-223-4277
<http://www.aks.com>

ALADDIN

The Professional's Choice

North America Aladdin Knowledge Systems Inc. Tel: (800) 223 4277, 212-564 5678, Fax: 212-564 3377, E-mail: hasp.sales@us.aks.com
Int'l Office Aladdin Knowledge Systems Ltd. Tel: +972-3-636 2222, Fax: +972-3-537 5796, E-mail: hasp.sales@aks.com
Germany FAST Software Security AG Tel: +49 89 89 42 21-37, Fax: +49 89 89 42 21-40, E-mail: info@fast-ag.de
United Kingdom Aladdin Knowledge Systems UK Ltd. Tel: +44 1753-622266, Fax: +44 1753-622262, E-mail: sales@aldn.co.uk
Japan Aladdin Japan Co., Ltd. Tel: +81 426-60 7191, Fax: +81 426-60 7194, E-mail: sales@aladdin.co.jp
Benelux Aladdin Software Security Benelux B.V. Tel: +31 24-641 9777, Fax: +31 24-645 1981, E-mail: 100526.1356@compuserve.com

Aladdin Russia 095 0230588 • Australia Canlab 03 98985685 • Chile Micrologica 02 2221388 • China Shanghai LPI 021 64377878 • Czech Atlas 02 766085 • Denmark Berendsen 035 577318 • Egypt ZineElWen 02 3604832 • Finland O-Systems 0 8705520 • France 1 40850885 • Greece Unikrain 01 8756320 • Hong Kong Hastings 02-5484629 • India Solution 011 2148254 • Italy Partner Data 02 26147380 • Korea Dae-A 02 6454481 • Mexico Sisoft 5 2387472 • New Zealand Training 04 3668014 • Poland System 061 483273 • Portugal Futurimatica 01 4116289 • Romania Pro Interactive 064 140283 • Singapore ITR 065 5666788 • South Africa D Le Roux 011 8884704 • Spain PC Hardware 03 4495193 • Switzerland Dpag 061 7169722 • Taiwan Tecc 02 5559676 • Turkey Microbita 0312 4870835 • Yugoslavia Ays 021 623920

Add an interactive database to your Web pages with a few simple tools. By Rick Dobson

Make Access and the Web Work Together

Perhaps you've seen one of those cool Web pages where you type in a request to obtain up-to-the-minute product information. Microsoft's Internet Information Server (IIS), with its Internet Database Connector (IDC), simplifies the process of building dynamic Hypertext Markup Language (HTML) pages so that you can add such a mechanism into your Web pages. This lets you develop and maintain intranet and Internet Web sites that allow the interactive search, display, and modification of information in a Microsoft Access database.

It's important to note that such applications can support only low to intermediate hit rates. However, it's easy to upsize them to full-blown SQL Server applications. Thus, Access shines as a rapid prototyping tool for building frequently visited Internet sites.

This approach requires three items. First, Web-site visitors must have Web browsers. Second, the IIS/IDC must be running on the server. The IDC is a DLL named HTTPODBC.DLL. Third, you must install the Access 7 for Windows 95 Open Database Connectivity (ODBC) driver on the server. The IDC requires such a "thread-safe" ODBC driver so that multiple clients can launch concurrent queries against the same data source.

Dynamic Access Parts


The Web browser handles any user events and typed input, and it displays the information returned by the database. An .mdb file stores the tables, forms, queries, and modules that comprise your Access database. Two key developer-designed files on the IIS manage the interactive process, as shown in the figure "How Access Generates Web Pages." The .idc file defines specific valid data fields and operations; the .htx file formats the returned data for display by the client browser.

The key field in an .idc file is SQL-Statement. It lets you perform all the functions permitted by Access's SQL. Two other required fields are Datasource and Template. Datasource ultimately points the query embedded in SQL-Statement to the appropriate .mdb file. Finally, Template names the .htx file that's responsible for formatting the result.

cial tags for processing the query results returned by the ODBC driver. These vendor-specific tags, in conjunction with traditional HTML tags, let developers control what a client browser views.

A Sample Program

I constructed a simple database application based on the Northwind database sample that ships with Access. My test



The developer provides several files to create an interactive database connection on the Web.

You can include several optional fields that refine your application's behavior. MaxRecords designates the maximum number of records a query returns. With DefaultParameters, you can supply default criteria for a query when the client fails to do so. Use RequiredParameters instead to generate an error when the client browser does not provide a parameter. Username and Password act as a gateway to security features. These fields, in conjunction with Access's users, groups, and permissions features, can restrict admittance to tables with sensitive data, such as salaries.

The .htx file is a template for the HTML file passed back to the client Web browser from the IIS. The .htx file includes spe-

cial tags for processing the query results returned by the ODBC driver. These vendor-specific tags, in conjunction with traditional HTML tags, let developers control what a client browser views.

My initial .idc file (shown in the listing "Query Input and Control" on page 72) creates a listing of the top 10 customers ranked by sales in descending order. This file contains four fields. The first one, Datasource, points to the target .mdb file, as routed through an ODBC data source. The ODBC-driver dialog box has a New button that allows the developer to create the data source that points to the .mdb file. However, Datasource

eliminates this bit of manual intervention for the user, which is necessary to support a self-contained Web site.

The second field, `Template`, names an .htx file that serves as a template for formatting the HTML page to appear on the client's browser. The third field, `MaxRecords`, restricts the lists of returned records to 10. Finally, `SQLStatement`

ular query, bracket its name inside these vendor-specific tags (e.g., `<%Sum%>`). The IIS repeatedly merges all .idc fields between `<%BeginDetail%>` and `<%EndDetail%>` for each record in the return data set.

You create drill-down hyperlinks to other pages by use of HTML anchor tags. You do this by placing another .idc file-

The term that's on the right of the equal sign references the value in the current hyperlink.

The listing "Data Close Up" shows the .idc and .htx files that generate the drill-down page from the top 10 CustomerID displays. This .idc file extracts the company and contact names along with the phone number for the CustomerID that matches the one in the hyperlink jump. It accepts a passed argument with an expression such as `CustomerID=%CustomerID%` in the `Where` clause of its `SQLStatement`. The term on the left of the equal sign corresponds to a field in the `Select` list of the query. The term on the right of the equal sign represents the passed parameter. Its value is set by the calling hyperlink jump.

The .htx file in the listing "Data Close Up" demonstrates some basic HTML tag techniques for controlling the display of records returned by an .idc file. Its corresponding .idc file returns a single record with four fields. The `BR` tag positions each field on a different line. The other tags adjust the font and the position of the results.

Closing Issues

The IIS/IDC plus Access provides a quick, easy way to start publishing dynamic HTML pages from a database. Many more options beyond those in the code listings are feasible. For example, you can populate combo boxes on HTML forms, or you can accept values directly from HTML forms for selecting or updating an Access database.

I found the new functionality easy to use, but experienced Access developers will appreciate enhancements. First, Access developers are used to more flexibility in processing return sets than the .htx file permits. Among the features missing are event programming and expressions. Second, no error-trapping techniques are available with this release. While errors do not cause the system to abruptly halt without user recovery, you can still be confronted with error messages that may not be meaningful. Third, wizards and more graphical development aids would help promote the acceptance of this Web development strategy among Access developers. **B**

Rick Dobson is president of CAB, Inc., a database and Internet consultancy. You can reach him at Rick_Dobson@msn.com.

Query Input and Control

```
.idc file that shows top 10
customers
Datasource: WebSales
Template:
SalesByCustomer.htx
MaxRecords: 10
SQLStatement:
+ SELECT CustomerID, Sum
+ FROM tblSalesByCustomer
+ ORDER BY Sum DESC
```

```
.htx file to display
customers and sales
<HTML>
<HEAD>
<TITLE>Drill-Down
List</TITLE>
</HEAD>
<BODY>
<FONT FACE=ARIAL SIZE="2">
<UL>
<%BeginDetail%>
<LI><A HREF
="/Byte/CustomerDetail.idc?C
ustomerID=%CustomerID%">
Customer ID:
<%CustomerID%></A>,
<%Sum%><BR>
<%EndDetail%>
</UL>
</BODY>
</FONT>
</HTML>
```

Data Close Up

```
.idc file that drills down to
detail a particular customer
Datasource: WebSales
Template: CustomerDetail.htx
SQLStatement:
+ SELECT CustomerID,
CompanyName,
+ ContactName, Phone
+ FROM tblCustomers
+ Where
CustomerID=%CustomerID%
```

```
.htx file that displays a par-
ticular customer
<HTML>
<HEAD>
<TITLE>Customer Contact
Detail</TITLE>
</HEAD>
<BODY>
<%BeginDetail%>
<FONT SIZE="4">
Here is the contact informa-
tion for CustomerID:
<%CustomerID%><BR>
<P>
<FONT SIZE="3">
CompanyName:
<%CompanyName%><BR>
ContactName:
<%ContactName%><BR>
Phone: <%Phone%><BR>
<%EndDetail%>
</BODY>
</FONT>
</HTML>
```


Pairs of .idc/.htx files that implement an Access database query for the top 10 customers and display the results.

includes the SQL string that controls the query. Each line, including the first one, must begin with a plus sign.

An .htx file can contain all the graphic files and formatting touches that regularly adorn the HTML pages at your favorite Web sites. The .htx file displays the query results within a pair of `<%BeginDetail%>` and `<%EndDetail%>` vendor-specific tags. To display a partic-

ular query, bracket its name inside these vendor-specific tags, which in turn creates a drill-down page. A question mark must follow the .idc filename. This is demonstrated in the first listing's .htx file. When you need to pass a parameter to the second .idc file, insert a phrase such as `CustomerID=%CustomerID%` after the .idc filename. The left term, `CustomerID`, designates a field in `SQLStatement` for the second .idc file.

Introducing bulletproof glass for Windows™ NT networks



Battery runtime

Displays remaining battery runtime for system use and subsequent outages

Utility line voltage

Power quality display for fast problem diagnosis

%UPS load

Load capacity display prevents UPS overload

UPS self test

Unattended scheduled self tests provide peace of mind

Min./Max. power line voltage

Useful in diagnosing system problems

UPS

temperature

Monitoring for proper
UPS temperature to
extend battery life



*"an excellent piece of
management software."*

-Windows NT Magazine, Editor's Choice



According to Microsoft, "A UPS is an important part of any deployment of Windows NT systems..." Fortunately,

APC provides the most comprehensive protection against the single largest cause of NT data loss—power problems. APC's PowerChute® plus for Windows NT and APC Smart-UPS combine to give you the power management features necessary to make **SURE** you're protected.

- Shut down system safely-graceful, unattended shutdown of Win NT & SMS Servers. Through scheduled shutdowns you can even cut energy costs by up to 76%.

- UPS testing/status-assures that system administrators are informed of power problems *before* they impact system integrity.

- Remote UPS management-eliminates the need to send trained personnel to remote sites to configure UPS parameters, reboot servers or diagnose power problems.

- Environmental/power monitoring-allows you to quickly diagnose power problems and thus decrease network downtime without the expense of an electrician. PowerChute® plus also provides:

- NEW FlexEvents-Want to be paged or have an E-Mail sent to you if there is a power problem? FlexEvents allows you to specify these and other customizable UPS reactions to power events.

- Systems Management Servers UPS MIF Support permits asset management of UPS systems.

"The Smart-UPS not only cuts the leading edge of power protection, its PowerChute plus software also delivers full management and control...[with] the best combination...of new and innovative features." -Network Computing



**FREE
DEMO DISK**
or 60 Page Catalog!

or download from our
NEW PowerPage
<http://www.apcc.com>
Click on "Free Stuff"

APC

AMERICAN POWER CONVERSION
800-800-4APC
Dept. A2

Germany: (+49) 89 958 235
France: (+33) 05 39 32 03
UK: (+44) 753 511022
India: (+91) 44 434 1784

Japan: (+81) 03 3798 3888
Russia: (+7) 055 929 9095
China: (+86) (10) 7638917

401-788-2797 fax / 800-347-FAXX PowerFax Literature
Circle 124 on Inquiry Card.

**SURGEARREST™ &
PROTECTNET™**
AC and dataline surge
suppressors



STARTING AT \$19

**BACK-UPS® &
BACK-UPS® PRO**
UPS for PC and advanced
workstations



STARTING AT \$119

**SMART-UPS® &
SMART-UPS® V/S**
Manageable UPS for
servers and networks



STARTING AT \$299

**MATRIX-UPS™ &
ACCESSORIES**
Modular UPS for client/
server datacenters



STARTING AT \$3499

WHEN YOU NEED THE POWER OF A DESKTOP AT 30,000 FEET, MICRON HAS YOU COVERED.

With up to eight hours' battery life* and full multimedia desktop performance, the Millennia TransPort™ puts compact, no-compromise computing where you need it.



Modular Bay #1

Modular Bay #2

With its exclusive FlexOpt™ dual bay modular design, the Micron Millennia TransPort™ lets you mix and match devices for a variety of customized choices. Drop in a modular CD-ROM drive to enhance multimedia capability. Add a second intelligent modular lithium-ion battery for up to eight hours' use without recharging*, or add a second 2.0GB hard drive to more than double your storage capacity. And there's additional built-in flexibility with features like Micron's innovative Pick-a-Point™ system offering touchpad or pointing-stick operation and an infrared port for wireless printing from compatible printers. Top it off with our industry-leading Micron PowerSM warranty and you have the ideal portable computing solution.



8X CD-ROM



Second hard drive



3.5" floppy drive



Second lithium-ion battery



AUGUST 1996
MILLENNIA TRANSPORT P133

Already a winner of two PC Magazine Editors' Choice awards for Millennia™ products, Micron just won a third with our Millennia TransPort™ in the August 1996 edition of PC Magazine.

Micron Power™



Warranty & Support

- 5-year limited warranty on microprocessor and main memory
- 3-year limited parts-only system warranty
- 1-, 2- or 3-year optional on-site service agreement for Micron desktop systems
- 30 days of free Micron-supplied software support for Micron desktop systems
- 30-day money-back policy
- 24-hour technical support

The foregoing is subject to and qualified by Micron's standard limited warranties and terms and conditions of sale. Terms and conditions of sale may vary for specific configurations. Copies of the limited warranties may be obtained on our Web site or by calling Micron.

*Actual battery performance will vary depending on applications and configurations. Based on two 4-hour batteries.



Millennia TransPort™ P133

- 16MB EDO memory (48MB max.)
- 12.1" active matrix color display, 800 x 600
- 1.2GB removable hard drive

\$4,399

Business lease \$150/month


- 32MB EDO memory (48MB max.)
- Motorola® Montana 28.8 fax/modem
- 12.1" active matrix color display, 800 x 600
- 1.2GB removable hard drive
- 2nd lithium-ion battery


\$5,199

Business lease \$163/month

Options:


- With 150MHz Pentium processor add \$200
- With 2nd 1.2GB removable hard drive add \$599
- With 2nd 2.0GB removable hard drive add \$699
- With 16MB DIMM module upgrade add \$349
- With 3Com® IDBT PCMCIA add \$149

 Tollfree from Canada
800-708-1758

 Tollfree from Mexico
95-800-708-1755

 Tollfree from Puerto Rico
800-708-1756

International Sales
208-893-8970

 International Fax
208-893-7393

900 E. Karcher Road, Nampa, ID 83667 • Mon-Fri 6am-10pm Sat 7am-5pm (MT) International Sales Hours: Mon-Fri 6am-7pm (MT)
208-893-3434 • Fax 208-893-3424 • Purchase Order Fax 208-893-8992 • Technical Support Available 24 Hours / 7 Days
Technical Support E-mail: techsupport.mei@micron.com

©1996 Micron Electronics, Inc. All rights reserved. Micron Electronics is not responsible for omissions or errors in typography or photography. All purchases are subject to availability. Prices and specifications may be changed without notice; prices do not include shipping and handling. 30-day money-back policy does not include return freight and original shipping/handling charges, applies only to Micron brand products and begins from date of shipment. All sales are subject to Micron Electronics' current terms and conditions of sale. Lease prices based on 36-month lease. Intel, Intel Inside and Pentium are registered trademarks of the Intel Corporation. Microsoft, Windows the Windows logo and Windows NT are registered trademarks of Microsoft Corporation. All other service marks, trademarks and registered trademarks are the property of their respective companies. BYTE-TRANS-9610

Circle 169 on Inquiry Card.

Standard Features

- 133MHz Mobile Intel Pentium® processor
- Intel 430MX PCI chipset
- 256KB L2 pipeline burst cache
- 16MB EDO memory (48MB max.)
- 8X modular CD-ROM drive
- PCI graphics accelerator, 1MB EDO memory
- Pick-a-Point™ dual pointing devices integrate both pointing stick and touchpad
- Removable EIDE hard drive (1.2GB max.)
- 3.5" modular floppy drive
- Intelligent modular lithium-ion battery
- 16-bit stereo sound
- Built-in stereo speakers and microphone
- 2 Type II or one Type III PCMCIA slots
- S-Video and NTSC video-outputs
- Headphone, microphone and line-in jacks
- 2 infrared ports: one front, one back
- Parallel, serial, VGA and 2 PS/2 ports
- Dimensions: 11.7" x 9.4" x 2.0", Weight: 6.9 lbs.†
- Nylon carrying case
- Microsoft® Windows® 95 and MS® Plus! CD
- Microsoft Office Pro 95 and Bookshelf® 95 CDs
- Kensington™ security lock‡
- 5-year/3-year Micron PowerSM limited warranty*

† 6.9 lbs. includes 3.5" floppy and one battery
‡ Lock secures both Millennia TransPort and MicronDock™



Designed for

Microsoft®
Windows®95



MICRON™
ELECTRONICS, INC.

800-723-2998
<http://www.mei.micron.com>

3-D for EVERYONE

Seeing isn't believing: 3-D must face growing pains before it can become essential for business applications.

By Udo Flohr

Now that low-cost 3-D is reaching our desktops at little or no extra cost, cynics might respond with a resounding, "So what?" They counter that, unless you're hooked on shoot-'em-up games, low-cost 3-D is just another check-off item from board vendors vying for your business.

But proponents counter that 3-D's potential for general-purpose computing is wide open. Just as GUIs and the mouse changed the face of computing during the past decade, 3-D will bring about new ways of viewing and analyzing data.

Timing puts the truth somewhere between these two opposing views. Innovators at places such as Xerox's Palo Alto Research Center (PARC) are already showing early software designs that use 3-D to add layers of information to databases and interfaces, making today's 2-D software look Spartan by comparison. But commercial versions of these products are at least a year or two from widespread use.


In the meantime, buyers beware: Not all the chips, boards, and APIs that spawned this year's crop of low-cost 3-D products will have the ability to run tomorrow's applications. To keep their designs affordable, vendors of low-end 3-D products made some compromises. As a result, some game-optimized chips cannot provide the processing power that professional-level 3-D accelerators now deliver for simulations and CAD applications.

The bottom line is that today's low-cost 3-D world is neither insignificant nor fully formed. This situation forces us to look beyond the glittering graphics to make judicious choices about 3-D.

Real 3-D

How might 3-D eventually change the way in which we work? The first phase of mass-market 3-D products will bring traditional 3-D applications, such as architectural walk-throughs, virtual reality, animation, and state-of-the-art games, to mainstream desktops. Next we'll see 3-D applied to standard applications, such as graphics editors, spreadsheets, and even word processors.

continued




3-D processing, whether it's implemented in hardware or software, has three stages:

The *tessellation* phase creates a description of an object and converts it into a set of polygons.

The *geometry* stage in-


cludes transformation, lighting, and setup. Transformation scales the scene and establishes perspective. Lighting determines color and reflections. Setup decides each polygon's shape.

Rendering manipulates




the 2-D coordinates (x and y) and the z coordinate for the depth value (the z value determines whether each pixel is visible or obscured by other polygons). Next, a variety of shading and texture-mapping algorithms establish the poly-

gon's color and texture. High-end graphics engines for professional workstations often rely on shading, which is adequate for CAD applications. Low-cost 3-D cards, however, use texture mapping for more realism.




3-D Evolution



In the past, spreadsheets used visual tricks to simulate the 3-D experience. But you actually saw and manipulated data in 2-D space.



Competition is prompting games developers to actively devote resources to 3-D and to wade through problems caused by still-evolving API standards.



This hyperbolic view of a Web site, created at Xerox PARC, lets you browse a graphical map. It could be adapted for the 3-D browsing of hierarchical data structures.

To see the 3-D possibilities for general business applications, consider the advanced spreadsheets and databases that already work in three dimensions. Today you can populate a structural cube with data and then slice and dice it horizontally, vertically, or across a 3-D plane.

For instance, you might set up a 3-D spreadsheet to hold a year's worth of sales data, with each 2-D sheet listing the sales of a number of products for one month. Each layer of the spreadsheet holds information for a different month. To view the annual sales of a single product, you simply cut across the cube to retrieve the product's data for all 12 months.

The problem with this approach lies in viewing such a data cube on a flat surface. Once you cut across the cube, today's 3-D spreadsheets simply build a new 2-D view. Developers have tried to simulate the 3-D experience by adding slick interface tricks, such as drilling down on data by double-clicking on a functional heading or displaying the data within complicated 2-D matrices.

But in the end, 3-D spreadsheets have not met their potential because of the inherent weaknesses of working with 3-D data in 2-D space. In a true 3-D environment, you will be able to not only build a data cube but also rotate the cube in 3-D space and arrange the data in enlightening new ways.

Before that happens, we may see many examples of gratuitous 3-D. Developers and marketing wizards will concoct spinning logos and other graphical gimmicks, eye-catchers with little or no real value. But user-interface (UI) design is evolving to grasp 3-D's potential and turn it into something useful.

Whether or not software developers quickly turn 3-D into something that is useful for business applications, there is no doubt that ubiquitous 3-D is on the way. Consider Intel's MMX technology. MMX adds 57 new instructions to the x86 instruction set to accelerate multimedia applications, such as 3-D and 2-D graphics, video, audio, speech synthesis and recognition, and communications. According to Intel's simulations, we can expect to see performance boosts of between 50 percent and 100 percent.

MMX is slated to appear first in a new version of the Pentium processor, code-named the P55C, which is due early next year. Look for MMX support in APIs such as OpenGL and DirectX. (For an in-depth look at MMX technology, see the text box "MMX Accelerates the x86" on page 79.) AMD and Cyrix are both planning to support MMX instructions in their future microprocessors.

There are various ways to distribute 3-D tasks between the CPU and the graphics chip. Graphics boards work with integer

values; therefore, at the very least, the CPU must translate an application's floating-point values into integers.

Most often, the graphics chip works as a rendering engine, while *tessellation* (breaking up a 2-D image into polygons) and *geometry* (adding lighting and perspective) are left to the PC. For the third processing step, *rendering* (adding surface characteristics), low-cost 3-D boards often economize by combining frame, texture, and *z-buffers* (stored depth values) and allocating memory dynamically.

For example, if an application doesn't need a *z-buffer* (many games do not), the available memory can be used for the texture or frame buffer. Many applications set up the frame buffer in main memory, which is a mixed blessing: This approach saves cost by requiring less memory on the card, but it introduces a major bottleneck, as hidden surface removal has to be done across the PCI bus.

The majority of high-end 3-D accelerators employ separate buffers for frame, texture, and depth information, with each buffer having a capacity of at least 2 MB.

<http://www.byte.com/>

What can you do with 3-D besides play games? To find out, join BYTE editors and 3-D chip designers in an on-line discussion from October 21 through 25.

MMX Accelerates the x86

To improve multimedia and 3-D processing, Intel's new MMX technology can pack multiple pixels into one register and manipulate them with a single instruction. In effect, MMX brings a new level of parallelism to x86 processors.

Instead of adding new physical registers to the x86 architecture (which would slow MMX's adoption), Intel reuses the existing floating-point (FP) stack as logical MMX registers. MMX instructions use only the 64-bit mantissa portion of the 80-bit FP registers, ignoring the 16-bit exponent portion. This yields eight 64-bit logical registers without significantly altering the x86 architecture.

MMX instructions can pack several data types into these 64-bit registers: packed bytes (eight per register), packed words (four per register), packed doublewords (two per register), and a quadword (one 64-bit value per register). These data types are useful because multimedia programs typically work on small units of data. For example, a color pixel in TrueColor mode, the highest commonly used color resolution, uses 24 bits: 1 byte for each RGB color. This mode allows up to 16.7 million colors, more than the human eye can discern. In HiColor mode, only 16 bits are needed for a pixel. For many graphics applications, 16 bits is more than enough.

New x86 processors that support MMX will address the new registers as MM0 through MM7. Instead of treating the registers as a stack—as FP instructions do—MMX instructions can access the registers directly. When switching back and forth between FP and MMX instructions, the existing FSAV instruction saves the state of the registers, and the usual FRSTR instruction restores the values. This keeps MMX technology compatible with existing OSes, which frequently must save and restore the registers when context-switching between multitasking applications.

The downside is that programmers can't mix FP and MMX instructions together because they need the same reg-

isters. But this is not as significant as it sounds, since multimedia programs typically perform their FP operations before displaying the data. (Rendering relies more heavily on integer instructions.)


MMX introduces a set of general-purpose integer instructions that use the single instruction/multiple data (SIMD) paradigm. One instruction processes the multiple data in the packed registers. This parallelism increases performance. Incidentally, this concept is not new at Intel. Years ago, the now-obsolete i860 RISC family featured a similar technology, called Pixel Addressing Extension (PAX).

Another feature of the new instruction set, parallel-compare operations, could improve performance by eliminating branches. (Modern processors try to predict branches, but a misprediction means a penalty of several processor cycles.) Combined with packed data features, parallel-compare operations are useful when, for example, you want to combine or overlay two images.

The MMX instructions are similar to those in Sun's Visual Instruction Set (VIS) for the UltraSparc. VIS also packs registers and uses the FP registers. But it has a lot more to offer than MMX: 32 new registers (compared to Intel's eight), accelerated video decompression with discrete cosine transformations, more-powerful addressing modes, pixel masking, and a highly specialized set of operations that greatly accelerates motion estimation when compressing MPEG video streams.

MMX isn't Intel's only new approach to accelerating 3-D. Another new extension for 3-D accelerators is the Advanced Graphics Port (AGP). To evenly distribute main-processor tasks and graphics-chip tasks, the AGP creates a new data path for data transfers between main memory and the graphics card's frame buffer. By skipping the PCI bus altogether, AGP can theoretically allow read and write transfers at speeds up to 400 MBps, according to Intel.

Parallelism Speeds Performance



- 1 MMX instructions can pack 8-, 16-, 32-, or 64-bit values into the 64-bit MMX registers. Here, eight 8-bit graphics pixels are packed into a single register.
- 2 When an MMX instruction executes, all eight pixel values in each MMX register are processed simultaneously. (Here, the instruction compares pixels in registers 1 and 2 for equality.)
- 3 The results of the comparisons. The parallelism gained by having a single MMX instruction process multiple pixel values is faster than if separate instructions had to be issued for each comparison.

However, the cost of buffer memory alone keeps these products out of the mainstream market.

The 3-D Hardware Wave

Although 3-D accelerators divvy up processing tasks in similar ways, 3-D chip architectures can vary considerably. Some

chips are programmable, such as Rendition's RISC-based Verité and Chromatic's Mpack, which uses a very-long-instruction-word (VLIW) architecture. Two other programmable chips, the TM-1 from Philips and the Mfast from IBM, were not yet shipping at press time.

The performance of programmable

3-D chips depends to a large extent on the low-level software that drives them. Both Rendition and Chromatic currently supply such firmware. OEMs that write their own low-level software can enhance these processors with new features, data formats, or algorithms.

The Mpack's Mediaware microcode

WORLD TURNS FIRST

and electronic products
aviation and aerospace



AW Group Electronic Products

| | |
|---------------------|--|
| AWG on CompuServe | Aviation/Aerospace On Line |
| Aviation Week Video | AW&ST Friday Radio Alert/WTOP-Wash., DC |
| WAD CD-ROM | LIFTOFF! |

Aviation Week Group publications and electronic products comprise the most extensive family of leading information services in the global aviation and aerospace industry. Every publication is the leader in its market.

Whatever your professional affiliation with aerospace, you'll find magazines, newsletters, directories, conferences and electronic media ready-made to serve your specific information needs. Information when you want it, in the format of your choice.

If you are an advertiser, you'll find the Aviation Week Group has the media to match your markets. Civil, Military, Space — Technology, Business, Operations.

Aviation Week Group: 1 million+ readers
140+ countries

CONTACT US TODAY FOR MORE INFORMATION.

| | |
|----------------------------------|-------------------|
| SUBSCRIPTIONS | ADVERTISING |
| TEL: 1-800-257-9402 | TEL: 212-512-3084 |
| FAX: 609-426-7087 | FAX: 212-512-4225 |
| (OUTSIDE U.S. CALL 609-426-5526) | |

AVIATION WEEK GROUP

modules allow systems designers to enable or disable specific functions—such as 3-D graphics, videoconferencing, and telephony—to create a single hardware design with a number of different personalities. Unlike the Mpact, the Vérté was designed specifically for 3-D acceleration. It includes a hardwire “pixel pipeline” for critical 3-D operations, such as texture mapping and blending, while the RISC core is responsible for geometry setup and filtering; this relieves the CPU of the majority of the 3-D work load.


Hard-wired solutions, such as those from Nvidia, 3Dfx Interactive, and 3DLabs, sacrifice this flexibility but often achieve higher performance. As APIs and other standards evolve, customers must depend on these vendors to update their designs quickly or, in some cases, to develop new software drivers to support the emerging standards.

Nvidia's NV1 requires additional developer support because of its proprietary curve primitive. Instead of building curved surfaces from small polygons, the NV1 generates curves directly to dramatically improve performance when an application requires textured curves. The drawback is that developers must port applications to the Nvidia chip before they can take advantage of these curve primitives.

Many of the graphics companies now offering low-cost 3-D chips and boards have been selling to the 2-D graphics market for years. They offer their customer base a terrific advantage: The new 3-D chips are pin-compatible with the previous generation, so the 3-D chips can slip into a proven card design. For example, the S3 Virge is pin-compatible with the popular S3 Trio64V+. On the downside, not all of these mainstream graphics vendors have the expertise of the established 3-D companies.

3Dfx is one of the few companies in the low-cost 3-D market with a strong 3-D résumé. The firm has made a business of replacing the expensive proprietary engines used in dedicated arcade machines with high-performance Pentiums. Focusing on this specialty, 3Dfx has designed a dedicated 3-D chip that delivers impressive 3-D acceleration but lacks integrated functionality, such as standard GUI acceleration and motion-video playback.

A dedicated 3-D solution does not replace a PC's graphics card; instead, it complements it with a “pixel pump” that works in parallel with the graphics accelerator



that's on a separate PCI board. After the 3-D chip calculates the pixels, they pass across the PCI bus to the graphics card.

Like the 3Dfx Voodoo Graphics accelerator chip set, VideoLogic's PowerVR is a dedicated 3-D chip that requires an existing graphics accelerator. To compete with integrated solutions, 3Dfx has formed a partnership with Alliance semiconductor to combine the Voodoo with Alliance's ProMotion graphics controllers.

Bring on the Boards

Now that 3-D chips are appearing on commercial boards, we are seeing some 3-D warts along with the glitter. One particularly unpleasant surprise is that 3-D acceleration in many low-cost boards works only in one mode—namely, at a resolution of 640 by 480 pixels with 64,000 colors.

This is fine for play, since today's 3-D games don't require any more screen real

estate than that. But this situation will eventually change. As more business applications use 3-D, 640 by 480 is becoming all but useless, and switching back and forth between resolutions quickly gets tedious. It's better to instead consider cards that accept additional memory to support 3-D acceleration at 800 by 600.

Many vendors bundle games with their 3-D boards. Some of these games use special features of that vendor's hardware; we've even heard of programs that use a high-level API, such as Microsoft's DirectX family of interfaces, and still use hardware references to stop users from switching horses. In addition, games developers are fond of squeezing every last bit of performance out of the hardware.

Since the jury is still out on how much of a performance penalty the multiple software layers in Microsoft's 3-D APIs will inflict, some people might be tempted to




and a network of 3,000
resellers who keep
the numbers rolling in.



is SourceMate's versatile software
that 80,000 customers count on



Behind Ben Tse's
success in capitalizing
on the small
business market



He also found that making his software
available on AS/400 Advanced Series gives
both him and his customers
a flexible and affordable way to grow.

As cofounder of SourceMate® Information Systems, Ben Tse has a remarkable head for numbers (as well as the suit to match). So, to keep his numbers headed in the right direction, Ben figured he'd give his customers a way to grow with him. His solution: AS/400 Advanced Series.

For as little as \$180 a month, Ben financed an AS/400 Advanced Series. Using Win400™ for Clipper™, he was able to port his AccountMate® accounting software, opening new avenues for growth. His 3,000 resellers are able to offer small businesses, worldwide, an incredibly scalable computing system. And his customers are able to grow their business, without changing their software.*

Best of all, as an IBM partner, Ben received the technical and financial support he needed along the way.

On balance, it was just the kind of affordable solution Ben, his VARs and his customers were looking for.

How can your company profit from AS/400 Advanced Series' 360,000 systems, worldwide? Call 1 800 365-4426, ext. 630, or visit us on the Net at www.as400.ibm.com and we'll show you a number of ways.



Solutions for a small planet®

*Developer Leasing available from IBM Credit for commercial, state and local government customers qualified as Independent Software Developers financing an AS/400 Advanced Series Model 405. Payments as low as \$180.00 per month for fixed credit customers on a 24-month term, monthly lease basis. Credit rates, terms and conditions are available to non-qualifying software developers or developers with different credit qualifications, in other commercial or state and local government customers. Credit and other restrictions may apply. Advanced Series must be installed by December 31, 1995. SourceMate and AccountMate are trademarks of SourceMate Information Systems, Inc. AccountMate is licensed directly from SourceMate and all warranty, service and support are provided by SourceMate. Selection and use is the purchaser's responsibility. IBM makes no representations or warranties regarding non-IBM products. For more information about SourceMate, call 1 800 977-8806. IBM, AS/400 and Solutions for a small planet are trademarks of IBM Corp. Win400 is a trademark of Supertek Engineering and Software, Inc. Clipper is a trademark of Computer Associates. © 1995 IBM Corporation.

3-D Chip Features

| | ATI Rage | 3Dfx Voodoo | 3DLabs Permedia | Chromatic Mpaet | Matrox MGA-1064SG | Nvidia NV3 | Oak OTI64311 | Rendition Vérité | S3 Virge | Trident T3D9695 | VideoLogic PowerVR |
|--|--|----------------|--------------------|--------------------|--------------------------|---------------|-----------------|---------------------|-------------------------|--------------------|-----------------------|
| Memory/buffering | | | | | | | | | | | |
| Memory required (MB) | 1 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 2 |
| Memory type | SGRAM | EDO | SGRAM | RDRAM | SGRAM | SGRAM | EDO | EDO | EDO | SGRAM | EDO |
| Texture buffer required | | ✓ | | | ✓ | | ✓ | | | | ✓ |
| Z-buffer required | ✓ | ✓ | | | | ✓ | | | | | |
| 3-D features | | | | | | | | | | | |
| Antialiasing | ✓ | ✓ | | ✓ | | | ✓ | ✓ | | | |
| Trilinear filtering | ✓ | ✓ | | ✓ | | | ✓ | ✓ | ✓ | ✓ | |
| Subpixel positioning | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | | ✓ |
| Atmospheric effects | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | | ✓ |
| Integrated features | | | | | | | | | | | |
| 2-D acceleration | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Video acceleration | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| RAMDAC | ✓ | | | | ✓ | | ✓ | | ✓ | ✓ | |
| Video out | Optional | | | | Optional | | ✓ | | | ✓ | |
| All chips support the following features: | | | | | | | | | | | |
| Alpha blending | Filtering (point-sampled, bilinear) | | | | PCI interface (glueless) | | | | Shading (flat, Gouraud) | | |
| Dithering | Graphics primitives (points, lines, triangles) | | | | Perspective correction | | | | Textures | | |
| Double-buffering | MIP mapping | | | | Rastering | | | | | | |

✓ = yes.

bypass them. In the long run, only hardware and software that supports the relevant APIs will survive. Until then, shoppers should select a board that has all the drivers needed for it to perform with the software they expect to use.

If you have a high-performance graphics board and just want 3-D acceleration, then something like VideoLogic's PowerVR, working in parallel with the main graphics board on a separate PCI card, could be an ideal solution.

Nonstandard 3-D

Currently there are about 50 APIs for 3-D. This situation is not conducive to matching the hardware flood with the ground swell of cool mass-market applications.

APIs—the libraries of boilerplate routines that define standard sets of graphics functions—give programmers “hooks” into an otherwise-closed environment, such as an OS, a database, or hardware drivers. In the 3-D arena, APIs also function as an isolating layer to protect applications programmers from the idiosyncrasies of proprietary hardware. *continued*

3-D Glossary

• **Alpha blending:** Support for true object transparency in hardware. An alpha value defines the transparency of each pixel. The accelerator takes this transparency value into account when drawing objects, perhaps by blurring an object when it passes behind a transparent object or changing the color of a transparent foreground object to match that of a background object.

• **Antialiasing:** An antialiasing algorithm will slightly blur diagonal lines and other effects to better simulate a smooth line.

• **Atmospheric effects** (fogging and depth cueing): Fogging creates a haze over a scene. Depth cueing changes the color and hue of an object in accordance with the object's distance from the viewer.

• **Billinear versus point-sampled filtering:** To interpolate pixels, some low-end 3-D algorithms take the nearest adjacent pixel (i.e., the nearest neighbor sampling) and replicate its color. Small on-screen movements can cause full pixels to change color, causing aliasing and unwanted screen artifacts. Bilinear filtering averages the 4 nearest texels (textured pixels) to interpolate a pixel, producing a higher-quality image.

• **MIP mapping:** When a texture is applied to an object, it often has to be resized or stretched to fit. This process degrades the texture image. MIP mapping creates three or more copies (called MIP levels) of the texture, each of a different size, so that the best-fitting copy can be used.

• **Perspective-correct texture mapping:** Texture maps that continually change to match the perspective of the viewer.

• **Subpixel positioning:** If a line does not run directly through a pixel, it must be moved to the nearest one, which introduces positional error. Pixels can be broken down into smaller subpixels in memory so that the line can be drawn to the nearest subpixel.

• **2-D and GUI acceleration:** If your 3-D accelerator also acts as your primary graphics card, make sure that it supports 2-D and GUI acceleration. Otherwise, the performance of your standard Windows applications will degrade noticeably.

• **Video acceleration:** If your applications include motion video, look for an accelerator that supports hardware video acceleration. Video acceleration performs color-space conversion and scaling in hardware, removing that chore from the host CPU and improving the quality of video clips.

Something new has entered the Notes application development environment.

Introducing Lotus Components. Now you can develop customized Notes applications faster than ever before.

Lotus Components are going to revolutionize the way you build your Notes applications. Using pre-built, customizable "applets" you can now burn through your development schedule.

These task-focused, ActiveX controls include a spreadsheet, chart, comment, file viewer, draw/diagram and project scheduler. And each can be reused to build hundreds of customizable business objects for Notes applications never before possible.

For a free copy of The Lotus

Components Discovery CD, including a trial of Lotus Components, sample applications, LotusScript Code examples, and more... visit our Lotus Components Website at <http://components.lotus.com>.

Or for more information call 1-800-TRADE-UP, ext. C199.

Lotus

Working Together

Circle 602 on Inquiry Card (RESELLERS: 603).

In Canada, call 1-800-GO-LOTUS. ©1996 Lotus Development Corporation, 35 Cambridge Parkway, Cambridge, MA 02142. All rights reserved. Lotus, Working Together and Lotus Notes are registered trademarks, and Lotus Components is a trademark of Lotus Development Corporation. All other products are registered under their respective companies.

The three leading API contenders for mainstream 3-D are OpenGL, QuickDraw 3D (QD3D), and Direct3D. The latter has the advantage of Microsoft's marketing might, while the cross-platform capabilities of the other two make them important for developers not tied to Windows.

OpenGL originated as the Graphics Library for the Silicon Graphics, Inc. (SGI), Iris graphics systems. It's the oldest of the three APIs and now has the broadest base among Mac, PC, and Unix developers. It focuses on drawing 2-D and 3-D objects quickly and is generally more low-level than the other two APIs.

For instance, it does not include complex predefined objects, automatic shadows, ray-tracing, or radiosity functions. It's currently the undisputed standard for scientific and engineering applications, and it is associated more with high-end CAD, simulation, and visualization than with photo-realistic games. In a move to broaden the API's appeal from the professional market to general-purpose desktops, SGI recently teamed up with Sun Microsystems to develop CosmoGL, which is a variant of OpenGL that speeds texture mapping for 3-D Web applications and games in Windows 95 and NT.

OpenGL offers an impressive, if basic, array of approximately 120 functions for polygon shading, rotation, scaling, atmospheric effects, depth cueing, and other functions. But OpenGL lacks the object-oriented design of QD3D and Direct3D. You use the API as a *state machine*, which means that parameters "stick" until you change them. This saves work for developers, but nasty bugs can arise if the programmer forgets to save states and restore them when exiting from a routine.

OpenGL uses a client/server model, so it enables you to process compute-intensive tasks in a distributed environment. Because it does not include windowing functions, it works independently of the UI. It attaches to OSes and GUIs through extension libraries.

OpenGL is complemented by Open Inventor, a higher-level, object-oriented library. You can use Open Inventor as a layer above OpenGL to add features such as geometry, motion and lighting, and material editors. Like OpenGL, Open Inventor has been licensed to other companies. For instance, the Virtual Reality Modeling Language (VRML) format for virtual worlds on the Internet is based on Open Inventor.

continued

Why Memory Matters

Memory and memory speed play pivotal roles in how realistic 3-D looks on our screens. It's important for the CPU to write pixel data to the image buffer quickly, but it's much more critical for the graphics-board circuitry to get data out to the screen.

The old VGA standard of 640- by 480-pixel resolution required a total of 307,200 pixels; at 16 colors, these pixels fit into 153,600 bytes of memory. A reasonably fast graphics driver would fill that memory in about a tenth of a second using a memory bandwidth of 1.5 MBps. Because VGA uses a vertical-refresh rate of 60 Hz, 150 KB of image memory had to be output to the screen 60 times per second, resulting in a memory bandwidth of just of over 9 MBps on the video side.

The situation heats up considerably for the modern resolutions of SVGA and better. To accommodate a moderate 1024 by 768 pixels at 65,536 colors (16 bits per pixel), the image buffer has to hold about 1.6 MB of data. Thus, the CPU needs a bandwidth of 16 MBps to write data to the graphics board. This is no big deal on the PCI bus, which can handle up to 60 MBps. But to get the image out to the screen at an ergonomically correct 75 times per second, the board must read from its image memory at 120 MBps. For 1280 by 1024 resolution, you need a sustained throughput rate of 196 MBps.

How memory delivers this performance depends on the bus width used in the graphics card's design. Basically, more memory bandwidth can be achieved either with faster memory chips or by using several chips in parallel. ISA-bus graphics boards and their chips were generally designed for a data-bus width of 16 bits; to support high screen resolutions, you need fast video RAM (VRAM).

VRAM chips are dual-ported: To the graphics chip, they look like standard DRAMs, but a second port is used for output. Thus, data can be read and written simultaneously; screen updates do not result in lost cycles. A recent development, Window RAM (WRAM), is basically faster VRAM enhanced with special graphics features, such as accelerated, aligned fills and moves.

Given that memory comes in a fixed bus width, watch out for boards that support a bus width of 64 or 128 bits but are sold in economy versions where only half the memory is fitted. For example, a 128-bit board might be designed for 4 MB of RAM, needing eight memory chips, each with a bus width of 16 bits. If only 2 MB is installed, which degrades the bus width to 64 bits, you effectively end up with a lower-performance, 64-bit board. Of course, you can install the missing memory later.

Modern boards, which transfer data at 64 or even 128 bits in parallel, can actually use slower, less expensive memory. For example, board designers can combine standard extended data out (EDO) RAM with a 64-bit bus to achieve a throughput of 240 MBps. Burst EDO RAM delivers about 400 MBps.

Memory manufacturers have come up with a variety of special designs for even-faster throughput, needed for larger color palettes. Some designers put several chips in a single housing and combine them with logic circuitry that allows overlapping access. Each unit works at the speed of standard DRAM, but parallelism increases throughput. All the variations of DRAM described below are single-ported.

Synchronous DRAM (SDRAM) and synchronous graphics RAM (SGRAM) are available from several sources and have already found a flock of followers in the graphics-controller industry. While DRAM needs several special strobe signals, synchronous RAM can handle the memory clock directly. At a bus width of 64 bits, SDRAM can support bandwidths up to 640 MBps. SGRAM adds features that accelerate graphics performance, such as block write (which is useful for video).

Multibank DRAM (MDRAM) combines eight 32-KB banks into blocks of 256 KB. It supports 500-MBps throughput. Tseng Labs' ET6000 graphics chip sports a special 128-bit MDRAM interface, yielding up to 1000 MBps.

Rambus DRAM (RDRAM), a general-purpose memory design, has a bus width of only 8 bits and therefore needs a very high memory clock of 250 MHz. Transfers reach 500 MBps.



DELL DIMENSION
Reliable PCs For High
Performance Computing

DELL DIMENSION™ XPS Pro200n
200MHz PENTIUM® PRO PROCESSOR

- ★ 32MB EDO Memory
- 256KB Internal L2 Cache
- ★ NEW 3.2GB Hard Drive (9.5ms)
- ★ 15TX Trinitron Monitor (13.7" v.i.s.)
- ★ NEW 2MB EDO VERGE 3D Video Card
- 8X EIDE CD-ROM Drive
- MS® Office Professional with Bookshelf for Windows® 95

- Microsoft® Windows NT®/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty†
- ★ Now, Microsoft Windows NT 4.0 Upgrade Coupon included at no extra charge.*
- ★ Upgrade to a 4.2GB hard drive, add \$119.

Business Lease‡: \$92/Mo.
Order Code #500341



**WE'VE DECIDED
TO REUSE OUR
OLD PRICE TAGS.
SOMEHOW WE
DON'T THINK
YOU'LL MIND.**

If our \$2499 price tag looks familiar, that's because it is. We've just reduced the price of our Dell Dimension XPS Pro200n. Not only is this a great deal, it's also a purchase the experts seem to encourage. PC Computing just awarded this system the

coveted "Best" award as the fastest and best price/performance Pentium Pro chip-based PC and then remarked, "...it's the fastest Intel-based system we've ever seen—hands down."

If you're considering a Pentium Pro chip-based PC, then we've got them at Pentium chip-based PC prices. To order yours, give us a call today.

DELL

TO ORDER

800-241-5857

<http://www.dell.com>

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT
Sun 12pm-5pm In Canada, call 800-233-1589

Keycode #01152



PC Computing, March 1996 article reprinted with permission of PC Computing. ©Ziff-Davis Publishing Company. For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., 2214 W. Braker Lane, Suite D, Austin, TX 78758. †Business leasing arranged by Leasing Group, Inc. *Offer valid in the U.S. only and applies to this system if purchased between 6/1/96 and 9/30/96. Upgrade available on CD only and printed user documentation is not included. Customer is responsible for shipping and handling charges. ‡Prices and specifications valid in the U.S. only and subject to change without notice. The Intel Inside logo and Pentium are registered trademarks and the Pentium Pro Processor logo is a trademark of Intel Corporation. MS, Microsoft, Windows, Windows NT and the Windows NT logo are registered trademarks of Microsoft Corporation. ©1996 Dell Computer Corporation. All rights reserved.

QD3D, which premiered in early 1995 as a graphics extension to the Mac OS, now includes Windows support. Because QD3D is fully object-oriented, new object instances can inherit complex features (including lighting, geometry, and textures) to simplify the construction of 3-D images.

QD3D stores scene and object information with its own portable data format, which is called 3D Metafile (3DMF); it offers a choice between a compact binary and a human-readable version and supports the cutting and pasting of 3-D objects via the Clipboard. You can store QD3D objects in image databases and use simple drag-and-drop techniques to move objects from the database into a 3-D scene.

QD3D includes standard 3-D primitives, but, unlike OpenGL, it knows about complex geometry, such as nonuniform rational B-splines (NURBS). Its extensible architecture enables you to add new software-rendering engines and access hardware accelerators. Another nice detail is the interactive renderer, which lets you see and manipulate objects directly during design. Many applications let you work with the interactive renderer directly.

For developers who'd rather work with a low-level, but still hardware-independent, 3-D API, Apple offers the Rendering Acceleration Virtual Engine. RAVE can act as a plug-in module within QD3D to provide a hardware abstraction layer (HAL). RAVE includes basic graphics primitives; however, it doesn't offer high-level functions, such as the importing of objects. Like QD3D, RAVE supports Macs and Windows-based machines.

Microsoft's Direct3D, the latest mem-

ber of the DirectX family of interfaces, is part of a three-layered structure (Direct3D itself is actually the middle layer). The lowest layer is the HAL, which contains the hardware-specific device drivers. Above that is the low-level API layer, which grants access to hardware features while maintaining hardware independence. The layer above it contains Microsoft's own high-level API, previously known as RealityLab (which was snagged in Microsoft's acquisition of RenderMorphics). This highest layer can also accept other APIs as plug-ins, including OpenGL. Above these three layers is the applications layer; below them lies the hardware.

Applications built on the DirectX family can query the system to determine what functions are implemented in hardware. For functions that are not supported, the application might substitute a simpler algorithm. However, Direct3D can also emulate any function in software, thanks to the Hardware Emulation Layer (HEL).

Like QD3D, Direct3D offers a clean, object-oriented, extensible architecture. What functions are actually available depends to some extent on the high-level layer. With the default RealityLabs API on top, Direct3D is not as versatile as QD3D because it lacks basic 3-D objects, such as cylinders, spheres, and cones. Still, it offers functions that go beyond OpenGL's, including animation features, which are particularly useful for games developers. Direct3D's main drawback is that it's limited to Win 95.

The 3-D Future

Eventually we may take 3-D for granted, much like gigabyte-capacity hard drives

API

Strengths and Weaknesses

OpenGL

- + Supports Mac, PC, and Unix developers.
- + Quickly draws 2-D and 3-D objects.
- + Offers an impressive array of rendering functions.
- Not object-oriented.

QuickDraw 3D

- + Supports the Mac OS and Windows.
- + Fully object-oriented.
- + Lets you drag and drop objects into a 3-D scene.
- + An interactive renderer manipulates objects during design.

Direct3D

- + A member of the DirectX family of interfaces.
- + Offers a clean, object-oriented, extensible architecture.
- Not as versatile as QuickDraw 3D, because it lacks some basic 3-D objects.
- For Windows only.

and 16 MB of memory. However, because 3-D adds complexity to applications, it will take a fair amount of time for software developers to master the technology. Therefore, we probably won't see 3-D hit critical mass until 1997 or later. Until then, only games publishers, who stand to profit first and most by 3-D, will be willing to devote significant resources to the development of 3-D.

Just like the GUI-enhanced software that seemed so cumbersome to users for many years, 3-D will suffer many development blunders along the way before killer 3-D apps emerge and 3-D UI elements become as natural and efficient to use as today's dialog boxes and scroll bars. And as 3-D becomes pervasive, business users will need, rather than just want, 3-D enhancements. **B**

Udo Flohr is a BYTE contributing editor based in Hannover, Germany. You can reach him at flrohr@dfn.de.

WHERE TO FIND

ATI Technologies, Inc.
Thornhill, Ontario, Canada
(905) 882-2600
fax: (905) 882-2620
<http://www.atitech.ca>

Chromatic Research, Inc.
Sunnyvale, CA
(415) 254-0729
<http://www.chromatic.com>

Matrox Graphics, Inc.
Dorval, Quebec, Canada
(800) 361-1408
(514) 969-6320
fax: (514) 969-6363
<http://www.matrox.com>

Nvidia
Sunnyvale, CA
(408) 720-6100
fax: (408) 720-6111

Oak Technologies
Sunnyvale, CA
(415) 962-9550

Rendition, Inc.
Mountain View, CA
(415) 335-5900
<http://www.rendition.com>

S3, Inc.
Santa Clara, CA
(408) 980-5400
fax: (408) 980-5444
<http://www.S3.com>

3Dfx Interactive
Mountain View, CA
(415) 934-2400
fax: (415) 934-2424
info@3Dfx.com

3Dlabs, Inc.
San Jose, CA
(408) 436-3455
fax: (408) 436-3458
<http://www.3Dlabs.com>

Trident Microsystems
Mountain View, CA
(415) 691-9211

VideoLogic, Inc.
San Bruno, CA
(800) 578-5644
fax: (415) 875-4167
<http://www.videologic.com>

**IF YOU'RE LOST,
WE'LL HELP YOU FIND YOUR WAY.**

**IF YOU KNOW YOUR WAY,
THEN FEEL FREE TO LOSE YOURSELF.**



GO INTERNET

**Direct Internet Access and 24-hour
Online Q & A from CompuServe.**

With instant Internet access and unrivaled support to help you navigate it, CompuServe has the answers to your Internet questions. Features like "What's Hot" to show you where to go and what to see. Or join one of our Internet Forums® and discuss the hottest sites. Then e-mail your friends about the things you've discovered. For free software and 10 free hours,* just give us a call. We'll point you in the right direction then cut you loose to explore it.

CompuServe®
1.800.487.4838

www.compuserve.com

*Software and the first 10 hours are free the first month; subsequent months \$9.95. You'll get 5 free hours each month. Additional hours \$2.95 each. Some additional charges may apply in some areas.
© 1996 CompuServe is a registered trademark of CompuServe Incorporated.

Circle 604 on Inquiry Card.

FULL FEATURED REAL-TIME MPEG ENCODER

MPEGator

- ◆ Full MPEG 1 IPB-frame video compression during capture
- ◆ Synchronous audio MPEG 1 compression (optional)
- ◆ Plays back MPEG streams
- ◆ S-Video and Composite inputs
- ◆ Uses PCI bus
- ◆ Native Windows® 95 software

There's no justification in buying a competing product because there's no competition! Using Samsung's revolutionary **VIDEOFLOW™** chipset, Darim's **MPEGator** provides uncompromised highest quality, full featured, real-time MPEG 1 encoding and playback at an unbelievable price. No more words necessary - just call with your orders today.

Call Toll Free

1- 888- GET- MPEG
(438 - 6734)

Phone: (213) 637-1700/4

Fax: (213) 637-1705


<http://darvision.kaist.ac.kr>

Circle 607 on Inquiry Card (RESELLERS: 608).

DARIM

SAMSUNG

ELECTRONICS



NT in Real Time

Clever modifications of Windows NT make it a compelling OS choice for some embedded applications.

By Rick Grehan

Pity the embedded-systems developer when it comes time to choose a real-time OS (RTOS). The approximately 40 RTOSes now on the market present an embarrassment of riches; each one offers slightly different capabilities and development tools. So, for a developer on a deadline, he or she may spend a lot of valuable time searching for the right tools—time that would be better spent developing the actual program.

Life would be easier if embedded-systems developers needed only to choose among a handful of general-purpose OSes, such as Windows NT, that have been customized into embedded, real-time versions. Phar Lap Software and Venturcom are doing just this kind of customization: Both are offering real-time variations of NT. The approaches these two organizations take with their products are quite different, but both of them count on catching some of NT's wake.


NT's Coattails

The potential rewards of using Phar Lap's TNT Embedded ToolSuite, Realtime Edition, version 8.0 (ETS), and Venturcom's Real-Time Extension (RTX) are manifold. First, if you're already familiar with programming to NT's API, you don't have to go to the trouble of learning a new API to use them. All the programming knowledge that you've gained while working with NT in the desktop realm becomes applicable for real-time applications.

Second, programmers can choose from a wide range of development systems. Custom real-time OSes often require the purchase of equally custom and expensive development tools. By contrast, developers using ETS or RTX have the option of using standbys, such as Microsoft's Visual C++ and Borland C++. Along with these tried-and-true development tools come some substantial piles of documentation and various other ed-

ucational materials that are often missing in some custom OSes.

Third—and most important—both the host-development and target systems can run the same OS. This means that a great deal of the software development work can be completed before the target hardware is even available to the software engineers. (Venturcom's RTX runs on any Intel hardware that supports NT. Phar Lap's ETS supports standard AT architectures, starting with the 386SX.)



The Challenge

Embedded-systems developers have a short list of "must have" features for any RTOS, whether it's a custom design or one built from a general-purpose OS. For example, a multithreaded RTOS with a moderately sophisticated memory management system must be able to safeguard against the memory-manager thread's waking up and preempting a time-critical interrupt service routine. (The memory-manager thread operates at a high priority to maintain system consistency.)

Such safeguards are critical to providing *determinism*. An RTOS is said to be deterministic if a designer is able to figure out precisely how the system will behave given any set of inputs and the current state of the system at the time the inputs arrive. Most of the time, this boils down to a known and

guaranteed task-scheduling protocol.

Because embedded applications usually offer limited memory resources, another important characteristic of an RTOS is the ability to tolerate small living quarters. Some embedded systems must endure size and power restrictions; both translate directly to limits on the amount of silicon a developer can throw at the application. If the real-time system won't fit, no amount of shoehorning will fix the problem. Finally, an RTOS must provide adequate development tools.

Both ETS and RTX need to solve these problems and work

compatibly with NT, even though NT doesn't natively provide the deterministic task-scheduling necessary for RTOSes. In addition, NT typically runs with applications that offer 32 to 64 MB of memory—which is hardly a small footprint. While development tools for NT are common, developers using the Phar Lap and Venturcom products need to use those tools in a specialized way.

Inside ETS


Phar Lap's ETS owes a great deal of its heritage to the company's venerable TNT DOS Extender. TNT brings a subset of the Win32 API into a DOS extender to provide developers with access to NT-style multi-threading and all the NT-synchronization objects (e.g., events, critical sections, mutexes, and semaphores). Most important, however, is the fact that TNT is a 32-bit flat-memory-model environment. It's about as close to NT without the Windows as you can get. To produce ETS, Phar Lap took the basic TNT technology and added a context-switching and memory-managing heart to produce a stand-alone kernel.

Note that ETS is a single-process, multithreaded environment. It's important to remember that ETS is not *true* NT; it's based on a subset of the Win32 API. The context-switching component provides determinism via the following easy-to-remember principle: The highest-priority runnable thread will run. This means that a thread will run until it becomes blocked (e.g., while waiting for completion of an I/O operation) or its time slice expires and a thread of equal or higher priority is ready to run.

By contrast, task scheduling in Windows NT is not deterministic. Because ETS is basically a real-time kernel rather than a full-blown OS with its own development tools and supporting applications, it's aimed primarily at the embedded developer working in C and C++. Fortunately, ETS allows a development tool to be selected from among several of the standard NT C/C++ compilers. ETS applications can be constructed using Microsoft's Visual C++, Borland C++, or MetaWare High C/C++.

Well-Timed Interrupts

To understand Venturcom's RTX, you must first understand how NT's hardware abstraction layer (HAL) handles system timing. The HAL intercepts timer inter-



The ETS kernel lets you add or delete services and hardware device drivers to match the needs of each application.

rupts produced by a system's hardware clock. NT's designers programmed these interrupts to occur once per millisecond; the HAL essentially passes the interrupts "up" to the NT kernel. This once-per-millisecond interrupt, which forms the smallest resolution of the NT system, is used to manage device drivers that request timer services.

Every 10 ms, the NT kernel nudges the NT scheduler, which performs whatever process and thread scheduling needs to be done. Hence, 10 ms represents NT's fundamental process/thread time slice. RTX's real-time extensions depend on a cleverly modified HAL that programs the hardware so that interrupts occur once every 100 *microseconds*.

This modified HAL delivers interrupt notification in two directions. First, the new HAL continues to inform the NT kernel of interrupts once every 10 ms. In this respect, the NT kernel is unaware that the HAL is acting in a different manner. The second notification sequence, however, sends an interrupt every 100 μ s to Venturcom's RTX. RTX is a sort of real-time kernel that appears to the remainder of NT as a device driver, so it's simultaneously a part of and separate from NT. Tasks running in RTX run at priorities higher than those of NT interrupt handlers. Consequently, RTX tasks cannot be preempted by NT tasks.

Thus, NT's normal functions run unimpaired so that real-time software can execute on an NT system side-by-side with standard, off-the-shelf software. Also, because tasks in the real-time extension execute at a higher priority than NT processes and threads, NT tasks won't destroy the determinism of the real-time extension. Finally, developers can use RTX for SMP (symmetric multiprocessing). On a dual-processor system, one processor can run the real-time extension, and the other one can run NT with no degradation in performance.

Build Your Own Kernel

Both ETS and RTX address the resource limitations of embedded systems via associated products that let you custom-construct a kernel. Phar Lap's Visual System Builder, which comes bundled with ETS, lets you identify what pieces you want in your kernel (e.g., keyboard driver or timer driver). Operating Visual System Builder is straightforward: You simply click on check boxes that correspond to the desired components, and the Builder automatically assembles the proper modules. When you compile and link your application's executable image, ETS pulls in the selected modules.

RTX's optional Component Integrator is more elaborate because it helps you assemble a customized version of a full-

It's 11:00 a.m. and business owner Jim Robinson hasn't left home yet. But he's virtually on top of the world. Already he has...

- Checked his stock prices
- Transferred funds to his 401k
- Answered 20 e-mail messages from customers
- Revised quotas for the Singapore sales team
- Ordered airline tickets for the Tokyo show
- Reviewed market research on the Middle East
- Sent contracts to Brussels
- Made lunch reservations at Morton's

...now he's catching up on major league scores before he leaves for lunch.

NEWCOMTM

What will *you* do today?



NewCom and the Internet Make it Easy.

With complete multimedia communications kits, even the smallest business enjoys big business advantages. NewCom Multimedia Kits have everything you and your PC need for world-wide connections: High speed, high quality NewCom modems; Rapid-read CD-ROM drives; speakers, sound cards, and microphone. And the most complete collection of interconnect software anywhere, including browsers, e-mail, Internet Phone by Internet Relay ChatTM and lots more. Let NewCom tailor just the right kit for your business and see how far you get by 11:00 A.M.

Call 1-800-5NewCom.



Your.lift.2.the.info.superhwy.

NewCom, Inc., a subsidiary of Aura Systems, Inc. • 31166 Via Colinas, Westlake Village, CA 91362
Tel (818) 597-3200 • Fax (818) 597-3210 <http://www.newcominc.com>

WHEN CONSIDERING A SERVICE BE SURE TO READ THE GIGANTIC

NEXT-BUSINESS-DAY AT-YOUR-DESK SERVICE GUARANTEE*

If your Dell system experiences a covered hardware failure while it is under a next-business-day, on-site service contract purchased from Dell, and if Dell has dispatched a service call before 5:00 PM local customer time, Monday through

Friday, a technician, if needed, will arrive at your location to address your problem by the end of the next business day. In the rare event that the technician does not arrive as promised, let Dell know. Your situation will receive top priority for resolution, plus you will receive an additional month of service for free.

GUARANTEED.

PROGRAM, PRINT.

DELL DIMENSION
Reliable PCs For High
Performance Computing



DELL DIMENSION™ XPS Pro200n 200MHz PENTIUM® PRO PROCESSOR

- 64MB EDO Parity Memory
- 256KB Internal L2 Cache
- NEW 3.2GB Hard Drive [9.5ms]
- 15TX Trinitron Monitor (13.7" v.i.s.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- MS® Office Professional with Bookshelf for Windows® 95
- Microsoft® Windows NT®/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty†
- ★ Now, Microsoft Windows NT 4.0 Upgrade Coupon included at no extra charge.*
- ★ Upgrade to 3 years of On-site service, add \$99.
- ★ Upgrade to a 17LS monitor (15.7" v.i.s.), add \$199.

\$2899

Business Lease*: \$107/Mo.
Order Code #500340

DELL DIMENSION XPS P166s 166MHz PENTIUM PROCESSOR

- 32MB SDRAM Memory
- 512KB Pipeline Burst Cache
- 1.6GB Hard Drive [11ms]
- 15LS Monitor (13.7" v.i.s.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- Integrated Sound Blaster 16 Sound
- Altec Lansing ACS-31 Speakers
- MS Office Professional with Bookshelf for Windows 95
- FREE Norton/Visio Express Software Suite
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty
- ★ Upgrade to a 3.2GB hard drive, add \$149.

\$2279

Business Lease: \$84/Mo.
Order Code #500334

DELL DIMENSION XPS P200s 200MHz PENTIUM PROCESSOR

- 32MB SDRAM Memory
- 512KB Pipeline Burst Cache
- NEW 3.2GB Hard Drive [9.5ms]
- 15TX Trinitron Monitor (13.7" v.i.s.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- AWE32 Wave Table Upgrade Card
- Altec Lansing ACS-31 Speakers
- MS Office Professional with Bookshelf for Windows 95
- FREE Norton/Visio Express Software Suite†
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty
- ★ 1.6GB/3.2GB Travan Tape Backup with Accelerator, add \$225.

PICTURED SYSTEM

\$2599

Business Lease: \$96/Mo.
Order Code #500336

NEW DELL DIMENSION P133v 133MHz PENTIUM PROCESSOR

- 16MB SDRAM Memory
- NEW 2.1GB Hard Drive [10.5ms]
- 15LS Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video
- 8X EIDE CD-ROM Drive
- 28.8 Data/Fax Modem
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/Dell Mouse
- 3 Year Limited Warranty
- ★ Upgrade to 3 years of On-site service, add \$99.
- ★ Upgrade to 32MB SDRAM, add \$225.
- ★ 3Com® EtherLink® Interface Combo PCI Card, add \$139.
- ★ 256KB Pipeline Burst Cache, add \$40.

\$1799

Business Lease: \$67/Mo.
Order Code #500332

You may think all service programs are the same. But take a look at Dell's and one big word jumps out: Guaranteed.

Only Dell® guarantees that if there's a problem with your PC, a Dell-certified technician will be at your desk the next business day, servicing your PC. And in the rarest of events that we're not there the next day, you get an extra month of service at no charge. Just two of the many reasons why PC Magazine readers recently gave Dell an "A" for service and reliability.

The Dell service program reassuringly covers your Dell Dimension system for three full years. This includes one complete year of Guaranteed Next-Business-Day, On-Site service[†] and two additional years of Next-Business-Day Parts Delivery.

Call today to order a Dell Dimension. It comes protected by the Dell service program. And something else unique: a guarantee.



DELL®

TO ORDER

800-241-5856

<http://www.dell.com>

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT
Sun 12pm-5pm In Canada, call 800-233-1589

Keycode #01151

*Guarantees available in the U.S. only for registered owners of Dell Dimension systems purchased after 8/1/93. †For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., 2214 W. Braker Lane, Suite D, Austin, TX 78758. *Offer valid in the U.S. only and applies to this system if purchased between 6/1/96 - 9/30/96. Upgrade available on CD only and printed user documentation is not included. Customer is responsible for shipping and handling charges. †Norton/Visio Express Software Suite is available only on Dimension systems purchased with the combination of MS Office 95 and Microsoft Windows 95. Visio Express 4.0 is an OEM Version and a subset of Visio 4.0. Software does not include documentation and may differ from retail version. †On-site service provided by BancTec Service Corp. On-site service may not be available in certain remote locations. †Business leasing arranged by Leasing Group, Inc. • Prices and specifications valid in the U.S. only and subject to change without notice. The Intel Inside logo and Pentium are registered trademarks of Intel Corporation. MS, Microsoft, Windows, Windows NT and the Windows logo are registered trademarks of Microsoft Corporation. 3Com and EtherLink are registered trademarks of 3Com Corporation. ©1996 Dell Computer Corporation. All rights reserved.



Designed for

Microsoft®
Windows® 95

blown NT system. The modules that the Component Integrator must cope with are more complex than keyboard drivers and serial drivers, and these modules are also interdependent. The ultimate goal, however, is the same for both ETS and RTX. Each one allows you to construct a tuned OS core that has only the pieces your application needs.


How do the two products compare in scalability? That depends on your perspective. Developers who measure ETS by its ability to bear the burden of increasing numbers of tasks find that the product fares well. For example, Ark Degtiarov, principal software engineer for Nova Biomedical, a Boston-based biomedical instrumentation manufacturer, says that his company's blood-analyzing system runs about 40 simultaneous tasks using ETS. He adds that he has never seen a problem with system stability.

Developers might measure scalability with Venturcom's RTX by the number of NT services that are available in conjunction with RTX. Given that, the Component Integrator provides all the scalability necessary at the upper end of the spectrum; there's no reason why a full-blown NT kernel can't be run in conjunction with RTX.

For a deeply embedded application, however, there's a lower end to the spectrum. A minimum embedded NT system with RTX requires about 8 MB of memory (5 to 6 MB for NT, and the rest for the embedded application). ETS fares much better in tight spaces; depending on how the kernel is carved up, it can take as little as 27 KB of memory.

The Dark Side

Before you think that these products offer perfect solutions, consider some of their drawbacks. For starters, Venturcom's RTX is in an early incarnation and currently supports only soft real-time. In other words, RTX's high-performance, deterministic characteristics have not yet been implemented—and this is not expected until later this year or early 1997. (A "hard" real-time system guarantees an



RTX relies on a customized HAL that lets NT operate in real-time applications.

immediate response to a given stimulus regardless of the system state. In contrast, a "soft" real-time system can tolerate an occasional fraction-of-a-second delay. For example, microwave ovens are soft real-time systems; you wouldn't notice if the oven responded in $\frac{1}{10}$ second, rather than $\frac{1}{100}$ second, after you pressed the Start button.) In defense of the product, the company claims soft real-time satisfies 95 percent of the real-time marketplace.

Then there's the aforementioned RTX footprint of about 8 MB. On one hand, this excessive memory requirement exists because RTX runs full-blown NT, not some subset of the Win32 API. On the other hand, this is likely to eliminate RTX from consideration for many deeply embedded applications.

Phar Lap's ETS tackles the real-time embedded market at a lower level than RTX does. This means you'll need to program in C or C++ if you choose to work with it. This isn't completely a fault of ETS; it's intrinsic to hard real-time development. However, this means that the ETS environment is more primitive than what RTX offers. With ETS, you can't currently run an off-the-shelf database package alongside your real-time data-acquisition system.

Note that this primitiveness does not

imply higher performance on the part of ETS. (It's often the case that the lower an application's level, the higher its raw performance.) On the contrary, one complaint about ETS is its poor latency (i.e., the time it takes the system to respond to an interrupt). Additionally, the minimum time slice for threads running under ETS is 10 ms (the same as for a "regular" NT thread). Compare that to RTX, which can schedule real-time threads in 100- μ s time slices.

The Choices

These two products take fundamentally different approaches to handling NT. Therefore, you shouldn't have much trouble distinguishing when it's best to use one rather than the other.

Venturcom's RTX and Component Integrator target the high end of the embedded marketplace. These tools benefit applications that incorporate a mixture of real-time and desktop software.

Imagine, for example, a system that controls a complex manufacturing process and perhaps runs a factory's automated assembly line. The shop-floor manager—who's already familiar with the NT interface on the desktop in the office—can go to the shop floor and use the same graphical interface to reprogram the assembly line. If this reprogramming task requires that a set of device-control parameters be called up from a database, this could be done with an Access database that communicates directly with the real-time extension tasks that control the devices on the assembly line.

Meanwhile, Phar Lap's ETS works efficiently with deeply embedded applications where resources (available memory, for example) are scarce. Small, application-specific devices that don't require graphical interfaces or a great deal of mass storage are perfect candidates for ETS applications.

In addition, both of these products face some stiff competition from Unix-based RTOSes, such as QNX and Lynx. Still, NT is one big rolling snowball. And although NT is just now entering the embedded world, developers may feel safer working behind the snowball rather than in front of it. **E**

Rick Grehan is a BYTE senior technical editor who frequently writes articles about embedded-systems programming. You can reach him at rick_g@bix.com.

WHERE TO FIND

| | |
|--|--|
| Phar Lap Software, Inc. Cambridge, MA (617) 661-1510 fax: (617) 876-2972 info@pharlap.com | Venturcom, Inc. Cambridge, MA (800) 334-8649 (617) 661-1230 fax: (617) 577-1607 http://www.vci.com |
|--|--|

Does Digital Video Get Any Better?



Yes, it does: miroVIDEO DC30.

Professional studio quality video for your PC.

because

miroVIDEO DC30 PCI bus mastering provides the fastest data rates (up to 6 MB/sec), the highest resolution (4:2:2 YUV TrueColor) with the best image quality (3.5:1 compression).

CD quality audio with perfect lip synchronization.

because

miroVIDEO DC30 integrates audio with video on a single board so you don't miss a beat.

Real-time video-overlay.

because

miroVIDEO DC30 displays full-motion video directly on the PC monitor at all times. True WYSIWYG video during capture, edit and print-to-tape.

Optimal hard disk usage.

because

miroVIDEO DC30 has fully adjustable video resolution and compression settings to provide the best video quality in the space available.

High-speed video editing.

because

miroVIDEO DC30 has specialized hardware and world-class drivers to accelerate video editing software – up to 10 times faster with Adobe Premiere software during "make movie" and "preview edit" mode.

Professional digital video and audio editing system

- ▶ PCI bus mastering technology, for the fastest data rates up to 6 MByte/sec.
- ▶ On-board CD audio
- ▶ Ready for Windows 95
- ▶ Input and output for S-VHS, Hi8, VHS, Video8
- ▶ All standards: NTSC, PAL, Secam at CCIR 601 pixel format and square pixels



COMDEX
Fall '96

miroVIDEO DC30

miro

Circle 183 on Inquiry Card (RESELLERS: 184).

miro US (415) 855-0940 • miro D (531) 2113-200 • Internet: <http://www.miro.com>

How to Tame Big Networks

Whether you're designing, simulating, or maintaining extra-large networks, smart software tools can help.

Q uantity has a quality all its own. While running a 10-node network might be challenging, and handling a 100-node network might be absorbing, designing and maintaining a 1000-plus-node network are harrowing tasks. The larger the network, the more likely it is to contain a variety of hardware platforms, OSes, connection schemes, and protocols that span countries and continents. In short, bringing order to this potential chaos is more than a single, mortal administrator can handle.

The mega-network administrator's primary concern, of course, is how to foist off this crushing burden. The good news here is that tools exist just for this purpose.

For example, designing a large network or adding onto your existing behemoth can be taxing, since you have to consider so many parameters, including throughput, location, compatibility, size, and budget. New graphical tools let you assemble big networks from databases of components as if you're piecing together Tinkertoys—and smart Tinkertoys at that, since some of these tools can tell you if you're making blunders such as using an underpowered server for an engineering workgroup.

If instead of designing a network from scratch you must integrate two existing networks, modeling tools can give you the big communications picture. Some products make you get your hands dirty and fill in all the details about the components yourself, while others, using "automatic discovery," quiz the myriad components and construct a model for you.


With so many interconnected components to watch over, maintenance might be your biggest headache. Most network-administration centers look like NASA Mission Control, with all their flickering monitors, each tuned to specific hardware components. Enterprise management systems can reduce the number of monitors you have to stare at each day, and they also consolidate information that logically belongs together. Event-correlation capabilities can even figure out automatically that, yes, it *was* that iffy router on the thirteenth floor that just triggered the 42 irate calls the help desk just fielded.

The harried system administrator is no longer alone in the battle to keep a company's information electrons flowing efficiently. And that can bring some quality to the business of handling all that quantity.

—Edmund X. DeJesus


Design...93

Designing or changing large networks with graphical tools can produce viable plans that meet your goals of performance, compatibility, and budget.



Maintenance...107


Network management is simpler with devices that report their own status and with systems that consolidate and simplify the presentation of network status.



Simulation...101

Simulation brings your big picture to life, allowing what-if scenarios that you pray will never happen.

You Don't Have To Use Brute Force To Make Sure Users Pay For Their Software.



FLEXlm® **The Elegant Solution**

You don't have to use the brute force of a baseball bat – or dongles for that matter – to make sure only licensed, paying users have access to your software. There's a much more elegant and cost-effective solution: FLEXlm from GLOBEtrotter.

The De Facto Standard

FLEXlm is bundled in over \$15 billion of installed UNIX™ and Windows™ software products, making it the *de facto* standard in license management. And in 1995 alone, FLEXlm was used to ship over \$3 billion in software licenses over the Internet. That makes it the *de facto* standard in electronic commerce for software, too.

Even Works With Dongles

If you still want to use dongles, FLEXlm significantly reduces the number you need at a customer site by allowing low-cost dongles to be used as "network dongles," and by sharing dongles across different products.

Your Customers Will Like It

In an independent survey, users preferred FLEXlm eighteen-to-one over other license managers. And all of us know customers really don't care for dongles. With FLEXlm, your customers benefit from:


- Floating licenses – allowing licenses to be shared over a network, while fairly compensating the vendor with a higher price per license.
- Fully functional evaluation software while the vendor knows the software will stop after a specific date.
- Built-in license compliance – customers don't need to buy expensive license metering utilities to verify they comply with vendor license terms.
- Installing software where it is most appropriate from a hardware or administration perspective, while protecting your software.

Windows, UNIX and Java

If your company develops products on multiple platforms, you should know FLEXlm runs on Windows, UNIX and Java.

For More Information

Call us at 408-370-2800, email us at info@globetrotter.com or visit our website at <http://www.globetrotter.com>. We'll be happy to arrange a demo and show you how to make sure all your users are licensed.



Key Features: With FLEXlm you can:

- Limit software use to licensed users
- License software in new ways

to gain new markets and customers

- Leverage the Internet and CD-ROMs to increase sales while reducing selling and manufacturing expenses
- Reduce the cost of product evaluation programs
- Significantly reduce the use of expensive dongles

**Ask about our white paper on
Electronic Commerce
For Software**

GLOBEtrotter

Electronic Commerce
For Software™

<http://www.globetrotter.com>
Email: info@globetrotter.com
Telephone: 408-370-2800
Fax: 408-370-2884

Circle 192 on Inquiry Card.

FLEXlm is a registered trademark and "Electronic Commerce For Software" is a trademark of GLOBEtrotter Software. All other trademarks are the property of their respective owners.

Forget pencil and paper: Today's intelligent tools do the design work for you. By Nathan J. Muller


Design and Conquer

Experience tells us that a properly designed network can help an organization improve customer service, pursue new business opportunities, and respond faster to market forces. But large networks, often supporting tens of thousands of users worldwide, present special design challenges. Typically, such behemoths consist of a dizzying array of transmission facilities, LAN technologies, protocols, and standards—all cobbled together to meet the differing needs of workgroups, departments, branch offices, divisions, subsidiaries, and, increasingly, strategic partners, suppliers, and customers.

As if this complexity were not enough, big networks are usually in a state of flux. Corporate requirements, technologies, and standards change over time. Carriers introduce new services. Vendors offer new and better products. With continual moves, adds, and changes, a company's traffic patterns begin to shift. Before you know it, applications are gasping for bandwidth, response time slows to a crawl, and frustrated users start looking steely-eyed at the network administrator.

Hidden costs associated with poor network designs include overspending on equipment and WAN links to ensure sufficient capacity, trouble reports, poor response to network problems, unpredictable delays in meeting work schedules, and high labor costs for frequent rush jobs.

Fortunately, automated tools are available to help you head off these sorts of problems at the pass. With built-in intelligence, these tools take an active part in the design process (see "Design's Four Stages" on page 94). With the type of software we'll discuss in this article, you can build a computerized model of a network; validate its design and gauge its performance; quantify equipment requirements; and explore reliability and security issues before you purchase a single network component. Some of these



With some network design tools, hardware icons contain configuration information about the components they represent.

tools may even identify faulty equipment configurations, design flaws, and standards violations.

Network Designer Tools

Because of the size of the network designs they handle, these tools typically run on Windows NT, Unix, and SunOS. There are two notable exceptions: Supporting Windows 95 (as well as Windows 3.1) are Network Design and Analysis's AutoNet, a program for designing T-carrier networks, and American Hytech's NetGuru, for designing LANs and networks of unlimited size.

At the low end, prices for design tools begin at \$495 (for NetGuru). At the high end, prices range from \$5000 for Image-

Net's CANE (Computer Aided Network Engineering) to \$15,000 or more for MIL 3's OpNet and Make Systems' Net-Maker XA, depending on the type and number of optional plug-in modules. For companies that do not have the time or expertise to learn and use these tools themselves, some vendors, such as Make Systems, offer outsourcing services based on their software; cost of such services starts at \$1750 a day.

When working with these tools, you begin the build-a-network process by opening a blank drawing window, into which you can drag various vendor-specific devices—workstations, servers, hubs, routers—from a product library and drop them into place (see the screen

on page 96). You can further define the devices by component type, software, and protocols, as appropriate. Lines link the devices to form a network, and each link gets assigned physical and logical attributes. Rapid prototyping provides the ability to copy objects—devices, LAN segments, network nodes, and subnets—from one drawing to the next, editing as necessary, until you have built the entire network. Along the way, you can run various simulations to test virtually any aspect of the design.


With the right tools, modules, and device libraries, you can design every conceivable type of network, including legacy networks such as Systems Network Architecture (SNA) and DECnet; voice networks including ISDN; and T1, X.25, asynchronous transfer mode (ATM), and TCP/IP nets. Some tools, such as MIL 3's OpNet, let you incorporate satellite, microwave, and other kinds of wireless technologies.

Starting from Scratch

Designing a large, complex network requires a multifaceted tool, preferably one that is graphical, object-oriented, and interactive. It should support the entire network life cycle, from the definition of user requirements and conceptual design to the detailed vendor-specific configuration of network devices, their protocols, and the various links between them. At each phase, the tool should be able to test design alternatives for cost, performance, and validity. When the design checks out, the tool should spew out network diagrams and a bill of materials. All this happens before you contact a single equipment vendor or carrier sales rep or write an RFP.

For administrators embroiled in the complexities of network design, this kind of tool represents a dream come true. ImageNet's prerelease version of CANE, an integrated set of Windows NT applications, comes close to meeting this ideal. Designers can take a top-down or a bottom-up approach to network construction. In the top-down approach, the designer starts by sketching out the overall network, then adds increasing levels of detail until every aspect of the network is eventually fleshed out. The bottom-up approach might start with a LAN in a specific department to which you link subsequent drawings to create the overall network structure.

Design's Four Stages



Large-network design tools can improve and simplify every stage of the design process.

As the drawing window populates, you can further define devices by component type—such as chassis, interface cards, and daughterboards. You can even specify the operating system, such as "NetWare 3.12 client for a Compaq Presario 660 PC." You can add attributes (like protocol functionality) to each device taken from a library. Once you've configured the devices, each device gets a profile that specifies its traffic characteristics for simulating the network's load and capacity.

Having defined each device's configuration, lines between them form the network. CANE then validates the links, testing for common protocols and network functions. This prevents obvious mistakes, such as NetWare clients connecting to other clients instead of servers, for example. This on-line analysis feature also alerts the designer to undefined links, unconnected devices, insufficient available ports in a device, and incorrect addresses in IP networks. An off-line analysis tool reports violations of network integrity and proper network design practices. The designer can analyze the network's structure, its IP completeness, or both at once.

CANE simulates the completed network, using a database that describes how actual network devices behave under various real-world conditions. The simulator generates network events over time, based on the device and traffic pattern

recorded in the simulation profile. The designer can test the network's capacity under various "what if" scenarios and fine-tune the network for optimal cost and performance. Simulation in the pre-release version of CANE operates on one LAN segment at a time. By the time you read this, the commercial version of CANE will support fully integrated enterprise-wide LAN and WAN simulation.

Better Designs, the "Primitive" Way

The Make Systems design package focuses on building WANs. Among the company's set of six core tools in NetMaker XA is the Designer module. Designer allows you to build cost-effective topology and clocking designs—from the ground up or incrementally—using a library of building-block "primitives."

With the time-division multiplexing (TDM) primitives library, for example, you can build an entire T1 network within your specified parameters and constraints. You can strive for the lowest transmission cost that supports all traffic, for instance, or for line redundancy between all the TDM nodes. Each primitive addresses a different aspect of the design. You can run tail circuit design, hub selection, or redundancy primitives as needed. You can combine them to address the overall design objectives. You can pause the design process after each design

STATISTICA

Windows 3.1
and WINDOWS 95

STATISTICA (automatically configures itself for Windows 95 [long file names, etc.] or 3.1) ■ A complete data analysis system with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Comprehensive Windows support, OLE (client and server), DDE, customizable AutoTask toolbars, pop-up menus ■ Multiple data-, results-, and graph-windows with data-graph links ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques with advanced brushing; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; confirmatory/exploratory factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; correspondence analysis; survival analysis; a large selection of time series modeling/forecasting techniques; structural equation modeling with Monte Carlo simulations; and much more ■ On-line Electronic Manual with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Workbooks with multiple AutoOpen documents (e.g., graphs, reports) ■ Extensive data management facilities (fast spreadsheet of unlimited capacity with long formulas, Drag-and-Drop, AutoFill, AutoRecalculate, split-screen/variable-speed scrolling, advanced Clipboard support, DDE links, hot links to graphs, relational merge, data verification/cleaning) ■ Powerful STATISTICA BASIC language (professional development environment) with matrix operations, full graphics support, and interface to external programs (DLLs) ■ Batch command language and editable macros, flexible "turn-key" and automation options, custom-designed procedures can be added to floating AutoTask toolbars ■ All output displayed in Scrollsheets® (dynamic, customizable, presentation-quality tables with instant 2D, 3D, and multiple graphs) or word processor-style report editor (of unlimited capacity) that combines text and graphs ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megabyte Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE, OLE, or an extensive selection of file import/export facilities (incl. ODBC access to virtually all data bases and mainframe files) ■ Hundreds of types of graphs, incl. categorized multiple 2D and 3D graphs, ternary 2D/3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graph types and add them permanently to menus or toolbars ■ On-screen graph customization with advanced drawing tools (e.g., scrolling and editing of complex objects in 32x real zoom mode), compound (nested) OLE documents, Multiple-Graph AutoLayout Wizard, templates, special effects, icons, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of 3D displays ■ Large selection of tools for graphical exploration of data: extensive brushing tools with animation, fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price \$995.


Quick STATISTICA (for Windows) ■ A subset of STATISTICA; comprehensive selection of basic statistics and the full analytic and presentation-quality graphics capabilities of STATISTICA ■ Price \$495.

STATISTICA/QC - Industrial statistics add-on package (requires STATISTICA or Quick STATISTICA for Windows) ■ The largest selection of industrial statistics in a single package; quality control charts (compatible with real-time data acquisition systems), process capability analysis, R&R, sampling plans, and an extremely comprehensive selection of experimental design (DOE) methods ■ Flexible tools to customize and automate all analyses and reports (incl. "turn-key" system options, and tools to add custom procedures) ■ Price \$495.

STATISTICA/Mac (for Macintosh) ■ Price \$695 (Quick - \$395).

Domestic sh/h \$12 per product; 30-day money back guarantee.

STATISTICA has received the highest rating in EVERY comparative review of statistics software in which it was featured, since its first release.

 **StatSoft**

2300 E. 14th St. • Tulsa, OK 74104 • (918) 749-1119
Fax: (918) 749-2217 • WEB: <http://www.statsoft.com>
e-mail: info@statsoft.com

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/ 4200347, fax: 040/4911310; StatSoft UK (London, UK), ph: 01462/482622, fax: 01462/482655; StatSoft France (Paris, France), ph: (1) 34 52 99 22, fax: (1) 34 52 29 48; StatSoft Polska (Krakow, Poland), ph: 12-591120, fax: 12-391121; StatSoft Italia (Padova, Italy), ph: 49-893-3227, fax: 49-893-2897; Available from other Authorized Representatives worldwide: Australia: Hearne, ph: (03) 9602 5098, fax: (03) 9602 5050; Sweden: AkademData Scientific, ph: 018-210035, fax: 018-210039; Finland: Statcon Oy, ph: 24-7334678, fax: 24-7333867; Belgium: Texma NewTech, ph: 010 616 628, fax: 010 616 957; South Africa: Oeis, ph: 12-660-2884, fax: 12-660-2886; Japan (Macintosh): Three's Company, Inc., ph: 03-3770-7600, fax: 03-3770-7784; Japan (Windows): Design Technologies, Inc., ph: 03-3667-1110, fax: 03-3668-3110; Taiwan: Intelligent Integration Corp., ph: 2-698-2050, fax: 2-698-2061; The Netherlands: Exstat, ph: (0) 50 5267310, fax: (0) 50 5277885; Russia: SoftLine Corp., ph: (095) 126-9065, fax: (095) 232-0023; Hungary: CheMicro, ph: 1 131-3847, fax: 1 132-9330. StatSoft, the StatSoft logo, STATISTICA, and Scrollsheet are trademarks of StatSoft, Inc.

Circle 157 on Inquiry Card.

primitive executes to study the results and adjust network parameters if necessary.


Designer uses Planner (another NetMaker tool) to run device-specific simulations to ensure that the network design is feasible and will route all traffic successfully. Since the simulation is vendor-specific (via plug-ins) there is less chance that the network will be overbuilt just to guarantee the handling of all traffic. A tariff database can price transmission links and determine the most economical network design.

The Modeling Approach

Sometimes it's best to approach unfamiliar territory by scoping out the terrain before committing time and resources to development; this strategy is especially helpful with large networks. Perhaps you want only to assess the feasibility of implementing a certain type of network by playing with a model's various design issues and evaluating the consequences for your organization. MIL 3's OpNet provides standards-based protocol models against which simulations can run within its multilevel development environment. Its model libraries let you do this with a variety of network technologies including frame relay and ATM.

Frame relay, with efficient statistical multiplexing of data and low overhead, has gained broad acceptance in large networks. As frame relay supplements—and replaces—legacy technologies such as X.25 and TDM, important issues arise. These issues include the benefits of frame relay versus the benefits of existing network technology, its use with other emerging technologies such as ATM, and its interoperability with higher-level protocols such as TCP/IP.

OpNet's frame relay models let you build entire networks—complete with configurable objects such as routers, switches, and access devices—so you can study their behavior in great detail. The switch model, for instance, supports the creation of routing tables, switching rate, and buffer capacity for each outgoing link. Among the parameters that can be applied to the permanent virtual circuits (PVCs) are the committed information rate (CIR), committed burst size (Bc), and excess burst size (Be). Incorporating such details into the design allows you to study a variety of network alternatives and assess the impact of new features such as switched virtual circuits (SVCs).



Each item drawn in NetGuru is an intelligent icon that references information for network design, validation, and simulation.

Despite their embedded intelligence, CANE, NetMaker, OpNet, and other stand-alone design products lack the comprehensive automatic discovery capabilities found in heavy-duty management platforms. Hewlett-Packard's OpenView, IBM's NetView/6000, and Sun's Solstice SunNet Manager automatically detect various network elements and represent them with icons on a topology map. Stand-alone products are better suited for creating new large-scale networks than for changing existing ones, at least for now.

Still, the shape of things to come is apparent in Make System's NetMaker XA 2.5, which can automatically discover frame relay PVCs. Expect autodiscovery to be the next development focus of independent tool makers in the coming year. Meanwhile, high-end stand-alone products still offer more advanced design capabilities. They incorporate a broader range of network technologies and equipment makes and models than the design tools that come with network management systems.

Bargain Power Tool

Developing a large-scale network does not always require high-priced design tools. To plan a large network that has thousands of PCs, workstations, and servers attached to hubs—interconnect-

ed via bridges or routers over IP networks—you could, for example, use American Hytech's NetGuru, a \$495 package that runs under Windows 3.x.

NetGuru allows network professionals to design, validate, and document LANs of any size, including ARCnets (see the screen above). It validates a network design based on standards—or de facto standards—with an internal rule-checking knowledge base that you can invoke at any time. The validation ensures that all network components are accounted for—including network interface cards, converters, terminators, transceivers, multistation access units (MAUs), bridges, repeaters, routers, hubs, and different cable types—before you start building a network or making additions to one. If a device is misconfigured or a 10Base-T wire exceeds the IEEE standard length, for example, NetGuru alerts you. For the truly adventurous, the program has an expert mode that allows experienced designers to override standards and push the envelope.

NetGuru can be used to design only LANs and large-scale IP networks—not WANs that include TDM, frame relay, ATM, or wireless technologies. Nevertheless, the program has many features of higher-priced packages, including object orientation and device libraries, drag-and-drop component assembly,

The Pentium Pro
chip-based server
you can afford.

\$3499

DELL POWEREDGE 2100 SERVER
180MHz PENTIUM® PRO PROCESSOR

- 32MB Error Correcting Code (ECC) EDO Memory (256MB Max)
- 256KB Integrated L2 Cache
- Integrated PCI Ultra/Wide SCSI-3 Controller
- 2GB Fast/Wide SCSI-2 Hard Drive (7200RPM, 8ms) (12GB Max)
- 8x SCSI CD-ROM Drive
- 3Com® 3C595 10/100 PCI Network Adapter
- Intel® LANDesk Server Manager v2.5

- 6 Expansion Slots: 3 PCI, 3 EISA
- 6 Drive Bays: 3 External 5.25/3.5" Internal 3.5"
- 3 Year Warranty* with 1 Year Next-Business-Day, On-site Service
- 24x7 Dedicated Server Hardware Tech Support
- Buy before 9/30/96 and get factory installed Windows NT® Server 3.51 at no additional charge.
- Upgrade to 64MB ECC EDO memory, add \$649.
- Upgrade to a 4GB Fast/Wide SCSI-2 hard drive, add \$450.

Lease: \$130/Mo.
Order Code #250011

**A NEW SERVER SO POWERFUL,
IT CAN ACTUALLY BRING
ITSELF IN UNDER BUDGET.**



Dell introduces a new Pentium Pro processor-based server built from the ground up for the network applications and high volume resource-sharing your business demands.

The 180MHz PowerEdge 2100 features Ultra/Wide SCSI-3 support for wickedly fast read/write to its 2GB hard drive (which you can expand to 12GB). It's loaded with 32MB of

high-speed ECC EDO memory which can be upgraded to a full 256MB. It also has Intel's LANDesk Server Manager v2.5. And it's Windows NT and Novell certified.

Best of all, it's backed by our award-winning on-site service† and 7 x 24 dedicated server tech support line. Call to order yours today. At a price like this you can't afford to wait.

DELL®

TO ORDER

800-374-7750

<http://www.dell.com>

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT
Sun 12pm-5pm In Canada; call 800-233-1589

Keycode #01153

*For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., 2214 W. Braker Lane, Suite D, Austin, TX 78758. †Business leasing arranged by Leasing Group, Inc. ‡This on-site parts and labor service provided by Digital Equipment Corporation and is available in 29 metropolitan areas. •Prices and specifications valid in the U.S. only and subject to change without notice. Intel, the Intel Inside logo and Pentium are registered trademarks of Intel Corporation. Microsoft, Windows, Windows NT and the Windows NT logo are registered trademarks of Microsoft Corporation. ©1996 Dell Computer Corporation. All rights reserved.

simulation capabilities, network documentation, and bill of materials support. An advanced Boolean search engine helps you locate any database element.


Web-Accessible Tools

The Web, besides extending help desk support, configuring and monitoring network devices, accessing network performance data, and enabling and disabling device operations, can also assist with network design.

NetSuite development tools help network professionals design and draw a mammoth network and publish their designs on the corporate intranet or the public Internet. Any authorized user can view them with a Web browser. NetSuite DesignView converts network designs and device details developed in NetSuite Professional Design into hyperlinked Hypertext Markup Language (HTML) documents with device configurations, port usage, and even device photographs. Users can easily navigate from device to device to trace connectivity and review device configurations. Besides supporting fault identification, the hyperlinked documents can be useful when you have to plan design changes.

Achieving specific design objectives requires properly configured equipment at each node. Calico Technology provides a product configurator that interconnect vendors can use to help their systems engineers, value-added resellers, and large customers accurately configure complex, built-to-order products such as routers and hubs.

Cabletron and Cisco are two of the companies that use the Calico Configurator. For example, authorized users can access Cisco's Configurator Agent page on the Web, search for configurable products, choose a particular model, and configure it. A Cisco 7000 backbone



Network Design and Analysis's AutoNet/Performance-3 offers simple graphical design tools and analysis functions.

router, for example, can be configured for software options, power supply, power cables, memory, route and switch processors, and interface modules. Error messages flash on screen to indicate if you've picked a particular equipment configuration that's invalid, and suggestions help you pick the best configuration. The controls on the page allow you to then send the order to Cisco.

Not Quite Rome in a Day

In simpler days, network gurus kept information systems and networks operating smoothly with all configuration details tucked away in their gray matter. Today, systems are distributed and networks are going global. With intelligent hubs, switched LANs, sprawling router networks, broadband facilities, and

advanced services like frame relay and ATM in the mix, large-scale networks are beyond mere human comprehension.

A new generation of intelligent design tools with built-in error detection, simulation and analysis, and plug-in function modules, has finally arrived. Managers and planners needn't be intimately familiar with every aspect of their networks. You can retrieve essential information instantly—often with point-and-click ease—then analyze, query, manipulate, and reanalyze that information if necessary. You can display the results in easy-to-understand graphics or export it for further study. Since products differ in the type and scope of data they provide, tools from different vendors may be necessary. Ultimately, the quality and completeness of the data determine the optimal network design.

With these powerful and intelligent new network design tools, you still may not be able to build Rome in a day. But you at least have a chance to build a solid foundation. **B**

Nathan J. Muller, based in Huntsville, Alabama, writes extensively about computers, communications, and management. Among his latest books is Network Planning, Procurement & Management, published by McGraw-Hill. You can reach him by sending e-mail to nmuller@ddx.com.

WHERE TO FIND

American Hytech
Pittsburgh, PA
(412) 826-3333
fax: (412) 826-3335
<http://www.fyi.net/~netguru>

Calico Technology
San Jose, CA
(408) 975-7400
fax: (408) 975-7410
<http://www.calicotech.com>

ImageNet
Wellesley, MA
(617) 239-8197
fax: (617) 239-8198
<http://www.imagenet-cane.com>

Make Systems
Mountain View, CA
(415) 941-9800
fax: (415) 941-5856
<http://www.makesys.com>

MIL 3
Washington, DC
(202) 364-4700
fax: (202) 364-8554
<http://www.mil3.com>

NetSuite
Wayland, MA
(508) 647-3100
fax: (508) 647-3112
<http://www.netsuite.com>

Network Design and Analysis
Markham, Ontario, Canada
(905) 477-9534
fax: (905) 477-9572
<http://www.ndacorp.com>

Best answers

6 days ago you had
important data.
3 days ago you
had a power spike.

Now you have a problem.

**Bad power can
corrupt *all* the files
on a UNIX system.**

And that's not all. Power problems can also cause network and hard drive crashes, read/write errors, corruption or loss of data, faulty data transmissions, system lockups, premature failure of components and much more.

Best Power products are your answer. They *clean up dirty power* before it reaches your

equipment, which can reduce your computer and network downtime up to 80%.* And if you have a blackout, they provide backup power to shut-down your system correctly.

And now, every Best Power Single-Phase UPS comes with *free software*, providing power monitoring and unattended shutdown for your entire computing environment.

So call Best Power for your power protection answers.

1-800-469-4842

Ask for operator 295

e-mail: info@bestpower.com

Internet: <http://www.bestpower.com>

24-hour FAX information line at

1-800-487-6813.

* A five-year power quality study conducted by Best Power's National Power Laboratory showed that the number of calls for computer service dropped 82% after installation of a UPS.



Fortress® Uninterruptible Power Systems
(Includes Free Software)



The Answer in Power Protection

Switch to any Server by Name from an On-Screen Display!



Now, switching computers with your AutoBoot keyboard/video/mouse switch is even easier. Just call up the Director menu, choose a computer and you're done! No buttons to push or codes to remember. Since you name your computers whatever you like, picking one from the menu is a snap. Keep your current computer name on screen at all times, or for just a few seconds after switching.

Best of all, the Director works with any platform, operating system or software you use. All you need is a Commander product with keyboard control capability. And, because it's an add-on product to your existing Commander, there's no software to install.

With the Director, making the switch to Cybex is easier than ever!



COME SEE US AT
Networks Expo in Dallas, TX Oct. 29-31 Booth #1591
COMDEX/Fall '96 in Las Vegas NV, Nov. 18-22 at Booth #L4254

Cybex Computer Products Corporation
4912 Research Drive • Huntsville, AL 35805 USA
1-800-932-9239 • FAX (205) 430-4030
<http://www.cybex.com>

PC is a registered trademark of International Business Machines Corp. Macintosh is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybex, Commander, AutoBoot and 4xP are trademarks of Cybex Computer Products Corporation.

Dealer Program Available

Made in USA

Circle 133 on Inquiry Card (RESELLERS: 134).

Commercial tools help system administrators manage traffic jams and avoid downtime. By Charles D. Knutson

Building the Model Network

How do you efficiently design, build, grow, and manage huge networks without being able to automatically model and simulate them? Answer: not very easily.

Modeling is based on the existing large network. A good model can show you nooks and crannies, and their technical features, where you never even knew you had nooks and crannies. Modeling captures the network in a static or a dynamic snapshot for further analysis. What kind of analysis? Let's say you're considering new topologies. You might want one clear diagram of your until-now ad hoc accretion of network segments. You will probably also want to test aspects of network capabilities: Testing exercises network components to find their limits.

Simulation uses the network as a base, then goes off into the what-if world that's essential for planning. Naturally, designing large networks (see "Design and Conquer" on page 93) involves simulation, and maintaining networks (see "See the Big Picture" on page 107) involves testing. System administrators are in the tricky position of trying to satisfy everyone on their big network. Here are some automation tools that can help administrators deliver satisfaction.

Good Models Make Good Networks

To manage a complex network and avoid system degradation and downtime, it's critical to have a view—a model—of what the network looks like. When big nets go down or slow down, companies lose big money. That's where a good model comes in. Like a road map when you're hopelessly lost and late, a detailed network model can simplify and speed solving network hang-ups. Without a detailed network model? You could be hosed before you know what hit you. As Bob Ross, president of LAN Utilities (Pleasant Grove, UT), developers of LANtest tools, says, "The self-perception of administrators is that they deal with

Find Solutions Through "What If" Simulations

Problem: Too many requests per minute to the server.




Scenario 1: Add a larger and faster file server.

Analysis: Short-term solution; problem will resurface in eight months at current network growth rates.

Scenario 2: Use higher-speed connections.

Analysis: Retrofitting costs are prohibitive.



Scenario 3: Divide the network into smaller segments.

Analysis: Solves current problem, provides for scalability.

One of the most valuable things about simulation tools is they let you try out different "what if" solutions to network problems.

problems within 20 minutes, but that's only after they find out about them."

Luckily, there are tools that can help create detailed and useful models of even the most arcane and far-flung nets. Pin-Point Software continues to improve ClickNet, its network-diagramming product that allows administrators to customize graphic views of a network. It interfaces with network management packages (including Seagate's LAN Directory for Windows and McAfee's Saber

LAN Workstation), can download information (about cable configurations; types of workstations, servers, hubs, and routers; and mission-critical software packages), and can automatically generate a graphic model of the network.


While Visio's Visio Technical 4.0 and Visio Shapes for Network Equipment may provide more powerful drawing capabilities—drag-and-drop diagramming, clean interface, and ease in aligning and moving objects without breaking

connections—they can't directly import information from network management packages. One of the more impressive and intelligent network-diagramming tools is Quyen Systems' netViz. Besides powerful drawing capabilities, netViz automatically discovers and displays information about nodes on a Novell network, identifying servers, workstations, and volumes. Automatic discovery does not rely on some earlier (and possibly out-of-date) database of network information. The larger the network, the more critical automatic discovery is for developing an accurate and useful model of that network for testing or simulation.

These diagramming tools ultimately deliver a static model of a system, which can help an administrator design and implement a network, understand the complexity of an existing one, and suggest areas that might become problematic. But nothing beats real-time information displayed graphically. Novell's ManageWise 2.1 allows administrators to model (and also manage) a network from a central location (the console runs under Windows 95 or Windows 3.1). ManageWise can discover and map all network devices and inventory the current hardware and software of workstations and servers, creating a dynamic model of the network. And not just for Novell's NetWare. ManageWise can also integrate with enterprise consoles such as IBM's System View for AIX, HP's OpenView, and Sun's Net Manager. The result is the ability to see at a glance when printers, servers, hubs, and routers die. Just as important, ManageWise tracks and displays network performance and warns when system behavior might suggest impending problems. ManageWise supports many snap-in applications, such as DenMac's Alert Pager, which immediately informs net supervisors of problems. That means an administrator on the golf course can receive a pager message with the news that a key server has died—unpleasant as golf rounds go but essential for limiting network downtime.

Good Simulation Means Better Testing

A network simulation builds on a model, then brings it to life. Like a model train layout, a network simulation gets all the make-believe traffic moving, all the imitation lights blinking, and all the artificial crack-ups resulting. This is especially cru-



Novell's ManageWise 2.1 dynamically discovers and graphically displays all network devices for modeling and managing.

| All NetWare File Servers | | |
|--------------------------|----------|---------------|
| Server Name | Alarm | Manageable |
| SVL-NWC | n/a | yes-old agent |
| SVE-ALPHA | n/a | yes-old agent |
| S.J.F-NID-MKTG | n/a | yes-old agent |
| SVE-MAC | n/a | yes-old agent |
| S.J.F-WYNN410 | critical | yes |

Servers: 163 Manageable: 93 With Alarms: 29

| ManageWise Agent for Windows NT Servers: [All Windows NT Servers] | | |
|---|----------|------------|
| Server Name | Alarm | Manageable |
| WJOKOM_TEST_2 | | Yes |
| CRUISER | | Yes |
| NXP-NTAS | critical | Yes |
| MINO-NT1 | minor | Yes |

Servers: 5 Manageable: 5 With Alarms: 2


ManageWise also summarizes network configurations and sounds the alarm when system behavior goes awry.

cial with large networks, since no mere mortal can keep the whole conglomeration straight in his or her mind. With a good simulation, you can spot bottlenecks, buildups, and backups. Simulation is also a valuable basis for testing, since you can try things out on the simulator before flying the real fighter jet.

Unleashing new applications or new changes on an unsuspecting large-scale network can be disastrous. Developers especially face this problem. "That's one thing I've definitely found," says Ross. "In a development environment, usually you're fairly sequestered. It's usually not that busy of a network. So the engineers typically are developing on this


quiet net, and then you throw the software onto a production environment and it goes berserk." New applications may also face mysterious and temperamental real-time problems—sneaky bugs that appear only at certain times of the day or under certain kinds of traffic loads. The hardest part of crushing these bugs is recreating them. To do that, the system administrator has to be able to replicate not just traffic volume but particular kinds of traffic.

So how do you adequately test a client/server application product that has never seen a really ugly network? Build your own ugly network! Chariot, from Ganymede Software, is a tool that can




3D Graphics Programming
for Windows 95
1-57231-345-5 \$34.95 U.S.

Learn Java Now
1-57231-428-1
\$39.95 U.S.



HTML in Action
1-55615-948-X
\$29.95 U.S.



Inside MAPI
1-57231-312-9
\$39.95 U.S.


Get better net results.

You're ready to develop applications for the Internet or for Windows® 95. Make them pay off. Teach yourself the secrets of Java™ programming the quick and easy way. Use hot tips to build cool sites with HTML. Make sure you understand ActiveX™ and OLE. Use MAPI to build robust messaging and workflow components. Dive deep into Windows 95. Create cool 3D effects that run without souped-up hardware! Do it all. Set your sights high, and help things along with Microsoft Press® books from your favorite bookstore or software store—the smartest way to get the best net results from every application.



Understanding ActiveX and OLE
1-57231-216-5 \$22.95 U.S.

Systems Programming
for Windows 95
1-55615-949-8 \$39.95 U.S.



Microsoft® Press

Available in quality bookstores and computer stores worldwide

To locate your nearest source for Microsoft Press products, reach us at: www.microsoft.com/mspress/
1-800-MSPRESS in the U.S.



simulate the traffic of client/server applications. Using Chariot, you can force a server to handle many concurrent requests from "clients" artificially made by the simulator—for a fraction of the cost of doing it live on multiple hardware platforms. CenterLine Software's QC/Sim has other nifty features for creating ugly environments in which to test distributed software. Operating as an add-on to QC/Coverage, a code-testing product, QC/Sim can fake scenarios that are difficult to replicate in practice, like

network failures, limited disk capacity, and other real-life horror stories.

Bringing It All Together

In an ideal world, you would buy your whole network from a single vendor, with one perfect modeling and simulation product. But in reality, your huge network has probably snowballed until it seems to have a life of its own. "Larger organizations with multiple deployed offices don't go to Ford and buy," observes Bill Gillman, vice president of

operations at Gentner Communications Corp. (Salt Lake City, UT), a manufacturer of telecommunications equipment. "They go to the store and pick some NAPA parts and some GM parts and some Ford parts, and they build their own custom car." As a result, the average system administrator has a nearly impossible task. You need a product that can, first, create a model of your patchwork network and, second, let you simulate what-ifs to that network. So what do you do?

You must zealously identify the tools that can grasp your network's complexities, then assemble those tools into a system that works. Large networks are built out of disparate hardware platforms, operating systems, and applications, and managing them is a daunting adventure. Without the right tools, it's downright impossible. **B**

Charles D. Knutson owns ComSoft Consulting in Corvallis, Oregon. In a previous life he was a system test manager for NetWare Client Products at Novell. You can e-mail him at cknutson@csconsult.com.

WHERE TO FIND

CenterLine Software
Cambridge, MA
(800) 669-2687
(617) 498-3000
fax: (617) 868-6655
<http://www.centerline.com>

DenMac
Northbrook, IL
(800) 315-0952
(847) 291-7760
fax: (847) 562-0013
<http://www.denmac.com>

Ganymede Software
Research Triangle Park, NC
(919) 558-1138
<http://www.ganymede.netda.org>

Novell
Orem, UT
(800) 453-1267
(801) 222-6000
<http://www.novell.com>

PinPoint Software
San Jose, CA
(800) 599-3200

(408) 997-6900
<http://www.pinpt.com>

Quyen Systems
Rockville, MD
(301) 258-5087
fax: (301) 258-5088
<http://www.quyen.com>

Visio
Seattle, WA
(800) 446-3335
(206) 521-4500
<http://www.visio.com>


Distinct NFS 95™

Easiest way to Share Files, Programs and Printers



Highlights:

- Integrates seamlessly into Windows 95
- Mounts NFS drives from Explorer or Network Neighborhood
- Supports file and record locking
- Allows central authentication with a single server running PCNFS for all NFS connectivity
- Prints to NFS or LPD print servers
- Allows login to all systems with a single login name and password or different login names for each system
- Allows single-operation logout of all systems accessed through Network Neighborhood
- Fine tunes performance parameters for each server you access



Free Evaluation Copy Available at...



distinct
The world leader in Internet development tools.

408.366.8933
<http://www.distinct.com>
Fax: 408.366.0153
E-mail: byte@distinct.com
Fastfacts: 408.366.2101


Distinct IntelliTerm™

Integrated Terminal Emulator for DEC and IBM® Systems



Highlights:

- TN3270 Emulation—Models 2,3,4 and 5 (for IBM Mainframes)
- 3179G Vector Graphics & 3279S3G
- TN5250 (24x80, 27x132) (for AS/400)
- VT52, VT100, VT220, VT320 & VT420 emulation (for DEC and UNIX Systems)
- Customizable keyboard layouts, popups and session profiles
- VBA™ Advanced Scripting Language
- DDE, HLLAPI, EHLLAPI, WinHLLAPI and Visual Basic™
- Available for Windows 3.11, Windows 95 and Windows NT



Free Evaluation Copy Available at...



distinct
The world leader in Internet development tools.

408.366.8933
[WWW: http://www.distinct.com](http://www.distinct.com)
Fax: 408.366.0153
E-mail: byte@distinct.com
Fastfacts: 408.366.2101

Best answers

Today,
millions
of people will experience
their worst nightmare.

They will lose presentations and
reports to a computer crash.

They will blame their
software or hardware
when a power problem
is really responsible.

Power problems can also
cause network and hard drive
crashes, read/write errors, cor-
ruption or loss of data, faulty
data transmissions, system
lockups, premature failure of
components and much more.

Best Power products are your
answer. They *clean up dirty*
power, which can reduce your
computer problems by up to
80%.* They also provide
backup power to shutdown
gracefully in a blackout.

And now, all Best Power
Single-Phase UPSs come
with **free software**, provid-
ing power monitoring and
automatic unattended shut-
down for your system.

Don't take unnecessary risks.
Call Best Power for your
power protection answers.

1-800-469-4842

Ask for operator 296

e-mail: info@bestpower.com

Internet: <http://www.bestpower.com>

24-hour FAX information line at
800-487-6813.


* A five-year power quality study conducted by
Best Power's National Power Laboratory showed
that the number of calls for computer service
dropped 82% after installation of a UPS



Patriot® Uninterruptible Power Systems
(Includes Free Software)



STORAGE NEEDS GETTING A LITTLE OUT OF HAND?



EXPAND WITH A DRIVE THAT EXPANDS WITH YOU.

- Interlocking stackability
- 1MB - 4GB disk capacities
- Fast-narrow and fast-wide
- 4mm DAT, and 3.5" floppy device options
- 8mm, CD-ROM, and QIC 5.25" options
- AC and SCSI jumpers replace external cables
- Optional LCD and keypad
- Optional hot plug removable drives, front removable power supply
- Supports Sun, HP, SGI, IBM, Mac and other PC platforms

ARTECON introduces *Lixix*, the new standard in SCSI peripheral technology. *Lixix* is a revolutionary mass storage subsystem, one that finally matches the technological advances of PCs, workstations and devices stride for stride. Ease of use and reliability are inherent in its visionary design.

Features such as interlocking stackability, external SCSI and AC jumpers, and internal printed circuit cards instead of SCSI cable are all standard. SCSI bus length can now be measured in inches rather than feet. And at an extremely compact size of 2.6"(H) x 6.75"(W) x 10"(D), *Lixix* will clean up your desktop too.



What's more, *Lixix*' basic value and performance is available at the same prices as so called 'standard' subsystems. A rich set of options includes front-panel LCD and keypad for disk information display and setting, true hot plug removability and a front removable power supply for ease of service.

Disk capacities range from 1MB to over 4GB in a single enclosure. And *Lixix* supports other 3.5" and 5.25" half-height devices too, such as tape, optical and floppy drives. All together, the *Lixix* family of subsystems represents the new standard in mass storage. Anything less is now sub-standard. Give us a call - we can help you get your mass storage needs back in hand.

1-800-USA-ARTE

www.artecon.com

email: sales@artecon.com

Enterprising solutions for your enterprise.™

Artecon



PO Box 9000, Carlsbad, CA 92018-9000

(619)931-5500 FAX (619) 931-5527

email: sales@artecon.com

A Member of the Nordic Group of Companies

Artecon Canada (416) 487-7701 ▲ Nihon Artecon 81-03-5458-8260 ▲ Artecon Europe 31-53-4832208 ▲ Artecon France 33-1-69-1818-50 ▲ Artecon U.K. 01344-874301
Artecon and the Artecon logo are registered trademarks of Artecon, Inc. All other trademarks are proprietary to their respective manufacturers.

Circle 180 on Inquiry Card.

Tracking thousands of users—and the related troubleshooting—can be made simpler with the right tools. By Tim Wilson

See the Big Picture

If you manage a large network, your job description is simple: Keep your organization's network up and running 24 hours a day, seven days a week, preferably at peak performance. Do a good job, and no one even knows you're there. But if the network crashes, it could cost your organization thousands, even millions, of dollars in lost business and productivity. And you could lose your job. (Gulp!) The task is much like piloting an airplane: hours of boredom punctuated by moments of sheer terror.


You can boil down your job description to a simple axiom: Uptime good, crash bad. That sounds simple enough. It's actually not too much different from managing a 10-node LAN, except that you can't use Norton Administrator to troubleshoot a 20,000-node network that spans 15 countries and includes everything from IBM mainframes to laptops and from multiprotocol routers to T1 multiplexers. For this job you need software with a little bit more power—what has now become known as an *enterprise management system*.

IBM, in the mainframe-oriented heyday of the 1980s, was the first company to develop an enterprise management system capable of monitoring and controlling networks consisting of thousands—even tens of thousands—of hosts and terminals. That software package, called NetView, opened up a new range of applications that ranks today as one of the data communications industry's hottest markets, which includes competitors from powerhouses such as Computer Associates, Digital Equipment, Hewlett-Packard, and Sun Microsystems.

This emerging range of enterprise management applications has changed significantly over the past decade, creating new capabilities that enable network administrators to monitor and control remote computers and other devices. But many managers of mega-networks, whose jobs are on the line, say the tech-

Swivel-Chair Management

Many enterprise networks are managed via separate workstations that can monitor only a specific set of "elements," such as servers, routers, or LAN hubs.



nology has not evolved rapidly enough for their liking.

Setting the Standard

The problem, MIS executives say, is that most so-called network management tools—such as Cisco's CiscoWorks and Novell's ManageWise—are designed to manage only particular devices or sys-

tems, such as routers and LANs, in the enterprise, not the entire network. These applications (collectively known as *element management systems*), which include modem, hub, and multiplexer management systems, gather data about the operating status of specific types of network devices (e.g., LAN servers, routers, and hubs) and display it on a Unix work-

station or PC monitored by the network administrator.

Element management systems typically are included with network devices, which means that the corporate network administrator who manages equipment purchased from many different vendors might have as many as 100 different consoles to monitor. This has created a need for "swivel-chair network management"; the act of swiveling or rolling one's chair among many different consoles in an effort to locate the genesis of a network failure (see the figure "Swivel-Chair Management" on page 107). It's kind of like walking around with binoculars strapped to your head; you can see one focused area, but you can't step back and look at the whole picture.

Enter the enterprise management platform, usually a high-powered Unix-based workstation that can run many element management system applications simultaneously. The goal of the enterprise management platform is to provide a single workstation (or group of workstations) that can run many different element management applications and, ultimately, integrate the data from these applications to provide a "big picture" view of the entire enterprise network.


A good idea? Definitely. The problem is that not all element management systems speak the same language or report their status information in the same format. A standard protocol for transmitting and handling network management information is required. Most network devices today use SNMP, a standard published in 1992 by the Internet Engineering Task Force (IETF), the same body that sets guidelines for the Internet.

SNMP defines a method for collecting and formatting information about the devices to be managed through a small piece of software known as an *agent*. An SNMP agent can be installed on any intelligent device. Non-SNMP devices can be managed through *proxy agents* that translate any kind of status information sent to an intelligent agent.

Today, most network devices come with built-in SNMP agents that let them transmit status information to an SNMP-based management system. An administrator sitting at the console of one of the more popular SNMP-based enterprise management platforms, such as HP's OpenView and Sun's SunNet Manager, can gather and correlate data from a vari-

Centralized SNMP Management

By "standardizing" on SNMP, large enterprises can build a hierarchical management system structure that lets them see the "big picture" at a central site.



ety of SNMP-compliant devices and systems. This provides a broader view of the topology and status of the entire network (see the figure above). Most smaller networks do not require SNMP because they don't have the wide variety of hardware and software required in big networks.

Under Construction

Over the past several years, SNMP agents have been added to many network devices, and enterprise management platform vendors have been improving their products as they fight a pitched battle for industry leadership. Yet despite these steps forward, many corporate network administrators say they're still far from their goal of developing a common set of tools for enterprise management.

One problem is that many network elements still cannot be managed by SNMP. For example, most firms haven't scrapped their mainframes, which generally em-

ploy IBM's Systems Network Architecture (SNA) protocols. These SNA networks cannot be fully monitored via SNMP, which leaves huge blind spots in the network administrator's view of the enterprise. Similar problems occur at the LAN level, where companies such as Microsoft and Novell have only recently begun to deploy SNMP in their server products.

To complicate matters, many network administrators now find themselves responsible for managing not only the corporate network but also the hardware and software at the end of each link. Increasingly, systems and applications management are tied to network management, but only network devices typically have built-in SNMP agents.

In addition, many administrators have been disappointed thus far with the lackluster performance of SNMP-based enterprise management platforms. One of the most important problems is a lack of scal-

While
you take

30 minutes
for a sandwich,

a blackout eats your
network for lunch.

Every Best Power
Single-Phase UPS
comes with free
unattended-shutdown
and monitoring software.

What happens if you're away
from the office when an out-
age hits, even with a UPS?

Best Power unattended-
shutdown software is the
answer. In a power emer-
gency, it can page or

e-mail you, notify users of
impending shutdown, close
your system properly and
allow remote monitoring.

Plus, it's completely free.
Many UPS makers will tell
you their software's free
and just raise their prices.
But Best Power bundles **free**
software on CD-ROM with
every Single-Phase UPS, or
you can download it from
the Internet.

So don't pay more. Get more.
Call Best Power for your
power protection answers.

1-800-469-4842

Ask for operator 297

e-mail: info@bestpower.com
Internet: <http://www.bestpower.com>
24-hour FAX information line at
800-487-6813.



Fortress® Uninterruptible Power Systems
(Includes Free Software)



ability. Initial releases of several SNMP platforms—including offerings from HP, IBM, and Sun—were based on a single Unix server that couldn't share information with other management servers.

"In that world, you could see the entire environment, but only if it was small," explains Andy Vanagunas, product manager for HP OpenView. "In the larger environments, it was a little like driving with your windshield half-covered."

Under these limitations, the so-called enterprise management platforms could realistically manage only around 1000 nodes—only a slight improvement over some higher-powered LAN management systems. Although some vendors—notably Cabletron Systems, Groupe Bull, and HP—have fixed this problem to provide high scalability in current releases, many potential buyers are still stinging from the failure of those early releases to meet their high expectations.

Another deficiency in many currently available enterprise management platforms is the absence of communication between element management applications running on the same platform. While administrators may have reduced the number of consoles to be monitored, they still must correlate in their heads the data gathered by multiple applications.

For example, a router failure on a network might terminate communications with 100 systems attached downstream from that router. Sitting at the SNMP enterprise management console, the network administrator is suddenly swamped with 101 alarms that indicate a system failure. Yet only one is the cause of the problem; the other 100 are only symptoms. In many cases, it's left to the network administrator to determine which is which.

This problem has created a niche market for management software that can correlate network events and present the administrator with root-cause information. This correlation can take place in one of two ways: through filtering, which eliminates event data that's downstream from the root problem; or through true correlation, in which data from several different applications is intelligently reviewed and processed to determine the interrelationship between separate network events.

Although event correlation is still a fairly new idea, a number of related products have been on the market for several years. Seagate, for example, offers a pack-

Tornado Touches Down

The oldest and best-known Unix-based enterprise manager on the market today is Hewlett-Packard's OpenView, which was introduced in 1990. OpenView uses the industry-standard SNMP protocol to gather data from multiple network elements via many different network management applications that run on a common workstation.

In 1993, HP began working on a new version of OpenView that was designed to manage very large networks through the distributed interconnection of multiple OpenView servers. This new version, code-named Tornado, was HP's answer to OpenView's limitations. At that time, the software could manage a maximum of only about 1000 nodes.

Development problems caused the delivery of Tornado to be delayed more than a year, but last year HP shipped an initial release that expanded the system's ability to process management data as well as increase the number of operators that could work from one OpenView server. However, Tornado 1

didn't provide the distributed capabilities required in the largest corporate networks.

In March, HP unveiled the Tornado 2 release of OpenView, which offers much-expanded distributed management capabilities. Tornado 2, officially designated HP OpenView Network Node Manager 4.1, lets managers use multiple Unix workstations to gather information about networks of 10,000 nodes or more. In the fall, HP will deliver the same software on a Windows NT platform.

The new release of OpenView also includes a new management tool, called OpenView Workgroup Node Manager, which is designed to manage smaller workgroups or departmental networks. The workgroup management tool, which also runs on Unix or NT, can interface with Network Node Manager 4.1, enabling users to handle some management tasks locally without giving up the ability to pass some management information to an enterprise management platform in the central network-control center.



HP OpenView Network Node Manager 4.1 lets multiple Unix and Windows NT workstations monitor networks with thousands of nodes.

age called NerveCenter that correlates SNMP events; other suppliers, such as Boole & Babbage, Maxm, and Objective Systems Integrators, sell products that focus on the correlation of events in non-SNMP legacy environments as well.

Sometimes the lack of data integration between management applications creates difficulties in pinpointing the origin of a network problem. For instance, the router might indicate that a problem is caused by an overflow of data from a particular server; meanwhile, the server may

indicate that the problem is in the router. This situation, sometimes called *finger-pointing*, is a common complaint of enterprise management platform users.

Many enterprise management platform vendors hope to solve the finger-pointing problem by rebuilding their network management applications using object-oriented technology. This capability, which is already in development at companies such as Groupe Bull and IBM/Tivoli, will let users share data across multiple applications, in much the same way

Call Global. Pay Local.

International Calling from 10¢ a minute.*

(and save up to 95% to any country in the world)

Cellular quality · No setup charges

The first service which allows you to call
any phone in the world from your PC

FREE software from our website

FREE trial to any toll-free 800 or 888#

RATES FROM ANYWHERE TO

| | |
|----------------|--------|
| JAPAN | \$0.40 |
| GERMANY | \$0.36 |
| SINGAPORE | \$0.36 |
| FRANCE | \$0.35 |
| AUSTRALIA | \$0.28 |
| SWEDEN | \$0.22 |
| UNITED KINGDOM | \$0.18 |

Visit our website for complete details and free software:

<http://www.net2phone.com>

Call us toll-free using Net2Phone
at 1-800-438-8879

NET2PHONE™

Or call direct at 201-928-2990.
E-mail us at: info@net2phone.com

Putting global calling within everyone's reach.

BY1096

Net2Phone requires caller only to have multimedia PC with any PPP Internet connection. Receiving party gets call on regular phone. *Rates to the US. 15¢ peak, 10¢ off peak. NET2PHONE IS A TRADEMARK OF IDT CORPORATION

TOTAL INTERNET \$15.95⁺ MONTHLY



IDT Internet

TO SIGN UP/GET INFORMATION CALL ANYTIME:

1-800-689-9438

The lowest flat monthly national Internet rate

Macintosh™ and
Windows™ 3.x/95 compatibility

No per minute charges

Unlimited tech support 24 hours a day

Internet access available in most U.S. cities

UNLIMITED! UNCENSORED!



| http://www.idt.net/ | | | | |
|---------------------------------|-------------|------------|---------|---------|
| 6126 | | | | |
| SAVE UP TO 99% MONTHLY WITH IDT | | | | |
| Monthly Usage | CompuServe™ | AOL™ | AT&T™ | IDT |
| 1.5 Hours per day | \$73.70 | \$93.70 | \$19.95 | \$15.95 |
| 3 Hours per day | \$161.45 | \$226.45 | \$19.95 | \$15.95 |
| All day | \$1,389.95 | \$2,084.95 | \$19.95 | \$15.95 |

For Web Page Design
and Domain Designation call (201) 928-1000 x4640
For 56K or T1 please call (800) 573-9438

that users of the Microsoft Office suite can share information across Word, Excel, and PowerPoint via OLE.

User Approaches

Besides dealing with the deficiencies of technology and tools, corporate network managers must also face the grim reality that no two organizations, or their networks, are alike. Therefore, the method of implementing enterprise network management platforms might differ significantly from company to company.

Some firms, particularly long-established IBM mainframe shops, have a central data center that controls most of the data network management functions in the enterprise. These organizations prefer a central point of control for monitoring all network activity, such as what the mainframe-based NetView provided in past years. This allows all troubleshooting, as well as other administrative tasks, to be handled by a centralized group of people and software.

In today's client/server multivendor environment, this centralized method of control can even be applied to the use of SNMP-based enterprise management systems. The network manager might divide the enterprise into multiple management domains—based on geography, applications, or traffic type—each managed by local SNMP platforms. These local platforms would all be connected to a single, central platform that collects filtered data to create a high-level view of the entire enterprise.


However, the proliferation of client/server technology, as well as the decentralization of many large businesses, is making centralized management increasingly difficult. In many large enterprises, network management and administration decisions are made at a departmental or business-unit level. The central MIS manager is responsible for coordinating these distributed activities—as well as distributed multivendor tools and personnel—across the enterprise.

Unfortunately, there are no universal truths as to whether centralized or distributed approaches work best in the very largest networks. The decision to use centralized or distributed network management is much like the decision between centralized and distributed personnel management; how you do it depends largely on how the organization operates.

SNMP-based enterprise management

Distributed SNMP Management

By interconnecting all the SNMP "servers," network administrators manage pieces of a large enterprise. This approach expands the scalability of management systems and decreases reliance on a central workstation.



platforms were designed to function in distributed environments, collecting data in many different formats across many different domains (see the figure above). But, as previously mentioned, the lack of server-to-server communications capability in many SNMP platforms has made this approach hard to implement, since this capability is a prerequisite for scalability in very large network environments.

Whether centralized or distributed, it seems that today's enterprise management platforms have barely scratched the surface of the data they will eventually have to manage. In large organizations, the network management system is rapidly becoming the point at which the pulse is taken for the entire IS environment.

For example, many enterprise management platform vendors are adding systems management capabilities to their network management platforms. These capabilities let an administrator monitor hardware parameters, such as I/O performance, response times, and storage utilization, as well as the performance of the network. In fact, some products, such as HP's IT/OperationsCenter and IBM's SystemView, actually subordinate the network management function to a higher-level system management function.

Large organizations have recently taken this evolution a step further by focusing on enterprise applications management. Administrators employ systems and network management tools only to support the end game of ensuring that specific mission-critical applications are available and are performing well. This approach makes sense to CEOs and end users, who seldom have a great deal of knowledge of network or systems management but know when their applica-

tions are not performing as they should.

The addition of systems and applications management functions threatens to completely overwhelm today's enterprise management platforms, which have already proven to be deficient in handling network-specific data alone. How will these platforms be able to keep up?

One development that will help is the recent improvement in SNMP platform scalability. Several of the industry's leading platforms, including HP's OpenView and Cabletron's Spectrum, are now delivering server-to-server distribution capabilities that should enable them to scale to infinitely large networks. The ability of these systems to handle network and systems information—even in environments of 10,000 nodes or more—is improving significantly.

Object-oriented technology may make it easier for applications running on the same platform to share data. Companies such as IBM/Tivoli are advancing new object-oriented frameworks for building management tools; this should result in improved integration. Vendors are also integrating event correlation, rules-based reasoning, and even AI into network management systems to reduce reliance on human operation and make network administrators more productive.

Will tomorrow's enterprise management systems replace the human network administrator? Not in our lifetimes. But with new technology, administrators may be treated to a little more boredom and a lot less terror. **E**

Tim Wilson is a senior consultant at Decisis, Inc., an enterprise network consulting firm based in Sterling, Virginia. You can reach him at twilson@decisis.com.

P U R E P E R F E C T

First Desktop RAID for SPARC™

RD10

RAID Storage Subsystem

Features

- High Availability
- True RAID data integrity
- Fast throughput-17mb/sec
- Up to 25.2GB storage
- SPARC/SUN pizza box form factor
- Easy to use GUI

When you need your data safe, reliable, and ready, the Integrix RD10 delivers high performance with low cost per Mbyte.

Thanks to a dedicated 33MHz RISC processor and enhanced RAID technology, combined with dedicated I/O processors for each drive and host, the RD10 reaches throughput speeds in excess of 17Mbytes/sec. For high availability environments, dual fast/wide SCSI ports make your data available to two hosts simultaneously.

Five different hardware RAID levels, hot spare disks, and hot-swappable drives keep your data safe and secure. Data automatically and transparently rebuilds on the spare drive eliminating downtime and data loss. Data integrity is assured for all mission-critical applications.

The RD10 Graphical User Interface eliminates the need to type obscure commands found buried in the back of a service manual. Historical performance software analyzes and fine tunes your RAID. Configuration and firmware upgrades can be handled automatically. RD10 status and context-sensitive online help are made instantly available. All with the click of a mouse button.

RD10 RAID Storage Subsystem

Compatible with Solaris and Windows NT

RD10 RAID Throughput Performance


| (5400rpm F/W SCSI-2 HDD) | Mbytes/sec | IOs/sec |
|--------------------------|------------|---------|
| Sequential Read (max) | 16.8 | 1307 |
| Sequential Write (max) | 17.2 | 1247 |
| Random Read (max) | 9.9 | 620 |
| Random Write (max) | 13.0 | 357 |

RD10 RAID Subsystem Specifications

| | |
|-----------------------|---|
| RAID Levels Supported | 0, 1, 3, 5, 6, (0+1) |
| Processor | 33MHz 32bit RISC |
| Cache Memory | 8Mbytes to 128Mbytes |
| Channels | 2 host channels 6 disk channels |
| Disks Supported | 3.5", 1" high SCA-2 or 68-pin connector Fast/wide Single Ended SCSI-2 interface |

See Us at UNIX Expo, Booth 1276

www.integrix.com



Corporate Headquarters

2001 Corporate Center Drive
Newbury Park, California 91320
Tel: 800-300-8288 / 805-376-1000
Fax: 805-376-1001
Email: sales@integrix.com
<http://www.integrix.com>

Asia

Beijing, P.R.China
Tel: 8610-253-5305
Fax: 8610-253-5306
Seoul, Korea
Tel: 822-515-5303
Fax: 822-515-5302

19 Pentium Portables Do Multimedia

With Pentium processors, gigabytes of drive space, large screens, and CD-ROM drives, these notebooks are more than ready for prime time.
By Maggi Bender, Jim Kane, and John McDonough

When it comes to work, today's multimedia notebooks certainly let you take it with you. Running Pentium processors at rates of up to 166 MHz, today's multimedia notebooks might not be as fast as the top Pentium and Pentium Pro desktop systems, but they make good business computers, both on the road and in the office. These high-end Pentium notebooks are also expensive, being almost twice the cost of comparably configured desktop systems. However, with accelerated graphics, large active-matrix color displays, CD-ROM drives, and 810-MB or larger hard drives, they provide full-throttle computing for on-the-go professionals.

We tested 18 Pentium portables that range in price from \$3000 to almost \$7000 and employ 100-, 133-, or 166-MHz CPUs. We also included Canon's AMD 5x86-powered Innova Book 360CD (see the text box "AMD Inside" on page 123), which provides Pentium performance. You can buy a more economical 486DX4-based notebook, but you'll want a Pentium to handle graphics-intensive multimedia tasks under Windows 95 or OS/2 Warp—and to delay your next upgrade cycle.

Modular components have become a hot notebook feature. Many high-end notebooks we test here provide an all-purpose bay that can hold a CD-ROM player, a floppy drive, or an additional battery. You swap them in and out depending on what you need. You can't use floppy and CD-ROM drives simultaneously, but the modular design saves space, weight, and battery power while maintaining desktop functionality. We

included two ultrathin systems—Digital Equipment's HiNote Ultra II and the Impulse Duonote—because they have attachable multimedia bases for CD-ROM and stereo-sound functionality, another form of modularity.

Most of the portables we tested have removable hard drives, a feature that ensures upgradability. Even the 2.1-GB hard drive in Micro-International's Mint 5200 may seem small in a year or two. Most notebooks have two Type II PC Card slots and infrared ports for cable-

BYTE BEST
PENTIUM PORTABLES

NEC Versa 6030H

offers chart-topping performance,
numerous portability features,
and excellent ease of use.

less file transfers. The Toshiba and NEC units implement the new 4-Mbps IrDA 1.1 infrared standard.

All test notebooks came with active-matrix screens that display graphics with crisp details and deeply saturated colors. With three 10.4-inch exceptions, the high-end notebooks we reviewed have either 11.3- or 12.1-inch SVGA displays. All can display at 800- by 600-pixel resolution, which is great for Windows 95, but you'll want a big display and one with a wide horizontal viewing angle if you routinely use your notebook with a handful of people sitting around a table. The 12.1-inch panels provide roughly the same viewable screen real estate as a 14-inch desktop monitor.

Less expensive passive-matrix displays are still an option with most of these products, but the trend is toward the bigger, brighter, more responsive active-matrix displays. IBM, for instance, dropped its ThinkPad 550 with the pop-open butterfly keyboard so it could add more screen real estate, and Toshiba's cutting-edge Tecra 730CDT supports an unusual 1024- by 768-pixel resolution on its 12.1-inch screen (we reviewed the Tecra 500CDT).

Those notebooks costing more than \$5000 are from big-name vendors such as Compaq, Gateway 2000, IBM, and NEC Technologies. Compared to less expensive units, they come with more software and longer warranties. A unit such as IBM's ThinkPad 760ED, for instance, has multimedia luxuries: a 64-bit graphics chip with 2 MB of dual-ported video memory, hardware-assisted MPEG playback, an internal 28.8-Kbps data/fax/telephony modem, and lithium-ion batteries that outlast nickel-metal-hydride (NiMH) batteries in our battery run-down tests.

Such feature-laden portables use battery power quickly. We suggest that you get a notebook that can hold multiple lithium-ion batteries if you want to work throughout a cross-country plane flight.

The two 166-MHz notebooks we tested turned out not to be the fastest. In spite of 256-KB Level 2 caches, the Chem Book 5580 and the Micro-International Mint 5200 didn't perform as well as the 133-MHz NEC Versa 6030H. Typically, a 166-MHz Pentium system should perform 10 percent faster than a 133-MHz system. The Mint 5200 suffered from below-average memory performance and slow hard drive and CD-ROM drive speed. The

CD UNIT

The four- and even six-speed modular CD-ROM drives that can fit in a notebook are a must for multimedia applications and installing large application or development packages. While some notebooks have external CD-ROM drives, most have a modular CD-ROM drive that you swap with the floppy drive.

STEREO SPEAKERS

Though they typically don't provide the greatest sound quality, a pair of integrated stereo speakers and 16-bit Sound Blaster Pro sound are good enough for most multimedia presentations, games, and telephony.

LCDs

Multimedia notebooks with 11.3- or 12.1-inch active-matrix color displays provide crisp viewing at 800- by 600-pixel resolution. Lots of video memory and a hardware MPEG decoder help some systems display TV-quality, screen-filling video.

INTERNAL BATTERY

Most notebook vendors have made the transition from nickel-metal-hydride (NiMH) batteries to lithium-ion battery packs. Although they're costlier, lithium-ion batteries lasted longer in our battery run-down tests. They also provide more charging cycles than NiMH batteries.

HARD DRIVE

Some 7-pound computers now support a fast 2-GB internal hard drive (19-mm height). Even better, most notebooks have removable drives for upgrading or securing your data at night.

POINTING DEVICE

Everybody has a preference when it comes to pointing devices. Judging from the units we tested, touchpads and eraser-like pointing sticks are in, while trackballs are out.

IrDA INTERFACE

Infrared technology lets you transfer files to another system or send print commands without cables to IrDA-equipped printers. Most notebooks transmit at 115.2 Kbps. Toshiba's Tecra 500CDT supports the new 4-Mbps Fast-IR IrDA 1.1 specification, as does the NEC Versa 6030H.

Rear View



Chem Book 5580 was hurt by poor memory and hard drive performance.

For multimedia, software development, or just to load large applications, a notebook must have a built-in CD-ROM drive. We recommend that you get one with a four- or six-speed CD-ROM drive for faster read and seek times. Multimedia notebooks must also have integrated stereo speakers, though a small speaker size limits sound quality.

Notebooks that come with hardware-assisted MPEG—the Compaq LTE 5300, NEC Versa 6030H, Nimantics Quanta 6x 133, Impulse Duonote, and IBM ThinkPad

760ED—can effectively zoom video clips to full-screen without the dropped frames and blocky pixellation associated with software-only MPEG. Having 1 or 2 MB of dedicated video memory and a PCI-bus architecture also helps to enhance graphics I/O performance.

Toshiba's Tecra 500CDT has a Zoomed Port Video (ZPV) PC Card slot. The proposed ZPV standard establishes direct communication between the PC Card controller and the audio and video controllers, so that large amounts of multimedia data don't require processing through the CPU or system bus. When ZPV cards be-

come widely available, the Tecra 500CDT will provide a fast connection for full-motion video playback. The Tecra 500CDT and NEC's Versa 6030H also support Card-Bus, another proposed standard. This standard provides for 32-bit PC Card peripherals such as Fast Ethernet and Fast SCSI adapters.

Contributors

Jim Kane, Project Manager/NSTL
John McDonough, Technical Writer/NSTL
Maggi Bender, Senior Tester/NSTL
Dave Rowell, Senior Technical Editor/BYTE

Best Overall

P E N T I U M P O R T A B L E S

Almost every desktop maker now has a portable for sale, and the market is stratifying with notebooks at different price/performance levels. Higher-priced Pentium notebooks are heavy on cutting-edge components, while value systems are capable but lack such advanced features as hardware-assisted MPEG playback. For this reason, we rated the notebooks in three categories: best-overall portable, best desktop replacement, and best low-cost notebook (under \$4000).

Best Overall

We chose the well-rounded NEC Versa 6030H as the best-overall notebook. It has fast performance, a multitude of portability features, and a high ease-of-use rating. While the Versa 6030H is a hot multimedia notebook, several other models weren't far behind in our best-overall ranking.

Shadowing the Versa 6030H was the WinBook FX (our pick for best low-cost system; see below). Toshiba's 8.2-pound Tecra 500CDT also did well. The \$4999 unit provides many leading-edge fea-

tures, including Zoomed Port Video (ZPV) and CardBus support, as well as 4-Mbps IrDA capability. With a 120-MHz Pentium, it performed better than many units with 133-MHz processors, and it placed in the top five for battery life.

Impulse Computer may not be familiar to many users, but its Duonote made a big splash in our Lab Report. It's a moderately priced multimedia notebook (\$4699) with a nice modular design. Compaq's \$6398 LTE 5300 is a 7.4-pound lightweight that also placed in the top five. The highly modular system scores high in features (right behind the IBM ThinkPad 760ED and Hewlett-Packard's OmniBook 5500 CTS) and also in usability, because Compaq supplies a three-year warranty and 24-hour, toll-free technical support. (An even more modular model that wasn't ready in time for this roundup, the Compaq Armada 4100, is reviewed in "Notebook Under Construction" on page 154.)

Best Desktop Replacement

Several notebooks in this roundup beg the question: "Do I really need that desk-

stealing power hog back in my cubicle?" Not only do these systems provide excellent docking options, the best desktop-replacement systems run fast and furious in our performance benchmarks, providing desktop-level performance. NEC's Versa 6030H, our best-overall pick, is again the winner, but some strong runners-up are Toshiba's Tecra 550CDT and Compaq's LTE 5300.

The 7.5-pound Nimantics Quanta 6x 133 is an affordably priced (\$3999) multimedia notebook with high-end functionality. It has a 12.1-inch SVGA display, a voluminous 2.1-GB hard drive, and an efficient lithium-ion battery that lasts 2 hours and 37 minutes in our tests.

HP's OmniBook 5500 CTS (\$6120) costs much more than the Quanta 6x 133, but it's a premium notebook for making presentations with its wide-angle 12.1-inch SVGA display.

Best Low Cost

It's quite a stretch to call any multimedia notebook a low-cost product, but some are easier on the credit card than others. We drew a low-budget line in the sand at \$4000, which left us with nine notebooks. The WinBook FX is our low-cost winner. It had high all-around scores and did particularly well in usability. Nimantics' Quanta 6x 133 took the number-two spot, followed closely by Texas Instruments' 100-MHz Extensa 570 CDT.

Dell's Latitude LM P-133ST had the best battery life of all the test units. Its lithium-ion battery and effective power management scheme kept it going for 3 hours and 41 minutes in our battery run-down test. We must also give battery-life honorable mentions to the Gateway Solo S5-133 (3:31) and IBM's ThinkPad 760ED (3:24), which both also use lithium-ion batteries (but aren't low-cost portables).

The 6.1-pound TravelPro 1900 (\$3695), from AMS Tech, is a top-quality multimedia portable with a 133-MHz Pentium, a 12.1-inch SVGA display, a 1.3-GB hard drive, and a three-year warranty—components and support you would expect from a higher-priced notebook.

TECH FOCUS HEAT CONTROL


Taking the Heat

Heat is the limiting factor in getting high-end desktop performance out of a portable computer. The more heat a notebook design can dissipate, the faster you can reliably run the CPU or the more memory you can hold. Fan-induced convection cools most desktop systems, but fans are unacceptable in notebooks—they're noisy, power-consuming, and a potential failure point. Convection also needs space for air to move, something compact notebook designs lack.

Good notebook designs rely instead on passive conduction. Heat is conducted away from the CPU, hard drive, and the graphics subsystem to exterior surfaces capable of radiating heat. The keyboard, the I/O port area, and (if it's not a docking unit) the bottom surface of the notebook (that isn't blocked by the battery) are all good surfaces for dissipating heat.

An aluminum heat sink will quickly draw heat away from the CPU, but the heat must then be conducted to the outside. Typically, metal sheets or frame elements, often made of a lightweight, conductive magnesium alloy, serve this purpose. Compaq's Armada 4100 series, for example, has a magnesium chassis that provides structural stiffness to the notebook, a path for outward heat conduction, and external radiation surfaces. Tadpole's notebooks can handle the latest desktop processors because they have a magnesium-alloy case that is thermally connected to the CPU.

Some designs use heat pipes to beef up thermal conduction by metal plates. These small-diameter sealed metal tubes contain a liquid that wicks from one end of the tube to the other, driven by a thermally induced fluid-to-vapor cycle. The pipe serves as a passive but effective heat pump.



Do more with less.

Most operating systems leave little room for important things. Like your application.

With the QNX realtime OS you'll pack more functionality into less memory. Achieve more performance with less-expensive CPUs. And deliver better solutions at a lower price.

Better yet, QNX supports more PC hardware than any other realtime OS. Whether it's PC/104 or PCMCIA, embedded X86 or the Pentium® Pro, QNX lets you use it right out of the box. Get to run time in less time!

More scalable than ever! From low-end to high-end, QNX offers you the ultimate in scalability. Even your deeply embedded systems can boast a scalable POSIX RTOS, thanks to our new, exceptionally small Neutrino™ microkernel.

And if you need to add the capabilities of a high-end GUI to your low-end system, you can. Our award-winning Photon microGUI™ gives you a phenomenal front end, with enough memory left over for important things . . . like your application!

www.qnx.com

Call **1 800 676-0566 (ext. 1027)**
or email **info@qnx.com**



The Leading Realtime OS for PCs

QNX Software Systems Ltd., 175 Terence Matthews Crescent, Kanata, Ontario, Canada K2M 1W8 Voice: 613 591-0931 Fax: 613 591-3579
Europe: 49 Dove Park, Chorleywood, Hertfordshire. Voice: (44)(0)1923 284800 Fax: (44)(0)1923 285868 Email: QNXEurope@qnx.com
© QNX Software Systems Ltd. 1996. QNX is a registered trademark and Neutrino and Photon microGUI are trademarks of QNX Software Systems Ltd. All other trademarks belong to their respective owners.

Circle 152 on Inquiry Card.

What is nStor?



Manageable Fault-Tolerant Storage

Lasting quality and reliability are built into every nStor RAID system. From the easy-to-use Alert Manager software to the redundant hot swap components, data integrity is our first priority. nStor systems are the first to incorporate the SAF-TE (SCSI Accessed Fault-Tolerant Enclosures) standard which is leading-edge technology to protect your investment. In addition, nStor utilities provide unmatched manageability which allows

you to switch RAID levels or capacity on-the-fly. You can also configure a hot spare for automatic data reconstruction without user intervention. So whether you're looking

for manageability or reliability nStor

RAID systems meet

your needs. nStor systems support RAID levels 0, 1, 3, 5 and are compatible with FAST

WIDE SCSI. Call for more information or visit us on the web at <http://www.nstor.com/>

| | | RAID MODEL | NETWORK, WINDOWS NT, OS/2, BSD COMPATIBILITY | MAX CAPACITY | RAID LEVELS | DRIVES | POWER SUPPLIES | FANS | SAF-TE | ALERT MANAGER |
|------|---|------------|--|--------------|-------------|----------|----------------|------|--------|---------------|
| | | | | | | HOT SWAP | | | | |
| CR2 | • | 18GB | Q1,3,5 | • | • | | | | | |
| CR6e | • | 24GB | Q1,3,5 | • | • | • | • | • | • | • |
| CR8 | • | 72GB | Q1,3,5 | • | • | • | • | • | • | • |



nStor. Formerly Conner Storage Systems

1.800.RAID511 ▼ 407.829.3500 ▼ Europe: +44(0)1234 213571

©1996, nStor Corporation, Inc. All trademarks are of their respective owners. Specifications subject to change without notice.

LAB RESULTS


P E N T I U M P O R T A B L E S R A T I N G S

BEST OVERALL

NEC Technologies Versa 6030H

The Versa 6030H (\$5799) is our best-overall portable Pentium because it is fast, feature-packed, and easy to use. The 9.5-pound unit races through our benchmarks with a 133-MHz Pentium processor, 256 KB of synchronous pipeline cache memory, a PCI bus, and 2 MB of video memory. The Versa 6030H is a strong multimedia machine with hardware-accelerated MPEG for full-motion, full-screen video playback; a six-speed CD-ROM drive for fast data transfers; and excellent 16-bit stereo sound. The system also has a healthy bundle of applications and telephony features for those who need to keep in touch with the office.

WEIGHTING




| | PRICE | TECHNOLOGY | IMPLEMENTATION | PERFORMANCE | FEATURES | USABILITY | BATTERY | OVERALL RATING |
|------------------------|---------------|------------|----------------|-------------|----------|-----------|---------|----------------|
| NEC Versa 6030H | \$5799 | ★★★★ | ★★★★ | ★★★★★ | ★★★★ | ★★★★★ | ★★★ | ★★★★ |
| WinBook FX | \$3999 | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★★ | ★★★ | ★★★★ |
| Toshiba Tecra 500CDT | \$4999 | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★★ | ★★★★ | ★★★★ |
| Impulse Duonote | \$4699 | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★ | ★★★★ |
| Compaq LTE 5300 | \$6398 | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★ | ★★★★ |

BEST DESKTOP REPLACEMENT

NEC Technologies Versa 6030H

With its strong performance score, the Versa 6030H is also our choice for best desktop replacement. It is not only efficient but flexible with its easily accessible Versabay II, which supports a floppy drive, an extra hard drive, an extra battery, or the CD-ROM drive. For an extra \$799, NEC offers even more desktop functionality with its Docking Station 6000, which has three expansion-card slots, three drive bays, built-in speakers, four audio ports, and an RJ-11 phone jack.

WEIGHTING




| | PRICE | TECHNOLOGY | IMPLEMENTATION | PERFORMANCE | FEATURES | USABILITY | BATTERY | OVERALL RATING |
|-------------------------|---------------|------------|----------------|-------------|----------|-----------|---------|----------------|
| NEC Versa 6030H | \$5799 | ★★★★ | ★★★★ | ★★★★★ | ★★★★ | ★★★★★ | ★★★ | ★★★★ |
| Toshiba Tecra 500CDT | \$4999 | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★★ | ★★★★ | ★★★★ |
| Compaq LTE 5300 | \$6398 | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★ | ★★★★ |
| Nimantica Quanta 6x 133 | \$3999 | ★★★★ | ★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★ | ★★★★ |
| HP OmniBook 5500 CTS | \$6120 | ★★★★ | ★★★★ | ★★★ | ★★★★ | ★★★★ | ★★ | ★★★★ |

LOW COST

WinBook FX

You don't have to pay \$6000 for a multimedia notebook. The WinBook FX goes for \$3999 and sacrifices little. With a 133-MHz Pentium, 16 MB of RAM, and 1 MB of video memory, the WinBook FX does admirably in our performance benchmarks. The 6.8-pound laptop has an 11.3-inch SVGA display, Sound Blaster Pro-compatible sound, a 1.3-GB hard drive, and a lithium-ion battery that lasts 2 hours and 38 minutes in our Thumper II run-down test.

WEIGHTING



Sub-\$4000 notebooks only



| | PRICE | TECHNOLOGY | IMPLEMENTATION | PERFORMANCE | FEATURES | USABILITY | BATTERY | OVERALL RATING |
|-------------------------|---------------|------------|----------------|-------------|----------|-----------|---------|----------------|
| WinBook FX | \$3999 | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★★ | ★★★ | ★★★★ |
| Nimantica Quanta 6x 133 | \$3999 | ★★★★ | ★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★ | ★★★★ |
| TI Extensa 570 CDT | \$2999 | ★★★★ | ★★★★ | ★★★ | ★★★★ | ★★★★ | ★★ | ★★★★ |
| Dell Latitude LMP-133ST | \$2999 | ★★★★ | ★★★★ | ★★ | ★★★★ | ★★★★ | ★★★★★ | ★★★★ |
| AMS Tech TravelPro 1900 | \$3695 | ★★★★ | ★★★★ | ★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★ |

★★★★ Outstanding ★★★ Very Good ★★ Good ★ Fair ★ Poor

Details

Ultracool Design

If you find most notebook designs boringly similar, check out Digital Equipment's HiNote Ultra II. Its sleek, angled chassis should turn the head of any individualist. The HiNote Ultra II has a lithium-ion battery that clips onto the rear and two attachable base modules: One is a thin wedge with a floppy drive, while the larger multimedia base provides speakers and a CD-ROM drive. Do you think Compaq found inspiration here for its new Armada 4100?




Making Your Point

Users can often choose from many different peripherals when buying a notebook, but the pointing device usually isn't one of them. The WinBook FX comes standard with a pointing stick between the G, H, and B keys. For an extra \$80, however, you can opt for a dual-button touchpad.

NEC's Bug Barrier

NEC's Versa 6030H has two hot-loaded McAfee antivirus software packages—VirusScan and WebScan—that guard the system from known viruses and provide virus protection for the most popular Internet services, Web browsers, and e-mail.



Up Against the Wall

Hooking a 17-inch monitor to a notebook is a cost-effective way to make a presentation to a small group of people sitting around a table. For larger groups, however, you need projection. You can buy an LCD panel that sits on an overhead projector or a self-contained projection unit. In either case, your notebook drives the display. Wedge Technology's ShowBiz 5000P (\$4799) provides another option.

The ShowBiz 5000P is a Pentium notebook with an LCD that converts into an overhead projection panel. Like a few projection notebooks before it (see "Presentation Quality," September 1995 BYTE), the ShowBiz 5000P lets you make large-room presentations at any office with an overhead projector. While the ShowBiz 5000P is best for software demonstrations, Wedge also offers optional MPEG playback and TV cards, so you can project videos 6 feet high on a screen.

We found the LCD projection panel easy to set up. After removing a protective back panel from behind the ShowBiz 5000P's 10.4-inch active-matrix display, you place the LCD panel on an overhead projector. A support tray for the notebook itself attaches to the projector. The display supports 800- by 600-pixel resolutions at 65,536 colors. The unit comes with a cooling fan that connects to the LCD panel to dissipate the heat from the projector's lamp.

Though the projected images are not as bright as on some desktop projectors (see "Road-Show Romance" on page 55), we found the images to be clear and well defined when shown in a fairly dark room. It takes some adjustment of the LCD projection panel to eliminate ambient light from the overhead projector, but that should not

be a problem after you get used to setting it up.

The notebook sits directly in the path of the overhead projector, so Wedge supplies an infrared-attached remote-control device so the presenter can control the PC. Mind Path's Presentation F/X software lets you move the mouse around the display and zoom in on different areas of the screen.

—John McDonough



ShowBiz 5000P
\$4799 (fully loaded system)

Wedge Technology, Inc.
Milpitas, CA

(408) 263-9888

<http://www.wedgetech.com>

Circle 1080
on Inquiry Card.

RUGGED PORTABLES WITH LOTS OF SLOTS

Dolch Computer Systems builds portable computers for industrial and military applications that must withstand the rigors of rough treatment and harsh environments — demanding massive expansion capability and the performance of a high-end desktop.

GRIT, GRIME AND WATER PROOF

Dolch builds the world's toughest portables for sophisticated military and industrial users.

- ☐ Tested to Military and NEMA Standards — Shock to 50Gs
- ☐ Completely Sealed Systems — NotePAC™ Runs in the Rain
- ☐ Add-in Protection — Unique Card Retention System

MASSIVE EXPANSION

The PAC™, L-PAC™ (Light-PAC) and NotePAC families offer a wide variety of slot and drive specifications. Systems can be tailored to precisely match the application requirements.



- ☐ From 1 to 7 Expansion Slots — ISA, EISA, PCI and PCMCIA
- ☐ Up to 4 Drive Bays — Tape, CD-ROM, Removable, etc.
- ☐ Configurable System Power — 100 watts to 350 watts

UNRIVALED PERFORMANCE

Dolch PAC portables are available with a broad range of performance options — meeting or exceeding all the best of desktops.

- ☐ CPU Options — 486 up to Dual Pentium at 150MHz
- ☐ Displays — 16.7 Million Colors or Daylight Readable Mono
- ☐ Active Matrix TFT Screens — Up to 12.1-inches
- ☐ Resolution — 640 x 480, 800 x 600 and 1024 x 768
- ☐ Graphics Performance — In Excess of 115 WinMarks™
- ☐ Drives — EIDE or High-speed PCI SCSI — Up to 9 GB
- ☐ Memory — High Speed Cache and EDO DRAM

Dolch Computer Systems
3178 Laurelview Ct.
Fremont, CA 94538 USA

Tel. 510.661.2220 ; Fax 510.490.2360

Web Site — <http://www.dolch.com>

CALL TODAY: 1.800.995.7580.

Dolch.



If you think file transfer is all we do, you need some time away from the office.



To appreciate how much more LapLink® for Windows® 95 has to offer, all you have to do is hit the road.

Wherever you go—across the hall, across town or across the country—if you've got LapLink, you have everything you need to access anything you want on your desktop *or* your network.

With this single piece of software, you can read and send e-mail, run databases and custom applications, synchronize data and, yes, even transfer files.

Since there's no need to change apps to do all these things, there's no need to hang up and redial. And since LapLink works the same

way over modems, IPX and TCP/IP networks, serial cables, parallel cables, wireless, even the Internet, there's no need to laboriously reconfigure.

And there's no need to worry about compatibility. Our 16-bit version is built right into LapLink for Windows 95, so connecting to Windows 3.1 systems is no problem at all.

By now, you probably can't wait to get your hands on the latest LapLink. So you'll be glad to know that upgrading—from an earlier LapLink, or from another product altogether—is ridiculously inexpensive. Call 800-224-7704. Better yet, see your reseller. It'll give you an excuse to get away from the office.

TRAVELING
SOFTWARE



Test Specs

We picked the best portable Pentiums by running low-level and application benchmarks under Windows 95, as well as battery tests under real-world conditions. We also weighted important notebook features and how easy a system is to set up and use.

Performance

For the Windows 95 application benchmarks, we ran scripts with 32-bit versions of Microsoft Word (7.0) and Excel (7.0) plus a 16-bit version of FoxPro (2.6). NSTL's low-level InterMark Multimedia PC tests exercise specific components of the notebook: CPU, hard drive, CD-ROM drive, and sound (percentage of CPU utilization). InterMark video benchmarks test how well a system can produce multiple Windows draws, bit-mapped images, and display screens generated by applications like PowerPoint and CorelDraw.

Battery Life

We measured battery life with our Thumper II battery run-down tester. Thumper II emulates a typical word processing session. It uses robotic arms and an optical screen sensor to detect and control each system's power management function. Before testing, we completely drained and recharged each notebook's battery twice, according to the vendors' instructions. People use their notebooks in different ways, so you will probably get different battery life with a given portable.

Features/Usability

We reward features that differentiate the notebooks. For instance, AMS, Compaq, Dell, Digital Equipment, Hewlett-Packard, IBM, Impulse, NEC, and Toshiba back their systems with impressive three-year warranties, as opposed to one-year warranties with the other vendors. We

asked the vendors to fill out a lengthy features questionnaire, and we verified the features in the labs. For usability, technicians worked extensively with each notebook to assess the quality of the keyboard, status indicators, and pointing device. We also evaluated the user's manuals and checked how easy it was to install modular components and upgrade the systems with memory.

Evaluations in this report represent the judgment of BYTE editors, based on tests conducted by NSTL, Inc., as documented in a recent issue of its monthly PC Digest. To purchase a copy of the full report, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428; (610) 941-9600; fax (610) 941-9950; on the Internet, editors@nstl.com. For a subscription, call (800) 257-9402. BYTE Magazine and NSTL are both operating units of the McGraw-Hill Companies, Inc.

AMD Inside

Not every road warrior can afford to fork over \$3000 or more for a Pentium-powered multimedia notebook. Fortunately, Canon Computer Systems' Innova Book 360CD provides Pentium performance without the Pentium price. It's a full-fledged multimedia notebook with a price of only \$2599, but it uses the Pen-

tium-compatible 133-MHz 5x86 processor from AMD.

The Innova Book 360CD doesn't compare favorably with Pentium systems when tested with NSTL's InterMark test of low-level functions. In particular, it was dead last in memory performance. However, these factors don't appear to matter with Windows application performance. With our application tests, the Canon portable outshone all other test systems.

What's the price trade-off then, if not performance? For one thing, Canon cut costs on components by using a 10.4-inch dual-scan VGA display instead of an active-matrix screen and a nickel-metal-hydride (NiMH) battery instead of a longer-lasting lithium-ion battery. The battery lasted 2 hours and 18 minutes in our battery run-down tests, while lithium-ion-equipped models averaged 2:48.

The 6.7-pound (with battery) Canon notebook is light for a multimedia notebook, and it has a modular design with a four-speed CD-ROM drive on the right side that you can swap with a floppy drive. The laptop has an IrDA infrared port in the back, and a Type III PC Card slot and an external monitor port on the left side. It has a 32-bit VL-Bus architecture and 1 MB of video memory to boost its graphics performance.

The unit is ready to hit the road right out of the box with applications such as Sidekick for Windows 95 and FaxWorks 3.0. It also has on-line user documents for each of the bundled applications, so you don't have to drag manuals with you on business trips. Canon backs the Innova Book 360CD with a one-year warranty for parts and labor.

-Eds.



**Innova Book
360CD
\$2599**

Canon Computer
Systems, Inc.
Costa Mesa, CA


(800) 848-4123

[http://www.ccsi
.canon.com](http://www.ccsi.canon.com)

Circle 1064
on Inquiry Card.

PENTIUM PORTABLES FEATURES

| VENDOR/MODEL NAME | Altura Computer Systems Bolt2-133 | AMS Tech TravelPro 1900 | Austin Computer Systems Austin Edge CD | Canon Computer Systems, Inc. Innova Book 360CD | Chem USA Corp. Chem Book 5580 | Compaq Computer Corp. Compaq LTE 5300 | Dell Computer Corp. Latitude LMP-133ST | Digital Equipment Corp. Digital HiNote Ultra II CTS 5120 |
|--|-----------------------------------|--------------------------------|--|--|--------------------------------|---------------------------------------|--|--|
| Base price (MSRP) | \$2995 | \$3175 | \$3160 | \$2599 | \$2615 | \$5999 | \$2999 | \$4299 |
| Price as tested (MSRP) | \$3595 | \$3695 | \$4304 | \$2599 | \$3575 | \$6398 | \$2999 | \$4299 |
| Overall value | 7.48 | 7.87 | 7.4 | 7.74 | 7.50 | 8.06 | 7.88 | 7.65 |
| Performance score | 8.3 | 7.6 | 6.6 | 8.7 | 7.9 | 8.2 | 6.6 | 7.6 |
| Features score | 7.5 | 8.7 | 8.2 | 6.1 | 7.4 | 8.7 | 8.4 | 7.7 |
| Usability | 6.9 | 8.1 | 8.1 | 7.5 | 7.5 | 8.8 | 8.8 | 8.1 |
| Battery life (hr:min) as tested | 1:7 | 2:3 | 2:8 | 2:3 | 1:9 | 2:2 | 3:7 | 2:7 |
| PROCESSOR | | | | | | | | |
| CPU manufacturer, model, and speed (MHz) | Intel Pentium 133 | Intel Pentium 133 | Intel Pentium 133 | AMD Am5x86 133 | Intel Pentium 166 | Intel Pentium 133 | Intel LM Pentium 133 | Intel 5P54CSLM 120 |
| Voltage | 3.3 | 2.9 | 3.1 | 3.3 | 3.3 | 3.3 | 3.3 | 2.9 |
| SYSTEM RAM | | | | | | | | |
| RAM as tested/max. 32-bit RAM (MB)/speed (ns) | 8/32/70 | 8/64/60 | 8/40/60 | 8/32/70 | 16/64/60 | 16/80/60 | 8/40/70 | 8/40/70 |
| EDO | EDO | EDO | EDO | Fast-paged | EDO | Fast-paged | Fast-paged | Paged and interleaved |
| Max. secondary cache RAM (KB)/speed (ns) | 1000/40 | 256/15 | 256/15 | 256/70 | 256/15 | 256/12 | 256/8 | 256/8 |
| SYSTEM BIOS | | | | | | | | |
| Manufacturer | Award | Phoenix | Phoenix | Phoenix | AMI | SystemSoft | Phoenix | SystemSoft/Digital |
| VIDEO | | | | | | | | |
| Video processor chip manufacturer and model | Chips & Technologies 65548 | NeoMagic 2070 | Cirrus Logic GD7543 | Chips & Technologies 65540 | Chips & Technologies 65550 | Opti Viper | NeoMagic 2070 | Chips & Technologies 65548A |
| Diagonal screen size (inches) | 12.1 | 12.1 | 11.3 | 10.4 | 12.1 | 12.1 | 12.1 | 10.4 |
| Display technology | Active-matrix | Active-matrix | Active-matrix | Dual-scan | Active-matrix | Active-matrix | Active-matrix | Active-matrix |
| Max. display resolution (pixels)/total colors | 800 x 600/65,536 | 800 x 600/65,536 | 800 x 600/65,536 | 800 x 600/256 | 800 x 600/16,000 | 800 x 600/65,536 | 800 x 600/65,536 | 800 x 600/65,536 |
| Video memory as tested (MB)/bus width (bits) | 1/64 | 1.5/128 | 2/32 | INP/32 | 2/32 | 1/32 | 1/128 | 1/32 |
| Video memory type | DRAM | VRAM | DRAM | INP | EDO | EDO | DRAM | EDO VRAM |
| Local-bus video type | PCI | PCI | PCI | VESA VL-Bus | PCI | PCI | PCI | VESA VL-Bus |
| Max. ext. noninterlaced resolution/total colors or grays | 1280 x 1024/16 | 1280 x 1024/256 | 1024 x 768/256 | 1024 x 768/256 | 1024 x 768/256 | 1024 x 768/256 | 1024 x 768/256 | 1024 x 768/256 |
| PORTABILITY | | | | | | | | |
| Height x width x depth (inches) x weight (lbs.) | 2 x 11.89 x 9.5 | 1.8 x 11.8 x 8.8 x 6.1 | 2.6 x 11.3 x 8.98 x 6.8 | 1.9 x 11.5 x 8.9 x 8.4 | 2.2 x 11.7 x 9.9 x 8.5 | 2.07 x 12.2 x 9 x 7.4 | 1.94 x 8.9 x 11.75 x 6.8 | 1.2 x 8.5 x 11 x 4.2 |
| Battery technology | NMH | Lithium-ion | Lithium-ion | NMH | NMH | NMH | Lithium-ion | Lithium-ion |
| Supports multiple battery packs | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Supports hot swapping | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| MASS STORAGE | | | | | | | | |
| Hard drive manufacturer and/or model | Toshiba MK 1301MAV | Toshiba HDMK-2720F | Toshiba MK-2700PC | Toshiba MK-1924FCV | IBM DPRA-21215 | Compaq | IBM | IBM DSOA-21080 |
| Hard drive interface type | PCI | PCI | IDE | EIDE | EIDE | IDE | EIDE | EIDE |
| Hard drive controller cache (KB) | N/A | 256 | 128 | 128 | 64 | 128-KB buffer on drive | N/A | 96 |
| Max. hard drive capacity (MB)/access time (ms) | 2170/10 | 2100/12 | 2000/12 | 810/13 | 2000/12 | 1350/13 | 810/13 | 1080/13 |
| Removable hard drive | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| I/O PORTS (BUILT IN) | | | | | | | | |
| UART type | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 |
| Centronics parallel-port type | Enhanced, extended, selectable | Enhanced, extended, selectable | Enhanced, extended, selectable | Enhanced, extended, selectable | Enhanced, extended, selectable | Enhanced | Enhanced, extended, selectable | Enhanced, extended, selectable |
| IrDA-compliant infrared data-exchange port | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Pointing device | Touchpad | Touchpad | Touchpad | Touchpad | Touchpad | Pointing stick | Touchpad | Trackball |
| PC Card slots connected concurrently | 2 Type II/1 Type III | 2 Type II/1 Type III | 1 Type II/1 Type III | 2 Type II/1 Type III | 1 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III |
| SOUND | | | | | | | | |
| Sound chip set | Opti 930 | ESS 1688 | Creative Labs CT2505 (Vibra 16) | INP | ESS 1688 | ESS 1688 | ESS 1688 | ESS 1688 |
| Built-in microphone | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| H/W speaker volume control | ✓ | ✓ | ✓ | ✓ | ✓ | Optional | ✓ | ✓ |
| MPEG hardware and software | Optional/optional | Included/included | /included | N/A/N/A | N/A/included | Optional/optional | N/A/included | ✓ |
| CD-ROM audio out | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| POWER SUPPLY | | | | | | | | |
| Supports 220/240 AC voltage | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Auto-switching/auto-detecting | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Internal AC adapter/battery charger | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| EXPANSION | | | | | | | | |
| Expansion chassis/price, if optional | ✓/\$395 | ✓/\$250 | ✓/\$350 or \$800 | | | ✓/\$499 | | |
| Docking station/price, if optional | 0/0 | 0/1 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 |
| Number of ISA/PCI expansion slots | 0/0 | 1/0 | 0/0 | 0/0 | 1/1 | 0/0 | 0/0 | 0/0 |
| Number of full-height 3 1/2-inch/half-height 5 1/4-inch drive bays | 0/0 | 1/0 | 0/0 | 0/0 | 1/1 | 0/0 | 0/0 | 0/0 |
| WARRANTY | | | | | | | | |
| Length (years)/coverage | 1/PLR | 3/PLR | 1/PLFR | 1/PLFR | 1/PLR | 3/PLFR | 3/PLR | 3/PLFR |
| Phone | (719) 685-5502 | (818) 814-0782 | (512) 339-3500 | Call local Canon dealer | (510) 785-8080 | Call local Compaq dealer | (512) 338-4400 | (303) 872-8933 |
| Toll-free phone | N/A | (800) 886-2671 | (800) 752-1577 | (800) 848-4123 | (800) 866-2436 | (800) 345-1518 | (800) 613-3355 | (800) 344-4825 |
| On-line address | N/A | http://www.amsi-tech.com | http://www.austindirect.com | http://www.ccsai.canon.com | chemusa@a.netcom.com | http://www.compaq.com | http://www.dell.com | http://www.pc.digital.com |
| Inquiry number | 1061 | 1062 | 1063 | 1064 | 1065 | 1066 | 1067 | 1068 |



BYTE

✓ = yes;

N/A = not applicable.

INP = information not provided by vendor

Warranty: P = parts; L = labor;

F = freight to repair center; R = return to customer.

| Gateway 2000 Solo S5-133 | Hewlett-Packard Co. HP OmniBook 5500 CTS | IBM Corp. ThinkPad 760ED | Impulse Computer Corp. Impulse Duonote | Micro- International, Inc. Mint 5200 | NEC Technologies Inc. NEC Versa 6030H | Nimantics Inc. Quanta 6x 133 | Sceptre Technologies, Inc. Soundx Series 4000 | Texas Instruments, Inc. Extensa 570 CDT | Toshiba America Information Systems, Inc. Tecra 500CDT | WinBook Corp. WinBook FX |
|-----------------------------------|---|-----------------------------------|--|---|---|---------------------------------------|---|---|--|-----------------------------------|
| \$5599 | \$6120 | \$6999 | \$4599 | \$2000 | \$5799 | \$2999 | \$4995 | \$2999 | \$4999 | \$3999 |
| \$5599 | \$6120 | \$6999 | \$4899 | \$3600 | \$5799 | \$3999 | \$5679 | \$2999 | \$4999 | \$3999 |
| 761 | 793 | 780 | 826 | 716 | 852 | 784 | 746 | 793 | 830 | 842 |
| 73 | 77 | 70 | 85 | 77 | 80 | 86 | 72 | 76 | 82 | 84 |
| 8.0 | 8.9 | 8.8 | 8.4 | 7.9 | 8.6 | 8.4 | 8.0 | 7.9 | 8.2 | 8.3 |
| 8.1 | 8.8 | 8.1 | 8.8 | 6.9 | 9.4 | 6.9 | 8.1 | 8.8 | 9.4 | 8.4 |
| 3.4 | 2.4 | 3.2 | 2.7 | 0.7 | 2.5 | 2.5 | 2.5 | 2.2 | 3.0 | 2.6 |
| Intel Pentium 133 | Intel Pentium 133 | Intel Pentium 133 | Intel Mobile Pentium 133 | Intel Pentium 166 | Intel Pentium 133 | Intel Pentium 133 | Intel Pentium 133 | Intel P54C100 | Intel P54CLSM 120 | Intel Pentium 133 |
| 2.9 | 2.9 | 3 | 2.9 | 3.3 | 2.9 | 3.3 | 2.9 | 2.9 | 2.9 | 3.1 |
| 40/40/60 or 70 | 16/64/70 | 16/80/70 | 16/48/60 | 8/32/60 | 16/40/70 | 16/40/60 | 16/40/70 | 8/40/70 | 16/144/60 | 16/40/70 |
| Synchronous DRAM | Fast-paged | EDO DRAM | EDO | EDO | Fast-paged | DRAM | EDO | Fast-paged | Paged | EDO |
| 256/9 | 256/15 | 256/8 | 32/8 | 256/60 | 256/8 | 256/60 | 256/60 | 256/15 | 256/8 | 256/8 |
| Intel | SystemSoft | IBM | SystemSoft | SystemSoft | Phoenix/NEC | SystemSoft | Phoenix | Phoenix | Toshiba | Phoenix |
| Chips & Technologies 65548 | Chips & Technologies 65548 | Trident Cyber 9385 | Chips & Technologies 65548 | Cirrus Logic GD7543 | Chips & Technologies 65548 | Chips & Technologies 65548 | NeoMagic 2070 and 2096 | Cirrus Logic GD7543 | Chips & Technologies 65550 | Cirrus Logic GD7543 |
| 11.3 | 12.1 | 12.1 | 11.3 | 12.1 | 12.1 | 12.1 | 12.1 | 10.4 | 12.1 | 11.3 |
| Active-matrix | Active-matrix | Active-matrix | Active-matrix | Active-matrix | Active-matrix | Active-matrix | Active-matrix | Active-matrix | Active-matrix | Active-matrix |
| 800 x 600/256 | 800 x 600/65,536 | 800 x 600/256 | 800 x 600/65,536 | 800 x 600/65,536 | 800 x 600/65,536 | 800 x 600/65,536 | 800 x 600/256 | 800 x 600/16,000 | 800 x 600/16,000 | 800 x 600/65,536 |
| 1/16 | 1/32 | 2/64 | 1/21 | 2/32 | 2/64 | 2/64 | 1/32 | 1/32 | 2/32 | 1/32 |
| Synchronous DRAM | EDO | VRAM | VRAM | DRAM | Burst-mode EDO | VRAM | EDO DRAM | DRAM | EDODRAM- burst mode | DRAM |
| VL-Bus | PCI | PCI | PCI | PCI | PCI | PCI | PCI | PCI | PCI | PCI |
| 1024 x 768/256 | 1024 x 768/256 | 1280 x 1024/256 | 1024 x 768/256 | 1024 x 768/256 | 1024 x 768/65,536 | 1024 x 768/65,536 | 1024 x 768/256 | 1024 x 768/256 | 1280 x 1024/256 | 1024 x 768/256 |
| 2 x 11.8 x 8.8 x 6.7 | 11.6 x 8.9 x 1.93 x 7 | 11.7 x 8.3 x 2.14 x 738 | 1.5 x 8.5 x 11 x 6.5 | 2.1 x 11.8 x 8.9 x 9 | 2.1 x 11.7 x 9.5 x 8.5 | 2 x 11.9 x 7.6 x 7.5 | 1.04 x 11.7 x 8.9 x 6.8 | 2.2 x 9 x 11.6 x 8.9 | 2.28 x 11.77 x 9.25 x 8.2 | 2.15 x 11.3 x 8.98 x 6.8 |
| Lithium-ion | Lithium-ion | Lithium-ion | Lithium-ion | NiMH | Lithium-ion | Lithium-ion | Lithium-ion | NiMH | Lithium-ion | Lithium-ion |
| ✓ | ✓ | ✓ | ✓ (suspend mode) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| IBM | IBMDPRA-21215 | IBM | Fujitsu MK-2714T | Toshiba MK-2101MAN | IBM | Toshiba MK-2720FC | IBMDSOA-21080 | Hitachi DK-212A-81 | Toshiba MK-1301MAV | Toshiba MK-2720FC |
| EIDE | IDE | IDE | IDE | EIDE | EIDE | IDE | PCI EIDE | IDE | EIDE | PCI EIDE |
| 84 | INP | 256 | 128 | 32 | Included in Intel's Mobile TriDin chip set | 128 | 45 | INP | 16 | 125 |
| 2000/12 | 2000/13 | 1200/12 | 1088/12 | 2100/13 | 1440/13 | 2100/30 | 1080/13 | 1200/16 | 2500/13 | 1300/13 |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 16550 | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 | 16550 |
| Enhanced | Enhanced | Enhanced | Enhanced, extended, selectable | Enhanced, extended, selectable | Enhanced | Enhanced, extended, selectable | Enhanced | Selectable | INP | Enhanced, extended, selectable |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Touchpad | Trackball | Pointing stick | Touchpad | Touchpad | Touchpad | Touchpad | Touchpad | Touchpad | Pointing stick | Pointing stick or touchpad |
| 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/2 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III | 2 Type II/1 Type III |
| ESS 1688 | Crystal CS 33242 | INP | ESS 1688 | ESS 1688 | Sound Blaster 16 | ESS 1688 | ESS 1688 | ESS 1688 | Crystal | Creative Labs |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | N/A/N/A | Included/included | /optional | Optional/optional | Included/included | Optional/optional | Optional/optional | Optional/optional | N/A/N/A | Included/included |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓/\$150 | ✓/\$699 | ✓/\$499 | ✓/Included | ✓/\$200 | ✓/\$189 | ✓/\$249 | ✓/\$699 | ✓/\$138 | NoteBook Enhanced Port Replicator/\$599 | ✓/\$949 |
| 0/0 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 | 0/2 | 1/2 | INP/3 | 0/0 |
| 0/0 | 0/0 | 0/0 | 0/0 | 1/0 | 1/2 | 0/0 | 1/1 | 1/0 | 0/1 | 0/0 |
| 1/PLR | 3/PLR | 3/PLR | 3/PLR | 1/PLR | 3/PLR | 1/PLR | 1/PLR | 1/PLR | 3/PL | 1/PLR |
| (605) 232-2000 | Call local Hewlett-Packard dealer | (914) 768-1900 | (905) 858-3000 | (713) 495-9096 | (509) 254-8000 | (714) 573-4030 | (818) 369-3696 | Call local Texas Instruments dealer | (714) 583-3000 | N/A |
| (800) 846-2000 | (800) 443-1254 | (800) 772-2227 | (800) 688-1111 | (800) 987-5687 | (800) 393-8888 | (800) 888-2671 | (800) 788-2678 | (800) 848-3927 | (800) 457-7777 | (800) 468-2162 |
| http://www.gw2k.com | http://www.hp.com | http://www.pc.ibm.com | http://www.impulse.ca | http://www.pcmint.com | http://www.nec.com | http://www.nimantics.com | http://www.sceptretech.com | http://www.ti.com | http://computers.toshiba.com | N/A |
| 1069 | 1070 | 1071 | 1072 | 1073 | 1074 | 1075 | 1076 | 1077 | 1078 | 1079 |

Running on NT

Is Microsoft's Windows NT 4.0 the answer to our OS prayers or just a set of incremental improvements?

By Robert L. Hummel

Without any fanfare, Microsoft has released the long-awaited upgrade to its high-end workstation and server OS products: Windows NT 4.0 Workstation and Server. In contrast to the pop-rock launch for the consumer-oriented Windows 95, Microsoft is aiming NT 4.0 squarely at business users. And with an impressive list of features and performance improvements, NT appears to hit its target.

NT 4.0 seems to promise something for everyone. For Windows 3.x users who want more reason to upgrade than just the pretty face of Win 95, NT 4.0 adds an alluring combination of stability and security. Users get a performance boost, a wide range of new and better features, and enhanced Internet connectivity.

The sweeping changes made to NT 4.0 touch nearly every service and aspect of the OS. It's easy to see signs of upgrades in the interface, management tools, Internet and networking capabilities, programming interfaces, and performance.

Performance

We've had beta versions of the new NT in the BYTE lab for a while. However, it wasn't until Microsoft handed us the final release code—barely in time to make this issue—and we did some real-world testing with the actual OS that we could determine how well NT's performance matches its promotion.

The features table and performance charts on pages 128 and 129 summarize our findings. Except where noted, performance results are for NT 4.0 Workstation. We focused more heavily on Workstation because, to users of Windows 3.x, the target audience for the upgrade, it's unfamiliar. In contrast, those users interested in NT Server are likely already familiar

with NT's capabilities from their experience with version 3.51.

We configured three mainstream systems for testing: a Gateway Pentium-133 with 64 MB of RAM, a Gateway Pentium Pro-150 with 64 MB, and a Cyrix 6x86-P200 with 32 MB. The hard disks in the Gateway systems were connected to the system boards' IDE interface. The Cyrix system used an Adaptec AHA-2940 SCSI adapter and a SCSI hard drive.

Each system was equipped with a PCI-based Matrox Millennium video adapter configured for 1024- by 768-pixel reso-

lution with 256 colors. Matrox supplied video drivers for Win 95 and NT 3.51, and we used the Microsoft video driver that comes with NT 4.0.

To evaluate performance, we used the new SYSmark/32 1.0 benchmark for Win 95 and NT platforms. This test measures performance in six categories by executing scripts that run eight real-world applications: Adobe PageMaker 6.0, CorelDraw 6.0, Lotus Freelance 96, Lotus WordPro 96, Microsoft Excel 7.0, PowerPoint 7.0, Word 7.0, and Paradox 7.0.

The results of this first round of tests (see the benchmark charts on page 128) show a clear trend: NT Workstation 4.0 outperforms both NT 3.51 and Win 95.

On the Cyrix system, however, we discovered that a change made to the NT code just before final release produced some surprising results (see the text box "NT 4.0 Bogs Down on Cyrix 6x86" on page 128 for more information).

On the Pentium system, NT 4.0 bested Win 95 in all categories, delivering an average 12 percent performance increase. NT 4.0 showed a stunning improvement of 49 percent in the graphics test and 33 percent in desktop publishing. Microsoft's decision to move the display and print drivers into the kernel (see the Tech Focus on page 130) and its attention to optimization have clearly paid off.


The improvement over NT 3.51 averaged 30 percent. We attribute this seemingly high score to a 45 percent increase in word processing scores and a 40 percent increase in spreadsheet scores, results that are due to the poor performance of 3.51, which fell below that of Win 95 in those categories.

BYTE'S TAKE

W I N D O W S N T 4 . 0

A new (Windows 95) interface, Internet support, and distributed object technology make NT 4.0 worth buying, despite the installation hassles caused by its numerous hardware and software incompatibilities.

Upgrade: The Roads to 4.0



Upgrading to NT 4.0 from other versions of Windows can be a low-cost, easy job or an expensive nightmare requiring you to replace much of your hardware and software.

and new Server versions of NT using a SQL server benchmark developed by NSTL (see "Powerhouse Pentium Pro Servers," September BYTE, for test details). Running Microsoft SQL Server 6.5 under both versions of NT Server on a four-processor, 200-MHz ALR Revolution Quad6, we noted a 5 percent overall performance increase under NT 4.0 Server when testing with up to 16 users. The test is CPU- and

memory-intensive and doesn't measure I/O performance.

Interface and Management

Surely the most prominent change to NT 4.0 is the addition of the Win 95 user interface. Present are the familiar Start button, Taskbar, Shortcuts, Network Neighborhood, and My Computer. Also included is Windows NT Explorer, which

provides a hierarchical view of each drive and folder, including network drives.

Desktop management should get easier for system administrators as well. NT's User Profiles and System Policies provide a convenient means to control access to network and desktop resources. System policies help administrators to standardize desktop configurations and enforce behavior. And you can store roaming us-

ers' profiles on an NT server so that users always receive the same desktop, regardless of their location.

Internet Operability

If Internet immersion is the name of the game, then Microsoft is playing for keeps. NT 4.0 includes Internet Explorer (IE) 2.0, Microsoft's Web browser. (Unfortunately, Microsoft released a much-improved version, IE 3.0, shortly after NT 4.0 shipped—too late to make it onto the NT 4.0 CD-ROM.) IE supports existing Hypertext Markup Language (HTML) standards, such as tables, while also incorporating extensions for in-line sound and video, background Secure Sockets Layer (SSL) support, and support for Internet shopping applications.

On NT Server, Internet Information Server (IIS) has been upgraded to version 2.0. Features include easier setup, administration from a Web browser, and support for Systems Management Server (SMS) as well as SNMP administration tools. Microsoft claims that IIS 2.0 is 40 percent faster than the previous version.

Peer Web Services (PWS), a subset of IIS Workstation, enables any user to publish personal Web pages over a corporate intranet. PWS also offers a platform on which to develop and test Web applications. While much more modest than IIS in resource requirements, PWS provides all ISAPI extensions and filters and is integrated into the NT security model.


Networking Enhancements

NT Workstation now has an improved version of Client Services for NetWare that supports NetWare Directory Service (NDS). This enables NT users to log in to NetWare 4.x servers running NDS and access files and print resources. It's integrated into NT and offers NDS authentication, browsing and print capability, and full support for NetWare log-in scripts, property pages, and NDS passwords.

The Point-to-Point Tunneling Protocol (PPTP) is an open standard that allows you to use the Internet, or other public carriers, to provide secure connectivity between remote clients and public networks. It also provides the basis for Microsoft's Virtual Private Network (VPN) technology.

Using PPTP, remote users can dial into a local Internet provider and tunnel into their corporate network, seeing the same security and features found on their pri-

NT 4.0 SYSmark/32 Performance (Workstation only)



NT 4.0 Bogs Down on Cyrix 6x86

In testing the final-release candidate of NT Workstation 4.0, BYTE discovered a performance discrepancy when running the software on a Cyrix 6x86-based PC. While running the BAPCo SYSmark/32 suite of 32-bit Windows applications, we noticed a slowdown of 31 percent in the final version of NT 4.0 that was released to manufacturing, compared to the previous release candidate. In both cases, BYTE tested NT on the same PC, which uses the Cyrix 6x86-P200+ running at 150 MHz (see the charts above).

Intel-based PCs running the same NT beta software did not exhibit such a performance decrease from one NT beta to the next. Additionally, NT 4.0 running on the same Pentium system ran the SYSmark/32 applications suite an average of 30 percent faster than NT 3.51, and 12 percent faster than Windows 95. Pentium Pros ran NT 4.0 26 percent faster than NT 3.51, and 28 percent faster than Win 95. The Cyrix 6x86, on the other hand, ran NT 4.0 16 percent slower than NT 3.51, and 24 percent slower than Win 95.

Microsoft added code to NT to change the way it runs on Cyrix-based PCs. Phil Holden, a product manager in Microsoft's Desktop & Business Systems Division, confirmed these changes were made to make NT more stable on the Cyrix platform. This may be the source of the application's performance slowdown. BYTE will have a full report next month.

—Dave Andrews

vate network. From the user's perspective, the physical connection path is irrelevant; the VPN tunnel encapsulates all data in IP packets. VPN supports all the major network protocols, including TCP/IP, IPX/SPX, and NetBEUI.

The updated version of Dial-Up Networking now provides *channel aggregation*, the ability to combine the bandwidth of all available dial-up lines to achieve higher transfer speeds. For example, you can combine two PPP-compliant ISDN B channels or two standard modem lines to double the effective bandwidth. You can also mix ISDN lines with standard analog modem lines.

Two NT server services, Windows Internet Name Service (WINS) and Domain Name System (DNS), have been combined to provide a form of dynamic DNS. Users can enter fully qualified DNS domain names, making it easier to connect to system resources.

NT now supports the Windows Messaging Client, a universal e-mail inbox that includes drivers for Internet and Microsoft mail. Internet support includes the ability to exchange mail over any network with SMTP or Post Office Protocol 3 (POP3) services. Messaging Client includes full MAPI 1.0 support, allowing you to send, receive, organize, and store e-mail and file-system objects.

Network OLE, which is now dubbed Distributed Component Object Model (DCOM), is a step closer to reality in this release. DCOM, a system of software objects designed to be reusable and replaceable, in theory allows you to distribute processes across multiple computers by providing the object-based communications infrastructure. NT 4.0 supports DCOM by hiding the details of application pointers from both the application and the object.

New APIs

NT 4.0 now supports several new or updated APIs. For example, a set of encryption APIs lets developers create applications that work securely over nonsecure networks, such as the Internet.

For instance, Telephony API (TAPI) provides a platform for developing end-user computer telephony and communications applications. TAPI abstracts a wide array of telephone hardware and services, providing a standard programming interface. TAPI hides the actual details of a phone connection from an application in

| F E A T U R E S | | | |
|---|-----------------|-----------------------------|---------|
| | WIN 95 | NT 4.0 | NT 3.51 |
| Minimum/recommended RAM | 8/16 | 16/32 | 12/16 |
| Typical disk space required (MB) | 40 | 120 | 90 |
| Minimum x86 processor | 386 | 486 | 386 |
| Runs on PowerPC-, Mips-, and DEC Alpha AXP-based RISC systems | ✓ | ✓ | ✓ |
| 486 emulator for RISC machines | N/A | ✓ | |
| Scalable: supports multiprocessor configurations | | ✓ | ✓ |
| Automatic upgrade path to NT 4.0 | | N/A | ✓ |
| Windows 95-style GUI | ✓ | ✓ | |
| Windows Explorer file browser | ✓ | ✓ | |
| Plug and Play dynamic configuration | ✓ | (Can use hardware profiles) | |
| Dynamic PC Card support | ✓ | | |
| Power management | ✓ | | |
| System policies to provide centralized control over desktop configuration | ✓ | ✓ | |
| DCOM support | | ✓ | |
| NTFS support | | ✓ | ✓ |
| File compression | VFAT | NTFS | NTFS |
| Peer-to-peer networking | ✓ | ✓ | ✓ |
| Peer Web Services | | ✓ | |
| Windows Internet Name Service | | ✓ | |
| Client-side NDS support | ✓ | ✓ | |
| PPTP support | | ✓ | |
| Multilink PPP connections with channel aggregation | | ✓ | |
| Multimedia API support (DirectPlay, DirectDraw, DirectSound, DirectInput) | ✓ | ✓ | |
| OpenGL 3-D graphics libraries | ✓ | ✓ | ✓ |
| Direct3D | ✓ | | |
| Telephony APIs | ✓ (version 1.4) | ✓ (version 2.0) | |
| Cryptography APIs | | ✓ | |
| ✓ = yes; N/A = not applicable. | | | |

the same way that a network relieves an application from knowing the physical location of a printer.

NT 4.0 now supports the multimedia APIs introduced in Win 95. DirectDraw provides a device-independent way to access display-dependent features, such as memory, bit block transfer, and color decompression. It also enables digital video playback by taking advantage of the various types of hardware support avail-

able on video adapters, such as video stretching.

DirectInput offers joystick support and control. The DirectPlay API provides simplified access to communications protocols and on-line services for games. The DirectSound API provides direct control of audio hardware and is designed to enable 3-D audio support in games. Under NT 4.0, however, DirectSound is emulated, and calls get translated to existing Win32 API calls at run time.

R A T I N G S

| | |
|----------------|---------|
| TECHNOLOGY | ★ ★ ★ |
| IMPLEMENTATION | ★ ★ ★ ★ |
| PERFORMANCE | ★ ★ ★ ★ |

able on video adapters, such as video stretching.

Support for these multimedia APIs will

Shortcomings

The Plug and Play (PnP) philosophy states that your computer, add-in hardware, and software should work together without user intervention to configure themselves and resolve any conflicts. It's a noble goal, but it's one that NT doesn't yet reach in this release.

As partial compensation, NT supports hardware profiles, allowing users to select from a list of known configurations (e.g., docked and undocked configurations for a notebook computer). Profile variables might include video resolution, network cards, and client services.

Other aspects of PnP can cause problems when you're installing NT 4.0. Interrupt-request (IRQ) and I/O-address conflicts between hardware components that Win 95 resolved, for instance, often stopped our NT installation in its tracks. Whether or not you're using PnP periph-

TECH FOCUS

ARCHITECTURE

erals, make sure that you know the I/O-address and IRQ requirements for your hardware and have your jumper settings or configuration software and driver disks handy before you begin installation.

Caching disk controllers can also be a problem under NT because a reboot or a power failure could occur before the cache is flushed. Support for caching is limited to the DPT or IBM SCSI adapters for which drivers exist. However, you can use other controllers in write-through mode or with caching disabled.

It's reasonable to expect that some older, obsolete hardware won't be supported in a new OS release. However, NT 4.0 lacks support for wave-table sound on current Sound Blaster PnP sound cards. Support for the ATAPI CD-ROM interfaces on these cards is also nonexistent. Before you plunge into an upgrade, be sure to check out the latest hardware compatibility list at Microsoft's Web site (<http://www.microsoft.com/hwdev>).

In general, applications that attempt to access hardware directly won't work. This includes software to control sound cards, video cards, scanners, and so on. In addition, NT doesn't support virtual device drivers (VxDs), so a lot of multimedia applications, games, and memory management utilities won't work. Other applications may fail due to poor programming practices; for instance, they may refuse to install under NT instead of checking whether the required services are available.

Users of Win 95 might be disappointed that there is no automatic upgrade path to NT 4.0. Microsoft attributes this to differences in registry architectures between the two products and assigns partial blame to applications that store files in different places on the two systems. Installing NT 4.0 on a Win 95 system requires that you install to a new directory and then reinstall all your appli-

PRODUCT INFORMATION

Windows NT 4.0

Workstation: \$319; upgrade, \$149.

Server: five-user license, \$809; 10-user license, \$1129; upgrade from 3.x, \$409 (for first 90 days).

Requires 486 (or higher), Alpha, or other supported RISC chip

Microsoft Corp.

Redmond, WA

(206) 882-8080

fax: (206) 936-7329

<http://www.microsoft.com>

Circle 1081 on Inquiry Card.

Getting to the Kernel: Is NT Still Safe?

To improve NT 4.0's performance, Microsoft moved some of the OS's most critical processes closer to the unprotected code of the microprocessor. Now NT's Graphical Device Interface (GDI)—which handles all writing to the screen—is in the NT Executive; this gives it Ring 0 status and potential access to important system-data structures. Ring 0 is one of the Intel processors' four protection modes, in which OSes typically run trusted or performance-sensitive kernel-level processes, such as file management and keyboard input.

This move raised concern that NT would be less stable and more likely to crash. We seriously considered trying to prove or disprove the point by trying to "break" NT 4.0 with older video cards and drivers. But we quickly realized that such tests would take a lot of work to prove what we already know from analysis: NT 4.0's stability will not be substantially affected by the Ring 0 change.

The real issue is—and always has been—unruly or buggy device drivers. Essentially, they have always been part of the OS and have had low-level control of the CPU. Bad ones will crash NT 4.0, just as they've brought all its predecessors to their knees. Microsoft is trying to steer people away from risky behavior by telling them to use only hardware that's on a Microsoft-approved list. A product's placement on the list means that Microsoft has written and debugged its device driver.

Admittedly, this smacks of a smug solution that serves to place the onus on users while requiring them, in some cases, to buy new hardware when they upgrade to NT 4.0. But again, the same was true with previous versions of NT. We think most corporate buyers of NT are not likely to stumble blindly into hardware conflicts, especially with their mission-critical servers.

It's true that when NT's GDI wasn't in the kernel's memory space, a crash theoretically was more likely to freeze only the screen, leaving background processes intact. We haven't heard of this ever happening, however. Besides, rebooting would be inevitable, since at some point the user would need access to screen output.

Finally, some nervousness about the GDI move to the NT kernel derives from a misunderstanding about what Ring 0 status means. It does not mean that a process has carte blanche to write anywhere in memory that it pleases. Rules exist, but poorly written or malicious drivers have always been able to ignore them.

—Eds.

cations. For advice on the issues and procedures involved, check Microsoft's upgrade paper at <http://www.microsoft.com/ntworkstation/95tontw.htm>. For an overview of the upgrade process, along with the possible paths and pitfalls, see the figure "Upgrade: The Roads to NT 4.0" on page 127.

Windows' perennial lack of driver support continues to plague this release of NT (by comparison, Win 95 supports approximately 1000 more drivers than NT does). Categories in which NT falls short include video, audio, and PC Card subsystems. The Win32 Driver Model (WDM) is being advanced to address this problem by providing a common set of I/O services and binary-compatible device drivers for future versions of NT and 95.

Finally, if you have been running NT on a 386-based system, Microsoft has a message for you: It's time for you to stop. Performance considerations aside, NT 4.0 is now coded to require a 486 or higher

processor to run on x86-based systems.

Within the limits of the NT architecture, Microsoft has done a good job of supporting hardware peripherals. NT 4.0 recognizes and configures itself automatically for a greater variety of hardware during installation than version 3.51 does. And Microsoft has provided new NT 4.0-style drivers for a wide range of printers and video systems.

There's no doubt that NT 4.0 has a slick interface, powerful features, and raw performance. The more important question is whether it will work with your hardware and software. You'll have to answer those questions yourself, mainly through trial and error. But all in all, NT 4.0's better performance and greater feature set are adequate compensation for any upgrade troubles. **E**

Robert L. Hummel is a computer programmer, consultant, and author. You can reach him at rhummel@monad.net or at editors@bix.com.

Let Microway build your next Graphics Workstation,
Web Server or Personal Supercomputer using

The fastest motherboard on the planet...

500 MHz, 1 GigaFlop

It's a Screamer™

The Microway family of "Screamer" motherboards utilizes the fastest processor to hit the workstation market in the last ten years! The DEC Alpha 21164 not only blows away all other CPUs, but has the VLSI support needed to build memory systems that take full advantage of its numeric speed. Microway Alpha based products set a new standard in price/performance for workstations. The 433/500 MHz Alpha is a clear winner in both the numerics and integer processing arenas. With its ability to issue four pipelined instructions per cycle, the 21164 hits peak speeds of 2000 MOPS. Common numeric operations, such as dot products, peak at a mind-boggling, on-chip throughput of 1 gigaflop! This results in Linpack ratings that go from 150 to 600+ mflops (as vector lengths increase) and scalar rates of 160 to 300 mflops. Systems priced from \$5995 for 300 MHz.

Memory, Cache, PCI . . .

The biggest challenge to running numeric intensive code on CPUs clocked over 200 MHz is building a cache/memory subsystem capable of keeping up with the CPU's numeric units. The 21164's Harvard architecture starts with two 32 deep 64-bit register files, followed by two 8K primary caches and an internal 96K cache. The 21164's external 128-bit data bus gets fed by 2 to 8 MB of Bcache built with 9ns SRAMs. The 256-bit wide interleaved memory subsystem that backs up the Bcache can hold up to 512 MB of DRAM. The coupe de grace is the Screamer's PCI bus interface, which can accommodate both 32- and 64-bit PCI add-in cards. The Screamer is the biggest numeric winner Microway has introduced since we made it possible to run an 8087 in the IBM-PC in 1982!

A motherboard by itself does not a system make.

Microway adds the operating systems and compilers you need to put the 21164 to work. These include NT, Linux, DEC UNIX and OpenVMS, which now run thousands of applications including AutoCad, Excel and Word. The Screamer and Microway's NDP Fortran, C/C++ and Pascal compilers are available to both OEMs and end users.

DEC, Alpha, OpenVMS and DEC UNIX TM Digital.
NT, Excel and Word TM Microsoft. AutoCad TM Auto Desk.
Screamer, NDP Fortran and Microway TM Microway.



And more . . .

Microway also designs DSP cards based on the i860, personal SuperComputers that run up to 24 i860's, Alpha add-in cards and 32-bit globally optimized, RISC-scheduled compilers for the Alpha, Pentium and i860; running on DOS, OS/2, UNIX, Linux, NT, DEC UNIX and


OpenVMS. Whether you are an end user or an OEM, our technical staff will gladly configure the correct solution. Since 1982, Microway has earned a solid reputation for designing state-of-the-art products and following up with excellent technical support.

Technology You Can Count On

Microway®

Corporate Headquarters: Research Park, Box 79, Kingston, MA 02364 USA • TEL 508-746-7341 • FAX 508-746-4678
<http://www.microway.com> • info@microway.com • France 33 146229988 • Germany 49 6997650000 • India 91 806637770
• Italy 39 24984655 • Italy 39 27490749 • Japan 81 6 459 3113 • Poland 48 22 487 172 • United Kingdom 44 1815415466

radical technology embedded



New 33MHz Intel386™ EX
embedded processor



QNX RTOS with
Photon microGUI™

QNX
The Leading Realtime OS for PCs

New RadiSys R380EX
system controller



The New EXPLR2: All the hottest embedded technologies on one handy eval board!



Combine the latest products from the leaders in embedded PC technology and what do you get? Faster time-to-market. More functionality with less hardware. A longer production life for your product. And a lot less work.

Intel's EXPLR2 makes your design work easy. All the hardware you need is fully integrated, so you can start prototyping right away.

Just cut and paste to create your custom system. QNX, the realtime OS that delivers high-end performance, even on low-cost hardware, gives you a POSIX-certified environment and a full-featured GUI in under 1MB of memory!

The EXPLR2 comes with something else. Commitment. With their long-term commitment to embedded applications, Intel, RadiSys, and QNX Software Systems are the right companies to give your designs a real future. **Radical!**

For your free reference design kit,
surf: **www.explr2.com**
or call: **800 862-1883**
(to order a board, contact your Intel distributor)

Circle 153 on Inquiry Card.

Intel and Intel386 are registered trademarks of Intel Corporation.
QNX is a registered trademark and Photon microGUI is a trademark of QNX Software Systems Ltd.
RadiSys is a registered trademark of RadiSys Corporation.

Web Project



Web Surveys

*Helpful techniques
for Web-based data
collection and analysis.*

The BYTE Site is, among other things, a giant survey application. Each of its 6000+ archive pages presents a link to a feedback form. Or rather, as I explained last October (<http://www.byte.com/art/9510/sec9/art1.htm>), to a script that generates a form that's customized for each article. Recently, I began harvesting this data to answer questions like "How highly do site visitors rate State of the Art articles?" and "How often do site visitors say they read BYTE magazine?" We've also run Web surveys to ask visitors about their experiences with ISDN, assessment of uninterruptible power supplies (UPSes), and OS preferences.

Along the way, I've refined the techniques and tools I use to capture, store, and analyze survey data. I hope you'll find them useful for surveys and other kinds of Web-based data collection and analysis.

The Form

I tend to bail out when confronted by a sprawling multipart Web form, and I assume you do, too. So I try to make my own forms as concise as possible—ideally, just a single screen. The most effective space-saving device is the Hypertext Markup Language (HTML) `<select>` tag. The drop-down lists that it creates ask multiple-choice questions far more compactly than arrays of radio buttons or checkboxes can. Forms built with drop-down lists render more quickly. Browsers tend to struggle when given too many discrete form elements.

While I prefer the drop-down list, two circumstances militate against its use: multiple selection and no sensible default.

<http://www.byte.com/>

Web Project Conference

One Form, Many Uses

① The survey form is read by a Perl script . . .

② . . . that produces two script outputs.

③ `os.pl` is a Perl script that logs survey responses.

④ `os.sql` is a SQL script that creates a database.

Underlying SQL

```
create table os
(id integer,
email char(60))
```

| id | e-mail |
|----|--------|
| | |
| | |

Underlying HTML

```
<form action="os.pl">
<input type="text"
name="email"
dbtype="char(60)".
```

Underlying PERL

```
require 'cgi-lib.pl';
foreach $key (keys %input)
{print SVY "$key",
$input{$key}';}
```

001.svy

002.svy

003.svy

```
%record=(
'name','John Smith',
'email','jsmith@smith.com');
```

`sqlload.pl`

④ This Perl script reads logged responses and populates the database.

| id | e-mail |
|------------|-------------------|
| John Smith | jsmith@reader.com |
| | |

BENEFITS

- Record field names in one place: the HTML form.
- Automatically generate the Perl CGI script that processes the form.
- Automatically generate the SQL script that creates the database.
- Reuse the script that loads the database.

The `<select>` tag does, of course, support multiple selection. You simply add the attribute `multiple="yes."` However, a multiselect drop-down list looks the same as a single-select one. No visual cues tell you that multiple selection is available or that Ctrl-click is the way to operate it. Explaining these things chews up screen space. If the number of choices is not too large, you may be better off with a self-explanatory set of checkboxes.

Without a sensible default choice, there's a similar trade-off between a drop-down list and checkboxes. A drop-down list always returns a value; a checkbox set may not. To differentiate a passive "no reply" choice from a drop-down list's active choices, you have to encode it explicitly as the default choice. You can use that item to document the drop-down list (e.g., "multiselect from below"). Still, I'm never quite comfortable with the semantic inconsistency of this approach. Again, you need to weigh the compactness of the drop-down list against the elegance of a checkbox set.


To lay out your forms, you can use an HTML editor, or you can just clone an existing form and tweak it with a text editor. I do the latter; HTML widgets are really quite simple. To simplify layout, I enclose elements between a `<pre>...</pre>` tag pair that specifies monospacing and hard newlines. Within this preformatted region, you can still use `` (bold), `` (italic), or even Netscape `` tags to clarify the organization of the form.

The Database

For surveys and other data-collection applications, there's no reason to wire the form directly to a database unless you need the information available in real time. Dumping records into structured text files is a simple, low-overhead, and highly effective solution. For example, the BYTE on-line archive logs feedback as a set of files, each containing a single ASCII-delimited record. The concatenation of this set of files forms a database import file.

When I began harvesting this data, though, I ran into a few limitations. The import records weren't self-descriptive—that is, they didn't carry field names along with values. Lacking names, an import tool must rely on an ordering of fields defined elsewhere. Many import tools allow a special first row of field names. But including such a row in each record

BOOKNOTE



World Wide Web Database Programming for Windows NT (\$39.95)

by Brian Jepson
John Wiley and Sons

<http://www.wiley.com/compbooks/>
A great Perl-oriented tutorial for NT-based Web developers.

wouldn't solve another problem—poor handling of multiline text data.

The surveys I run usually ask both quantitative questions ("How much did your ISDN installation cost?") and qualitative ones ("What was your ISDN experience like?"). No one tool is best suited to analysis of these two very different types of data. You want a relational database or statistics package for the quantitative data and a text database (possibly a searchable HTML archive) for the qualitative data. How can you store information destined for either or both of these repositories? I've settled on a text representation of a Perl associative array:

```
%record =  
( 'name1'."val1", 'name2'."val2");
```

If you process the form data with a Perl Common Gateway Interface (CGI) script that uses `cgi-lib` (<http://www.bio.cam.ac.uk/cgi-lib/>) or an equivalent library, you're given an in-memory structure of this type. Unfortunately, Perl lacks a primitive function to ASCII-ize such structures, but it's not difficult:

```
foreach $f (keys %record) {  
  s/\\"/\\\\"/g;  
  print RECORD  
  "","$f","\\"."$in{$f}","\\";\n";}
```

As long as you take care to convert double-quote to backslash-double-quote, as shown here, this technique handles multiline text fields nicely.

If the file handle `RECORD` maps to the file `0001.REC`, a subsequent Perl script can parse and reconstitute the `%record` array with the single statement

```
do '0001.REC';
```

What's the point of all this? It's now trivial to write Perl scripts that transform collections of such files into a variety of

database import formats or directly to an HTML textbase. For relational analysis, `sqlload.pl` (<http://www.byte.com/art/download/sqlload.pl>) produces a SQL load file containing a bunch of `INSERT INTO` statements. For textual analysis, I use variants of another script that builds a simple, navigable Web archive.

The Tool

Tools that marry Web forms to databases tend to assume, reasonably enough, that you're acquiring data directly into a database. They typically use templated HTML forms containing triggers that read or write database fields. For a survey, however, it's convenient to separate data collection from database import—particularly when you're building both relational and textual databases from a common data set. Thus, there's no reason to use a template-oriented tool such as Cold Fusion or the Microsoft Internet Information Server (IIS) Internet Database Connector (IDC).

What's more, I've found that these products don't simplify database bookkeeping to the degree I'd like. They assume that you'll build both an HTML template and a corresponding database schema. You end up with two sets of field names that you have to maintain in sync. It's not a big deal, but life's short and I'm lazy, so I wrote `form2db.pl` (<http://www.byte.com/art/download/form2db.pl>) to generate a database schema automatically from an HTML form. This Perl script relies on the fact that browsers will quite happily ignore user-defined HTML attributes. For example, browsers render the input text box described by the following code:

```
<input type="text" name="email"  
dbtype="char (50)">
```

which is the same as

```
<input type="text" name="email">
```


The `dbtype` attribute, which I simply

TOOLWATCH

gnu-win32

(free at: <ftp://ftp.cygnum.com/pub/gnu-win32/latest>)
Cygnum Support
Mountain View, CA
<http://www.cygnum.com>

The gnu tools and libraries—gcc, bash, grep, bison, the lot—for NT (x86 and PowerPC).



EMBRACE THE INTERNET WITH LOTUS NOTES

As the Internet expands and creates new business opportunities, Lotus technologies provide the platform for the integration of the Internet and Intranet into your daily business.

Notes and the Net

We've brought the power of Lotus Notes® to the Internet/Intranet. Only Notes™ Release 4 offers replication, authentication, directory, messaging and security services in a single package – a full set of proven facilities for developing functionally rich business applications, operating across platforms. And now, Notes is the software solution for developing interactive and secure Internet business applications.

Introducing Domino

Domino is code name for the new server technology which transforms Lotus Notes into an interactive Web applications server, allowing any web client to participate in Notes applications securely. Domino bridges the open networking environment of Internet standards and protocols with the powerful application development facilities of Notes. The new Notes server

provides businesses and organizations with the ability to rapidly develop a broad range of business applications for the Internet and Intranet.

...and More

Lotus' InterNotes™ Web Navigator delivers 'Team Surfing'. Much more than just a browsing tool, it's Internet access integrated into the core Notes environment. Features like Web Tours and Recommended Pages allow users to share Internet experiences and resources, thus sharing valuable knowledge and adding to team collaboration.

Other Notes Internet products and services include InterNotes News for managing USENET access, Notes Network Information Center for direct Notes-to-Notes communication, Lotus Notes:Newsstand™ for subscription-based publications over the Internet, and more.

www.lotus.com

For more information on how you can embrace the Internet with Lotus Notes, and to get your copy of Domino, explore Lotus on the World Wide Web at www.lotus.com or call 1-800-828-7086, ext. C177*.



Circle 609 on Inquiry Card
(RESELLERS: 610).

* In Canada, call 1-800-GO-LOTUS. ©1996 Lotus Development Corporation, 55 Cambridge Parkway, Cambridge, MA 02142.
Lotus Notes is a registered trademark and Notes, Lotus Notes:Newsstand and InterNotes are trademarks of Lotus Development Corporation.

Using the Perl 5 ODBC Module

```
use NT::ODBC; $o = new NT::ODBC("DSN=os");

@use_cli = ('use_cli_mac', 'use_cli_os2', 'use_cli_w95',
            'use_cli_nt', 'use_cli_unix', 'use_cli_w3x');
foreach $s (@use_cli, @use_srv) {
    if ($o->sql("select $s, count(*) from $view group by $s") !=
        0) {
        die;
    }
    print "\n": &printData;
}

sub printData {
    local ($data);
    while ($o->fetchrow) {
        foreach $f ($o->field names) {
            $data = $o->data($f); print $data . "\t";
        }
        print "\n";
    }
}
```

invented, means nothing to browsers. However, when I write forms using this attribute, they can double as database schemata. Form2db.pl parses these enhance forms and emits a SQL CREATE statement. Do you have to abandon your HTML editor if you go this route? Not if it's a smart one that knows how to preserve user-defined HTML. Adobe, for example, says PageMill 2.0 will do this.

There's still more mileage to be gotten out of form2db.pl. I've said that I store each record initially as an ASCII-ized Perl associative array. That implies a CGI script, wired to the form, that writes the ASCII file. It's a simple CGI script—so simple, in fact, that form2db.pl can create it automatically. When I wrote the form for our OS survey, for example, I pretended that the script os.pl already existed:

```
<form action="os.pl">
```

When form2db.pl reads this form, it makes the imaginary script real. The single occurrence of the name os in the form tag drives several related processes. It becomes the name of the table created by form2db.pl's SQL CREATE output, the name of the file containing that output, and the name of the subdirectory in which os.pl deposits records. The figure "One Form, Many Uses" on page 133 summarizes these interactions.

The Analysis

In July's ToolWatch, I mentioned iodbc (<ftp://ftp.digex.net/pub/access/psii/iodbc.zip>), a command-line interface to the Open Database Connectivity (ODBC) subsystem on Windows 95 and NT. It's the thinnest-imaginable ODBC wrapper, and therein lies its strength. To load the OS survey data into a database, I used ODBC

Administrator to create a new data source called OS. (The driver was MS Jet 3.0 and the format was .mdb, but I could have used any database supported by ODBC.) I then issued one command to execute the SQL CREATE code written by form2db.pl:

```
iodbc -S OS < os.sql
```

and another to execute the SQL INSERT INTO code written by sqlload.pl:

```
iodbc -S OS < os.load
```

Then I launched iodbc in interactive mode to begin exploring the data set:

```
iodbc -S os
1> select count(*) from os
```

This approach makes me a knuckle-scraping Neanderthal or an avant-garde minimalist, depending on your perspective. I see it the latter way, because I find that operating a full-blown wizard-equipped GUI database can take more time and effort than just typing the small bits of SQL you need. What's more, as you write those SQL statements, you discover patterns—that is, opportunities to parameterize and automate SQL queries.

Perl coupled with iodbc is one way to exploit those opportunities, but it's awkward. Perl has to write SQL statements to a file, invoke iodbc on that file, and then parse iodbc's output. A better solution is odbcpm, a Perl 5 module that makes ODBC SqlExecute and SqlFetch calls directly available to Perl programs. This has two major advantages: The SQL code doesn't have to take a trip through the file system, and its output comes back neatly chunked by row and column.

These two methods are complementary. I use iodbc when first exploring a data set and odbcpm to codify the repeatable pat-

terns that emerge from that exploration. Today, all this happens on my NT systems only because, while ODBC itself is available for Unix, iodbc and odbcpm are not yet available. But the Perl scripts I'm distributing with this article will work fine on Unix, as will the generic SQL code they produce. If you're in need of a lightweight Unix SQL engine to use in conjunction with these, try msqldb (<http://www.bunyip.com/>).

The Methodology

What did our OS survey reveal? Nothing of value, I'm afraid. I got so absorbed in the mechanics of Web-based data collection and analysis that I ignored the most fundamental survey precept. BYTE senior editor Tom R. Halfhill puts it succinctly: "You can't let the studied population select itself." Team OS/2, an international band of OS/2 enthusiasts, drove that point home with a vengeance.

Two days into the survey, analysis showed that usage of the Mac OS, OS/2, Unix, and various Windows flavors—on desktops and servers—was comparable to what many other sources have reported. A few days later, Team OS/2 struck, and OS/2's numbers soared. An Alta Vista search of the Usenet uncovered one cause of the surge—a posting to comp.os.os2.advocacy, which contained the uniform resource locator (URL) of the survey page.

We reported the results in last month's Bits section on page 32. However, please don't quote the three pie charts, which show OS/2's dominance, without also quoting the portion of text showing that an OS survey response was 12 times more likely to come from the Internet domains ibm.com and ibm.net than was a typical BYTE Site visit.

We'll continue to run surveys on The BYTE Site. The anecdotal information we've gathered, for example from the ISDN survey, seems valuable as an indicator of trends and opinions. Quantitative data may have some limited value as well, on subjects charged with less religious fervor. However, we won't put much stock in the numbers until we can invite true random samples of participants, probably from a (yet-to-be-developed) site-registration database. For that valuable lesson learned, we have Team OS/2 to thank. ■

Jon Udell is BYTE's executive editor for new media. You can contact him at jon_u@dev5.byte.com.

Siemens Nixdorf's ComUnity aims to turn Visual Basic 4.0 into a client/server environment but falls short. By Volker Weber and Hans-Jochen Schmitt

Enterprise Visual Basic? Almost...

Although Microsoft markets the Enterprise Edition of Visual Basic 4.0 (VB 4) as an enterprise-level client/server tool, the product still lacks the high-level business-logic tools of such client/server mainstays as PowerBuilder.

Now, along comes Siemens Nixdorf, the German computer company, with a major effort to provide an overarching framework for client/server development that exploits VB 4's open programmable objects. Called ComUnity, the framework prescribes how to build distributed client/server applications. The related development environment is called the Open Technology (OT) Framework, which in its first incarnation works with VB 4. Siemens Nixdorf plans to port it to other languages, including C++. Our examination of a beta version revealed an ambitious product that nonetheless falls well short of its goals.


Members of the ComUnity

ComUnity consists of a three-layer application model that comprises a Presentation Layer, a Business Logic Layer, and a Database Layer (see the Tech Focus figure on page 150). This model, like other three-tier architectures, offers advantages in scalability, usability, maintenance, and performance compared to monolithic applications. You can distribute the layers across a network, with the Presentation Layer on users' desktop com-

| RATINGS | | | | |
|----------------|---|---|---|---|
| TECHNOLOGY | ★ | ★ | ★ | ★ |
| IMPLEMENTATION | ★ | ★ | ★ | |

puters, the Business Logic Layer on an applications server, and the Database Layer on a database server.

To implement ComUnity's architecture in VB, Siemens Nixdorf had to employ Microsoft's standard development



ComUnity OT Framework
\$1000 per seat (quantity discount available)

Siemens Nixdorf
Information Systems, Inc.
Burlington, MA
(800) 225-1484

Circle 983
on Inquiry Card.

Siemens Nixdorf
Informationssysteme AG
Munich, Germany

Circle 984
on Inquiry Card.

ComUnity OT Framework's Tailoring Tool lets users modify a custom application's UI.

tools, including VB 4 itself, Microsoft Visual C++ 2.2, and OLE components. But because these tools are best suited for small-scale software projects, Siemens Nixdorf added more tools to improve support for large projects.

Inside the OT Framework

Central to OT Framework's Database Layer is a relational data dictionary that serves as a central repository where all the tables, attributes, and relations are managed. From the data dictionary, OT Framework generates Open Database Connectivity (ODBC) data sources, migrates databases, generates SQL statements for data access, and even produces simple entry forms for the user interface.

Unfortunately, even though you can manage the data dictionary with a simple data-entry and maintenance tool, OT Framework provides no graphical representation of the data-dictionary information. It does, however, import data

models produced with CASE tools, such as Microtool's CASE 4.0 and IBM's Mood.

The data dictionary becomes part of the run-time environment repository that's distributed with OT Framework applications. Because the data dictionary contains information on the relationships between tables, applications can provide for relational integrity even if the underlying database has no such provisions.

The Presentation Layer, which establishes the user interface (UI), is built around VB 4. A forms generator uses the data-dictionary information to generate default VB 4.0 data-entry forms. You can customize these forms, but they also work with real data right out of the box.

OLE Automation acts as the glue between the Presentation Layer UI and the Business Layer. Perl scripts link code and single UI controls, but the program generates them automatically, so users don't have to deal directly with Perl. A cross-checker monitors the UI forms against

TECH FOCUS

ARCHITECTURE

Linking Tiers with Remote OLE


Divide et impera (divide and rule)—splitting applications into three parts—is the state of the art in client/server technology. Modern client/server applications, such as SAP's R/3, use a Presentation Layer (for realizing the user interface) and a Database Layer (for storing persistent data), which are held together by a Business Logic Layer. For performance or maintenance reasons, the different layers can be implemented on distributed systems in a network.

To a programmer, the problem is not whether to split the application, but to choose a distribution technology that allows the parts to communicate over a wide range of networks and OSes. Remote procedure calls (RPCs), Common Object Request Broker Architecture (CORBA), and IBM's Distributed System Object Model (DSOM) are possible solutions. With Visual Basic 4.0 (VB 4) Professional Edition, Microsoft has offered yet another option: Remote OLE.

Remote OLE allows OLE servers and clients to be distributed over a Windows-based network. Instead of invoking OLE server methods on a local machine, the OLE client sends OLE requests over the network to a remote OLE server. Siemens Nixdorf chose Microsoft's Remote OLE as the primary communications technology for distributed, three-tier, client/server applications. Therefore, applications built with ComUnity OT Framework are implemented as VB 4 OLE servers, and thus they can be distributed fairly easily via Remote OLE.

The only catch to this elegant Remote OLE solution is its incompatibility with non-Windows environments.

Three Tiers for ComUnity



Implementing ComUnity applications as OLE servers lets them communicate over a network.

any modifications in the data dictionary.

The forms are stored in the run-time repository, and you can use OT Framework tools to further customize the UI by working on the forms data. Users can use the Tailoring Tool (see the screen on page 149) to customize the UI: data-entry fields can be switched off, changed, or moved, even in the delivered version of an application. Developers who are skittish about giving users this much control over the UI can turn the tailoring tool off. Regardless of whether a site contains some highly individualized UIs, centralized program updates can merge with them seamlessly.

Putting It All Together

As the Tech Focus figure indicates, the glue between the UI and the database is the Business Logic Layer. OT Framework implements this layer in VB 4 code using the new VB 4 class concept. This pseudo-object-oriented feature allows you to define reusable classes and instances, but it doesn't support inheritance or polymorphism. OT Framework comes with predefined classes for UI handling and general-purpose business applications, such as order entry.

The application framework itself is a template-based VB data dictionary called

Code Wizards. Regrettably, except for a run-time debugger, there are no tools in the Business Logic Layer—you're on your own as far as business processes are concerned. Thus, any higher-level knowledge must go from paper directly into VB code.

An Incomplete Toolkit

If you're not familiar with the VB environment, ODBC data sources, or tool-based software development environments in general, installing ComUnity can be a bit daunting. The beta version of the setup routine had some rough edges; the ODBC data sources for the data dictionary and the target applications are not added automatically. You must also add the VB Code Wizards and Form Wizards manually to the VB environment.

From a lone developer's point of view, OT Framework's major advantage is its vast library of reusable VB code for business applications software. The tool is rather loosely integrated with the VB environment. For small-scale projects, it does not go much beyond VB 4 or other add-ins and components that are on the market.

ComUnity also lacks an integrated version-control and project management tool. It relies on Microsoft Visual Source

Safe, which comes bundled with the VB 4 Professional Edition, for version control. But Siemens Nixdorf says it's working to integrate Microsoft Project into a future version of ComUnity OT Framework.

Missing from this first implementation of the ComUnity architecture are integrated Upper-CASE tools, such as data modelers and object-oriented modeling tools. Sinking the whole business logic into pure VB code is asking for trouble, especially if users ask for changes in the application.

As long as you equate cross-platform development with Windows 95 and NT on Intel platforms, you'll have no problems with OT Framework. Its VB-centric approach restricts you to those platforms.

In the final analysis, ComUnity OT Framework caters to very specific needs. If you're a VB developer building large-scale business applications and are willing to learn a new application framework, give version 1.0 of ComUnity OT Framework a closer look. Everyone else should take a pass on it for now. **B**

Volker Weber and Hans-Jochen Schmitt are principals at ifos, a consulting firm in Darmstadt, Germany. They can be reached at 100120.577@compuserve.com.

EXPLORING...

EXPLORING CHEMISTRY FOR WINDOWS

EXPLORING CHEMISTRY contains a large number of topics, which include: the laws of chemistry; Lavoisier, Dalton and Proust; the weighted balance of chemical reactions; matter; pure substances and mixtures; elements and compounds; atoms and molecules; atomic models; the orbital quantum model and chemical bonds. It is also possible to select the elements on the basis of their chemical and physical properties and to make a comparison of the data for several different elements by creating a graph.

The EXPLORING series is a multi-media collection for Secondary School students, designed specifically to help them learn in a simple and intuitive manner. It is not intended solely for students but also for anyone wanting to increase and broaden their knowledge of a specific subject. The user can learn all the information either by following the topics step by step or by navigating through the contents. Learning is pleasant and the results are guaranteed thanks to particularly sophisticated multi-media techniques, such as the use of graphics for a more effective understanding of the contents, hypertext links for moving from a given topic to other related ones and helpful functions for searching for the best-known terms.

EXPLORING PHYSICS FOR WINDOWS

EXPLORING PHYSICS is split up into several learning units covering the main topics of physics: the measurement of physical magnitudes; units of measurement; the analysis of experimental data; from the analysis of data to physical laws; speed, acceleration and force; equilibrium in stiff bodies and fluids; energy, temperature and heat; and electricity and the related phenomena.

EXPLORING MATHEMATICS FOR WINDOWS

EXPLORING MATHEMATICS covers a range of many different topics: sets and their relationships, classes of

equivalence, real and non-real numbers, operations and properties, algebraic expressions, monomials and polynomials, logical operations, equations and disequations, systems of equations and disequations and their performance, 1st and 2nd degree equations, radicals, parametric equations and biquadratic equations.

$10^3 \frac{8}{3}$

FINSON

FINSON srl
Via Montepulciano, 15
20124 Milano (ITALY)
Tel. +39-2-66987036
Fax +39-2-66987027
E-MAIL: finson@finson.it

FINSON (UK) Ltd.
Parrell House - 32 London Road
Guildford - Surrey GU1 2AB
Tel. +44-1483-451856
Fax +44-1483-452144
E-MAIL: 101333.564@compuserve.com

Minimum configuration: 100% MS-DOS compatible PC, CPU 80386 or higher, 4 Mb of RAM (8 Mb are recommended), hard disk with 6 Mb of available space, mouse, VGA graphic card or higher, Windows 3.1 or higher. Recommended: Windows compatible audio card, Windows compatible printer.

Available in English, German, Spanish and Italian

MS-DOS and WINDOWS are registered trademarks of Microsoft Corporation

Circle 175 on Inquiry Card (RESELLERS: 176).



9122493-XX \$49.95
Counts as 2

5874415-XX \$39.99
Counts as 2

0305617 \$55.00
Hardcover

9120989-XX \$70.00
Counts as 2/Hardcover

8820502 \$27.95




8820901 \$27.95

0464618 \$49.50
Hardcover

8821746 \$29.95

8819512-XX \$34.95
Counts as 2

5871114-XX \$44.95
Counts as 2




0571996 \$60.00

8819695 \$27.95

0676208 \$34.95

0050767-XX \$50.00
Counts as 2

5872757-XX \$49.99
Counts as 2




8821770-XX \$39.95
Counts as 2

8821428 \$29.95

8821401 \$24.95

9119549 \$39.95

0633010 \$60.00



1575472 \$27.95

0239940-XX \$59.95
Counts as 2/Hardcover

072704X \$34.95

8821231-XX \$34.95
Counts as 2

8820812 \$29.95



882138X \$32.95

0203466-XX \$45.00
Counts as 2/Hardcover

0514879 \$34.95

0576173 \$30.00
Hardcover

8821495-XX \$29.95
Counts as 2

If card is missing, write to: **Computer Professionals' Book Society**,
A Division of The McGraw-Hill Companies, P.O. Box 549, Blacklick, OH 43004-9918

PHONE: 1-614-759-3666 (8:30 a.m. to 5:00 p.m. EST Monday-Friday)

FAX: 1-614-759-3749 (24 hours a day, 7 days a week)

**THE EASY, RELIABLE
WAY TO SATISFY YOUR
PROFESSIONAL NEEDS**

**4 BOOKS
FOR ONLY
\$49.95**

**plus 1 book
FREE upon
prepayment
when you join
Computer
Professionals'
Book Society**

**Values up to
\$264.45**

As a member of the **Computer Professionals' Book Society**...you'll enjoy receiving Society bulletins every 3-4 weeks containing exciting offers on the latest books in the field at savings of up to 50% off the regular publishers' prices. If you want the Main selection, do nothing and it will be shipped automatically. If you want another book, or no book at all, simply return the reply form to us by the date specified. You'll have at least 10 days to decide. If you ever receive a book you don't want due to late delivery of the bulletin, you can return it at our expense. And you'll be eligible for **FREE BOOKS** through the Bonus Book Program. Your only obligation is to purchase 3 more books during the next 2 years, after which you may cancel your membership at any time.

All books are softcover unless otherwise noted. Publishers' prices shown. If you select a book that counts as 2 choices, write the book number in one box and XX in the next. A shipping/handling charge & sales tax will be added to all orders. ©1996 CPBS

BYP1096

Powersoft's Optima++ makes C++ client/server development a drag-and-drop dream. By Rick Grehan


A C++ Tool That Cures VB Envy

In spite of all the complaints about Visual Basic (it's slow, it's only somewhat object-oriented), you have to love how easy it makes building user interfaces (UIs). Wouldn't you like to have the same building-block-style environment in a C++ package?

Powersoft's Optima++ is about as close as you'll get... for now. It is a rapid application development (RAD) system for Windows 95 and NT that incorporates the best of current Windows development systems. Look at who's contributed genetic material to its conception: Watcom, producer of one of the best C/C++ compilers for Intel platforms; Sybase, a database organization of considerable repute; and Powersoft, creator of the PowerBuilder fourth-generation language (4GL) development system. The result is a combination UI builder, client/

of souped-up hierarchical help system structured in outline form. The upper-level branches of the outline consist of the object categories understood by Optima++: database objects, graphics objects, menu objects, and so forth. The leaves are the object methods.

The reference card is much more than a static help mechanism. For example, associated with any visual object (say, a button) on a form is source code for handling events that the object receives. Open a window to that source code, grab any other visual object (say, a listbox), and drag that object into the source code window. This will cause Optima++ to open the reference card, properly positioned to the methods associated with that listbox. With just a few more mouse-clicks, Optima++ will automatically write the source to invoke the selected method for you.



Optima++

\$199

Developer Edition

Powersoft Corp., Concord, MA
(800) 395-3525 or (508) 287-1500
fax: (508) 369-4695
<http://www.powersoft.com>

Circle 985 on Inquiry Card.

Just Up the Road

Soon-to-be-released editions of Optima++ will include:

- Sybase SQL Anywhere (four-user version)
- Internet components
- Integrated support for Java
- Team programming
- Native database drivers

server database construction kit, and general-purpose C/C++ compiler that will probably have Delphi and VB developers sneaking peeks over the shoulders of Optima++ users.

Cultured Drag and Drop

Optima++'s most elegant feature is without doubt its drag-and-drop programming. The designers have turned on-line help into a *reference card*, a kind

Components and C++

Drag-and-drop programming is only part of Optima++'s allure. Because it uses a construction-by-components paradigm, you'll find nonvisual components as well as visual ones (e.g., database query components and transaction components). Optima++ can also incorporate OLE Controls (OCXes) into its component toolbars, which means it also creates entries in the reference card for each OCX. Consequently, you manipulate OCXes in the same way as the native components supplied with Optima++.

Finally, because Optima++ is, after all, a C++ development system, it wraps a number of system services in easy-to-handle classes (e.g., thread objects). Its debugger is as full-featured as any I've seen, going so far as to include a memory tracker, which can locate a number of memory-related bugs. The memory tracker's coverage ranges from simple leaks to more elaborate validity checks

on objects such as strings and Graphical Device Interface (GDI) handles.

What's Ahead

At the time of this writing, only Optima++'s Developer Edition was in re-

| RATINGS | |
|----------------|-----------|
| TECHNOLOGY | ★ ★ ★ ★ |
| IMPLEMENTATION | ★ ★ ★ ★ ★ |

lease. Professional and Enterprise Editions will appear soon (see the text box "Just Up the Road"). If the upcoming editions are as well done as the Developer Edition, they could well be the stepladders that many VB developers need to begin their ascent to the otherwise frightful altitudes of C++ programming. **B**

Rick Grehan is senior technical editor of BYTE reviews. You can reach him on the Internet at rick_g@bix.com.

With Compaq's Armada 4100 family, you build the notebook you need. By Dave Rowell

Notebook Under Construction

I love Compaq's new Armada 4100 notebooks for many reasons, but particularly for their configurability. Compaq has taken the concept behind Digital Equipment's HiNote Ultra II notebooks and run with it.

The standard 6-pound, 1.5-inch-thick configuration has an internal floppy drive, but the battery is in the sturdy handle, which can prop up the rear 10 degrees or fold up to protect the I/O ports in transit. Remove the handle and replace the modular floppy drive with a \$199 battery module, and you have a 5-pound slim-line notebook. Two screws with D-ring loops make the handle attachment easy and secure.

Going the other way, you can attach the optional \$399 CD-ROM base and have an 8.2-pound multimedia notebook. The base holds a 4×CD-ROM drive, two more (larger) stereo speakers, and a bay for another battery. Remove the floppy

drive, and the notebook can hold three lithium-ion batteries for a really long flight. alloy frame gives it strength and conducts heat from the processor. Compared to Compaq's larger LTE 5000 series, the Armada 4100 notebooks lack the option of a full docking station with drive bays. They can, however, attach to a port-replication base (with or without the CD expansion unit) that has an Ethernet port.

Pricing is competitive, starting at \$2599. I tested the high-end Armada 4130T, which costs \$4599 and includes a 133-MHz Pentium, 16 MB of RAM on the system board, an 11.8-inch active-matrix color display, and a 1.08-MB hard drive (the current maximum). With the CD-ROM expansion base and an extra battery, I was up to \$5197. You can add up to 32 MB of additional RAM using two dual in-line memory module (DIMM) sockets. All models come with 256 KB of 9-nanosecond static RAM (SRAM) cache, a PCI bus, full video and audio ports, speakers and a microphone, an infrared port, and zoomed-video-enabled PC Card slots.

Displays are upgradable. Compaq designed the 4130T's 11.8-inch, 800- by 600-pixel active-matrix color display with a limited horizontal viewing angle, which is better for plane flights than conference rooms. Less expensive models can have 10.4- or 11.3-inch dual-scan displays. You get your choice of pointing devices. Armada 4100 notebooks come standard with a Cirque-type touchpad, but you can order it with a trackball and swap out one for the other.

The four programmable keys along the top left of the keyboard are surprisingly useful. A Compaq extension to the keyboard control panel lets you assign a program to each key, choosing from a list of all runnable programs. You can press a key to launch Explorer, for example.

Compaq adds some nice touches to the Windows 95 environment. A slick power management control panel offers



Armada 4130T
\$5197

(estimated street price with a mobile CD base with an extra battery)

Compaq Computer Corp.
Houston, TX, (800) 345-1518 or
(713) 370-0670; fax: (713) 514-1740
<http://www.compaq.com>

Circle 1060 on Inquiry Card.

many sensible options, like AC power management, that are easy to figure out and modify. Compaq's diagnostics program tells you more things about your computer than you'll ever want to know.

In performance, the Armada 4130T ties the NEC Versa 6030H, the performance winner in this month's NSTL


RATINGS

| TECHNOLOGY | ★ | ★ | ★ | ★ |
|----------------|---|---|---|---|
| IMPLEMENTATION | ★ | ★ | ★ | ★ |
| PERFORMANCE | ★ | ★ | ★ | ★ |

Hardware Lab Report (see page 114). In design, Compaq has really hit a sweet spot. I expect the Armada to be both admired and copied. **B**

Dave Rowell is a BYTE senior technical editor who handles hardware reviews. You can reach him at drowell@bix.com.

Application Score



Test applications are Winword 7, Excel 7, and FoxPro 2.6.
Application testing performed by NSTL.
Higher number is better.

drive, and the notebook can hold three lithium-ion batteries for a really long flight.

In any configuration, an Armada 4100 is bulkier than a HiNote Ultra II, but it's also more functional, holding floppy and CD-ROM drives simultaneously, for example. The Armada's magnesium-



Call the Observer and get the Picture

What's going on? What is the traffic like today? The Observer can provide instant answers for professionals in any business. Whether you work for the road traffic administration, a security company, the police, or are just an ordinary commuter, you can get a bird's eye view of any situation. Simply call the Observer from your laptop or desktop PC, or arrange for the Observer to call you.

The Observer - your intelligent eye

The Observer offers a wide range of practical applications for security companies, banks, post offices, railroads etc. Perhaps the Observer is exactly what you've been waiting for to give your WWW site a visual dimension? The number of applications is limited only by your imagination. Remember: The Observer is a tiny computer built into a camera, offering an extremely versatile combination.

This is the Observer

The MRT Observer consists of: A video camera (monochrome or full color), a 486 PC with 8 MB RAM and a Hard Disk. The entire system is miniaturized: H: 55 mm x W: 73 mm x L: 250 mm. The Observer is 100% PC compatible and can be supplied with Windows, DOS pre-installed. And for communication, you can choose from the open market and install ISDN, GSM, modem or network PC card (PCMCIA) type I or II.

Windows and DOS are registered trademarks of Microsoft Corporation



MRT micro as. Strømsvn. 74 N-2010 Strømmen,
Norway Tel.: +47 63 89 63 00 Fax: +47 63 89 63 01
USA Tel.: +1 303 793 3660 Fax: +1 303 793 3061
Germany Tel.: +49 8092 880 77 Fax: +49 8092 880 76



NOW

**3 PCs can share
Internet access at
the same time with:**

One modem

One telephone line

One IP address



See Us At

COMDEX Fall '96

Booth# S8741

Call for your nearest distributor

1-800-363-8156 Ext. 245

Web: <http://www.protec.ca>

Tel: (514) 630-5832, Fax: (514) 630-2987, E-mail: sales@protec.ca

PROTEC
MICROSYSTEMS INC.

Circle 223 on Inquiry Card.

Chaos Manor



Of Zip and Spam and NT 4.0

Jerry finds new uses for removable drives—once he gets SCSI drive assignments under control.

The worst prediction I ever made was that using spinning metal for mass storage would go away. "Silicon is cheaper than iron," I said. That hasn't happened. Mass storage, like memory, has become so cheap that anyone who loses work because it wasn't backed up deserves what happened.

You can add mass storage by getting a big hard drive and adding it to your system. That's worth doing, but there's an easier way.

The Iomega parallel Zip drive has become something between a standard and a necessity. Attach it to the parallel port of any PC, run one "guest" program from a floppy disk or your hard disk, and you have a 100-MB removable-cartridge drive to use for backup and file transfer. It's extremely well behaved, attaching itself as the next unused drive letter, and it leaves no residual problems when you disconnect it.

The last time I talked about the parallel Zip drive, I casually said "alas, no Mac." Since a Mac has no parallel port, that seemed obvious enough. I have since got a ton of e-mail, some polite, reminding me that the SCSI version of Iomega's Zip drive works just fine with Macs.

Some of the mail was nasty. I know a columnist who swears he will never again mention Macs because he's weary of the hate mail he gets whenever he writes anything but fulsome praise about the Mac. Although I guess I have a bit thicker skin, really, people, you do your cause no good this way. Save your hate mail for your enemies, or better yet, for archiving before you send it.

Anyway, I have a SCSI Zip drive, and, indeed, it works with Macs. With System 7.5's PC Exchange (or a similar utility),

the Mac can read DOS-formatted Iomega disks, so you can use the Zip drive as a convenient sneakernet with backup for transferring data files between Macs and PCs.

The SCSI drive is a lot faster than the parallel drive. It took 6 minutes to transfer 44 MB (some big files, lots of small ones, a complex subdirectory structure) from a hard drive to the parallel Zip drive; doing the same operation with the SCSI Zip drive took just under 2 minutes. Writing that 44-MB directory from the parallel Zip drive to a hard drive took about 5 minutes, as opposed to about 1½ minutes with the SCSI Zip drive. If you're after speed, or you want to transfer

make the external port active and keep a Granite Digital SCSIVue Active Diagnostic Terminator on the port when no other device is attached, so I don't have to go inside Pentafluge to install a SCSI string.

It would have been a lot simpler if I'd had the right cable; alas, the SCSI output on Pentafluge's controller is a standard 50-pin SCSI-2 connector, while the Zip drive wants a DB-25 cable. The cable that comes with the SCSI Zip drive is a male-to-male DB-25 that looks exactly like a heavy-duty parallel-port cable.

Of course, the potential for accidentally plugging the SCSI Zip drive into a parallel port, or the parallel Zip drive into

Anyone who loses work because it wasn't backed up deserves what happened.

from a PC to a Mac and back, clearly you'll want the SCSI version. On the other hand, if what you want is backup and convenient file transfer among PCs, the parallel version is preferable.

The SCSI Zip drive will run off any standard SCSI controller, or you can buy Iomega's SCSI controller card, which appears to be a standard Adaptec SCSI-1 card. Installation for using it with the Zip drive is well documented. My advice is to get an Adaptec SCSI-2 card, but the Iomega card will certainly work. Installation of a SCSI card is simple provided you have a free interrupt request (IRQ). DOS-only systems don't need an IRQ.

For my first test, I connected the SCSI Zip drive to the SCSI outlet of the Distributed Processing Technology caching drive controller on Pentafluge, the Pentium 60 system we built a couple of years ago. This is an older controller that requires a jumper setting to activate the external SCSI port. I long ago set it to

a SCSI port, is pretty high. I don't know what would happen, but I sure wouldn't want to try it.

Pournelle's first law of making SCSI work: start with Granite Digital SCSIVue Gold Diagnostic Cables and don't change to anything else until you have everything working properly. Granite Digital makes the High Density MicroD 50/DB-25 Cable, a SCSI-2-to-DB-25 cable, but I didn't have one and didn't want to wait. Thus, I connected the Pioneer DRM-624X six-disc CD-ROM changer to Pentafluge with one Granite Digital cable and used a Granite Digital 50 Centronics/DB-25 Cable to daisy chain the SCSI Zip drive to that. The SCSI Zip drive has a switch on the back to set termination: it was the last drive in the SCSI string, so I set it to "on."

The Zip drive also has a switch that sets it as SCSI ID 5 or 6; I set it to 6. Then I brought up the system with no cartridge in the drive and with the DRM-624X turned off and thus inactive. *continued*

AnthroCarts!®



AnthroCarts are so flexible. You have dozens of shapes and sizes to choose, plus over 50 accessories to configure your cart exactly the way you want.

And they have a Lifetime Warranty! Made of steel and high density particle board, these AnthroCarts are as tough as nails.



See them all in our catalog, then call us direct to order. We'll ship to you the very next business day!



Call for your
free catalog:

800-325-3841

6:00 AM to 6:00 PM PST, M-F



Anthro Corporation®
Technology Furniture®
10450 SW Manhasset Dr.
Tualatin, OR 97062
Fax: 800-325-0045
<http://www.anthro.com>

Since 1984. Prices from \$299. For a lower cost line for the home, ask for our SOHO catalog. GSA contract. Available for OEM applications. Anthro, AnthroCart and Technology Furniture are registered trademarks of Anthro.

Windows 95 (Win 95) came up fine, ignoring the DRM-624X as it should. There was one hitch. Pentafluge has logical hard drives C and D, a Maxoptix T3-1300 optical drive as E, and the CD-ROM drive as F. The SCSI Zip drive had taken over the F slot, moving the CD-ROM drive to G. I described a similar experience with the Syquest EZ 135 SCSI hard drive in the June column. I got quite a bit of e-mail from people telling me, with various degrees of politeness, that SCSI drives take over in the order of their SCSI ID number, so I'd hoped that setting the SCSI Zip drive to ID 6 would prevent that shift. Alas, that turned out not to be the case.

Once I had the SCSI Zip drive operating, I timed some massive file transfers across the network and then shut down the system.

I got the "Please Wait" message. After about 5 minutes, it was pretty obvious that nothing else would happen, so I cut the main power. When I turned it back on,

The system came up on the third try, and Lo!, the drives were really out of order.

Pentafluge trundled for a while and then Win 95 announced there were problems with the Registry. It offered to restore the Registry from backup and try again, warning me that I might lose something in the process. There didn't seem to be much of an alternative, so I told it to go ahead.

I got the same message once more, and once more told it to go ahead. Recall that the first time I brought up the SCSI Zip drive, I did so with no cartridge in the drive. I had forgotten that, and there was a cartridge in the drive this time.

The system came up on the third try, and Lo!, the drives were really out of order. The D drive, which is merely a logical partition of a single physical drive, had been moved and the SCSI Zip drive had taken over D. E was still the Maxoptix T3-1300, F was now the D drive, and the CD-ROM drive that normally lives at F was now G. All those drives worked in the sense that I could access them, but any software that expected the D drive to be D was hosed.

Shut down once more. This time, it shut down with no problem, and I have been unable to duplicate the shutdown problem on any machine since that first time. I've no idea what happened. Anyway, I removed the cartridge from the SCSI Zip

ROSS

SPARCplug™

Cross-Platform Technology: The Best of Both Worlds.

ROSS Technology announces SPARCplug, a high-performance workstation that fits into the full bay slot of a tower PC. SPARCplug offers better-than-SPARCstation™ 20 performance, with single or dual hyperSPARC processors, up to 256 MB RAM and a SBus slot for options like a T1 line, T3 Line, ISDN or 100-base T Ethernet.

ROSS is a leader in SPARC™ multiprocessing design and technology, so you know SPARCplug is fully compliant with SPARC-based hardware and supports all 10,000-plus SPARC applications.

Infinite possibilities. Ways to use SPARCplug are as varied as your needs. Some of the possibilities include:


- **Intranet and Internet Server:** SPARCplug lets you combine a stable and robust Unix server with a Windows™-based PC client, all in one unit. When combined with Netscape's FastTrack™ or SuiteSpot™ applications, SPARCplug can become the center of your client/server workgroup environment. SPARCplug comes bundled with your choice of SuiteSpot server applications, which can include Netscape Enterprise Server,™ Proxy Server™ and Mail Server.™ SPARCplug provides a true multi-tasking, multi-user environment for fast, easy and safe access to the net.
- **Engineering Workstation:** SPARCplug gives you powerful processing for engineering projects while also allowing you access to the PC enterprise working environment. It saves space and cost.

Call ROSS today at 1-800-774-ROSS to find out more about the amazing SPARCplug!

ROSS
TECHNOLOGY, INC.
THE SPARC SOLUTIONS COMPANY

512-349-3108 (Global) • (512) 349-3101 (Fax)
<http://www.ross.com>

insert
Workstation
Here!



©1996 ROSS Technology Inc. All rights reserved. All SPARC trademarks are registered or trademarks of SPARC International, Inc. hyperSPARC is licensed exclusively to ROSS Technology, Inc. SPARCstation is licensed exclusively to Sun Microsystems, Inc. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc. SuiteSpot, FastTrack, Enterprise Server, Proxy Server and Mail Server are licensed exclusively to Netscape Communications Company. All other product or service names mentioned herein are trademarks of their respective owners.

Circle 155 on Inquiry Card (RESELLERS: 156).

AD BYTE'96

drive and fired up once more. It came up fine. The D drive was once again D.

Of course, the Zip drive had shoved the CD-ROM drive aside and taken over F in its usual high-handed fashion, but otherwise I had no problems. This time it shut down properly, and from that moment on, I have had no problems other than the displacement of the F CD-ROM drive.

The moral of this story is that SCSI has a mind of its own, and if you intend to use a SCSI Zip drive, plan your drive-lettering scheme accordingly. Do not imagine that you can have a CD-ROM drive with a

lower drive letter than the SCSI Zip drive; and if you plan to boot up your system with a cartridge in the drive, be prepared for some other oddities in drive lettering.

You will, however, have a perfectly good drive. You can even boot from it, which means that you can have a series of OSes on different Zip cartridges and boot the one you like. I've tested it with Win95 and Windows 3.11. I haven't yet tried it with Unix, Windows NT, or any flavor of OS/2, and I probably won't; but I'm told it will work just fine with those, too, since you can set up your computer to believe that

the SCSI Zip drive is just another Winchester hard drive. Incidentally, that's also true of the Syquest EZ135.

One possible configuration is to have a hard drive as the data drive. Set it as a non-primary drive and then set a Zip drive as the C boot drive. Then you can boot any OS you like by changing cartridges.

Once I was sure the SCSI Zip drive worked on Pentafluge, I transferred it to Cyrus, my Cyrix 6x86-P166 system. Cyrix claims their P166 is completely compatible with, and faster than, a Pentium running at 190 MHz. I've used the Cyrix system for a couple of months now, and I have no reason to dispute that claim. It is fast, compatible, and reliable.

Cyrus has a PCI-bus Adaptec SCSI card with an external SCSI-2 connector port, so I moved the DRM-624X and SCSI Zip drive

You can have a series of OSes on different Zip cartridges and boot the one you like.

string over to it, and booted up with the DRM-624X turned off and no cartridge in the Zip drive. It came up fine. Cyrus does not have a Maxoptix optical drive, so the CD-ROM drive is E. As expected, the SCSI Zip drive displaced it, taking over the E slot for itself and moving the CD-ROM drive to F.

Unlike Pentafluge, Cyrus had a network drive mapped to F, but that didn't matter. The SCSI Zip drive became E, the CD-ROM drive became F, and the F network connection vanished. Actually, it didn't quite vanish. While I could read the CD-ROM drive as F, when I went into My Computer and looked at network drive connections, the pull-down menu still showed F as a network connection.

Shutdown was normal, and booting up with a cartridge in the Zip drive produced no different result from when there wasn't a cartridge. That is, while booting with a cartridge displaces the D partition on Pentafluge, it doesn't do that on Cyrus. No one I've spoken to can tell me why.

The next step was to connect both Zip drives to Cyrus. They worked fine, with the parallel drive taking the next empty drive letter (G), while the SCSI drive displaced the CD-ROM drive as usual. Finally, I turned on the DRM-624X, leaving both Zip drives attached to Cyrus. Everything worked. The SCSI Zip drive took over E; the internal CD-ROM drive became F; the

FieldWorks Field WorkStations™ have been put to the challenge by the World's most grueling and demanding work environments; from ice core testing in the sub-zero climates of Antarctica to testing nuclear reactor power plants worldwide to aiding corporate America's large field sales and field service fleets. Our attention to detail, MIL-SPEC rugged design and usability makes the FieldWorks computer line the logical choice in mission critical applications as well as your own specialized application. FieldWorks has met the challenge of today's most severe working environments.

133 MHz Pentium...
ISA/PCI Slots...
CD-ROM...PCMCIA++...
Call today for an
information kit
on the complete
FieldWorks Rugged
product line.

Sales: 1-800-588-9144

9961 Valley View Road
Eden Prairie, MN, USA 55344
Phone: (612) 947-0856
Fax: (612) 947-0859

Rugged Field Computing Starts Here!



fieldworks
inc.

If you develop **MULTIMEDIA** technology, you're sure to have the kinds of problems that only NSTL testing can help you solve.

Solutions that will help you to lower technical support costs, avoid unexpected incompatibilities and unfulfilled expectations and achieve and/or confirm higher levels of graphic and audio performance.

In other words, NSTL's independent testing helps you to repeal Murphy's Law.

So, if you want to improve your marketing, enhance your product designs, sharpen your competitive edge...and make sure your products do, in fact, live up to all your advertising claims...and all your customers' expectations...come to NSTL.

THE LATEST METHODOLOGIES THE SAVVIEST ENGINEERS

Our state-of-the-art multimedia testing laboratory – one of 18 controlled-access labs – is dedicated to testing functionality, compatibility, performance, and usability across multiple platforms. In fact, no multimedia test suite is as comprehensive as ours. And our street-savvy testing engineers know how to find problems you never knew you had...before your customers find them.

CUSTOMIZED TESTING WITH PLUG-IN, PLUG-OUT EASE

We have Macs, all of the popular desktop PCs, multimedia notebooks, 2x to 8x internal and external CD-ROM drives, VESA and PCI video, SCSI, IDE and PCMCIA controllers, MPEG, and a Brobdingnagian library of CD-ROM titles.

So, we can test at any stage of product development on dozens of configurations with plug-in, plug-out ease. And world-class accuracy and reliability. Quickly. Hassle free.

That's because at NSTL everything is up and running. Ready to be configured to duplicate your environment and solve your problems. At a moment's notice.

**REPEAL
MURPHY'S
LAW**

"NSTL can test our [multimedia] programs on very short notice and with quick turnaround. And they've uncovered problems that we didn't catch after our own inhouse testing. Their understanding of multimedia technology and the end-user market have helped us deliver stronger bug-free programs." David Harmon, Manager of Technology and Development Support, Discovery Channel Multimedia.

Now it's your turn...

Build customer confidence. Sharpen your competitive edge. Let customers know that your products have passed rigorous, independent tests that verify their "as advertised" compatibility and functionality.

CALL 1-800-220-NSTL to request our brochure or a proposal detailing the scope, pricing, and scheduling of confidential product testing services, and/or to arrange a tour of our laboratories.

Do it right now and we'll send you a FREE copy of the PC Digest issue on multimedia notebooks. No risk. No obligation.



NSTL
QUALITY ASSURANCE THROUGH INDEPENDENT TESTING

NATIONAL SOFTWARE TESTING LABORATORIES

A Unit of Datapro Information Services Group
A Division of The McGraw-Hill Companies

625 Ridge Pike, Building D, Conshohocken, Pennsylvania 19428 610-941-9600 FAX: 610-941-9952
e-mail info@nstl.com World Wide Web <http://www.nstl.com>

DRM-624X took over G, H, I, J, K, and L; and the parallel Zip drive took the lowest unused drive letter after L.

The interesting thing about this is that several of the drive letters between F and L had been mapped to other network drives. Those network connections simply vanished—except that their ghosts remained in the network setup, and booting up with the DRM-624X turned off restored them.

The bottom line here is that both parallel and SCSI Zip drives work quite well. They read each other's disks just fine. The parallel Zip drive installs simply and works unobtrusively, finding an unused drive letter for itself.

The SCSI Zip drive installs easily if you already have SCSI devices; otherwise, you will have to install a SCSI card and drivers. This isn't particularly difficult, but it's certainly harder than just connecting a cable to the printer port. The SCSI Zip drive is more aggressive and will certainly displace a CD-ROM drive if brought up with a cartridge in the drive, and it may even displace a hard disk partition. You are

unlikely to prevent this no matter how hard you try. Otherwise, no damage is done.

The SCSI drive is about three times as fast as the parallel drive and perhaps half

in the Fujitsu literature mentions using this on a Mac, but SCSI is SCSI, and I'd be astonished if you couldn't connect the DynaMO 230 to a Mac. What you won't do is read the DynaMO cartridges on a parallel-

I had hoped that Merlin, the newest version of Warp, would be able to make use of the Doubleshot 133's dual processors.

as fast as your average hard drive. Either can be a good way to add storage capacity to your system. I particularly like the parallel Zip drive as a backup-and-sneaker-net system, but, of course, unlike the SCSI Zip drive, you can't use it with a Mac. The SCSI drive works well with both Macs and PCs. If you need storage space and a backup system, either is pretty hard to beat. Recommended.

Having said all that, I have to point out that I have for about a year had a Fujitsu DynaMO 230 magneto-optical (MO) system attached to a SCSI port on an ancient Cheetah 386. I've used it across an Ethernet, and it's about as fast as the SCSI Zip drive. It has always been reliable. Nothing

port device. Still, the DynaMO 230 works. The drive and cartridges are smaller than the Iomega Zip drives and their cartridges, and each DynaMO cartridge holds a bit more than 200 MB compared to the Zip drive's 100 MB.

We installed the beta version of NT 4.0 on the Doubleshot 133, which had previously been running NT 3.51. At one time, it ran OS/2, and I had hoped that Merlin, the newest version of Warp, would be able to make use of the Doubleshot 133's dual processors, but IBM didn't put that feature in Merlin. IBM is beta-testing SMP for Warp Server. For now, to run OS/2 with symmetric multiprocessing (SMP),



BYTE Customer Service/ Ordering Information

| | Customer Service | Orders |
|--------------------------|--------------------------------|----------------|
| Belgium | 0800 71260 | 0800 71635 |
| Denmark | 8001 8934 | 8001 7728 |
| Germany | 0130 829 448 | 0130 826 112 |
| Netherlands | 06022 4959 | 06022 2146 |
| United Kingdom | 0800 973 195 | 0800 973 017 |
| Italy | 1678 79415 | 1678 76155 |
| Spain | 900 943539 | 900 933539 |
| Sweden | 020 793386 | 020 791136 |
| Switzerland | 155 24 18 | 155 72 57 |
| France | 0591 6068 | 0591 6088 |
| Other Intl | +353 91 752792 | +353 91 771385 |
| US | 1-800-232-2983 | 1-800-257-9402 |
| US/Canada/Mexico | 609-426-7676 | 609-426-5526 |
| Fax: | | |
| International | +353 91 752793 | 609-426-5434 |
| US | 609-426-7087 | 609-426-5434 |
| e-mail: | | |
| new orders | mporders@mcgraw-hill.com | |
| customer service | mpcstsvc@mcgraw-hill.com | |
| address change | mpadchg@mcgraw-hill.com | |
| McGraw-Hill web: | //www.mcgraw-hill.com/multipub | |
| Mail: | | |
| BYTE | BYTE | |
| PO Box 555 | Box 72 | |
| Hightstown NJ 08520, USA | Galway, Ireland | |

A Division of The McGraw-Hill Companies



A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:



BYTE Magazine Subscriber Services
PO Box 555, Hightstown, NJ 08520


A Division of The McGraw-Hill Companies





Interop Online.

*It's how you
keep up to speed
in networking.*



Need up to the minute networking information? You don't have to wait for the #1 show in networking anymore. Just speed right to the site — Interop Online, the year-round resource for the networking community. The latest industry news, reviews, expert editorial, technology breakthroughs, links to product information, and the most comprehensive buying tool available are all just a click away on Interop Online.

You can also register online, arrange your show and conference schedule, and create the ultimate NetWorld+Interop experience with the Interop Show & Conference Planner (sponsored by **NOVELL**).

Interop Online. It's the networking information you need... now.

[<http://www.interop.com>]

© 1996 Substack Corp. Corporate names and trademarks are the property of their respective companies.

Q: What does it take to deploy a superior client/server application? A: A SUPERIOR SERVER

START with the most advanced client-side SDK on the market: c-tree® Plus at \$895.

- Complete "C" Source code
- ROYALTY FREE (Client Side)
- Multiple supported protocols
- Fast, portable, reliable
- Powerful features like transaction processing
- Win95, NT, and Windows 3.1 ready

ADD a strong, multi-platform, industrial-strength Server that supports.

- File mirroring
- Heterogeneous networking
- Automatic disaster recovery
- Multi-threaded design
- Best price/performance available: from \$445- \$3745


You can't find a better client SDK with these features!
Over sixteen years of proven reliability and performance.
No one else supports over 30 platforms in this price range!

c-tree Plus®

- Complete C Source
- Single/Multi User
- Client/Server (optional)
- Full ISAM functionality
- No Royalties
- Transaction Processing
- Fixed/Variable Length Records
- High Speed Data/Index Caching
- Batch Operations
- File Mirroring
- Multiple Contexts
- Unsurpassed Portability

RESULT? A solid, economical, easily deployable product that fits your needs.

- Portable
- Scalable
- Exceptional Performance
- Flexible
- Easy Server distribution
- Convenient OEM terms



FairCom Server®

- Client/Server Model
- Transaction Processing
- Requires <2MB RAM
- Online Backup
- Disaster Recovery
- Rollback - Forward
- Anti-Deadlock Resolution
- Client-side "C" Source
- Multi-threading
- Heterogeneous networking
- File Mirroring
- OEM/Source Available

FOR YOUR NEXT PROJECT CALL FAIRCOM: YOU CAN'T FIND A BETTER HETEROGENEOUS CLIENT/SERVER SOLUTION!

Also inquire about these FairCom products:

d-tree™ r-tree® ODBC Driver

FAIRCOM CORPORATION

WWWWeb Address: <http://www.faircom.com/>
800-234-8180

U.S.A. 4006 W. Broadway - Columbia, MO 65203-0100
phone (573) 445-6833 fax (573) 445-9698

EUROPE Via Patrioti, 6-24021 Albino (BG) - ITALY
phone (035) 773-464 fax (035) 773-806

JAPAN IKEDA Bldg. #3,4f-112-5, Komei-chou - Tsu-city, MIE 514 Japan
phone (0592) 29-7504 fax (0592) 24-9723

you are stuck with clunky OS/2 2.11. While I rather like OS/2 Warp Connect, and I think I like Merlin, I refuse to go back and relearn version 2.11.

Installation of NT 4.0 was really simple on the Doubleshot 133. I haven't yet tried installing it on a machine running Windows 3.1 or Win 95; I'm told that's a bit more difficult, but nothing excessive. One thing, though: be sure you know the IRQ and port address settings for all your hardware. Unlike Win 95, NT doesn't even try to be Plug and Play. On the other hand, it won't change your settings for you once you have them the way you like.

We haven't done a lot of work with NT 4.0, but what I've seen I like a lot. It's much more like Win 95 than 3.11. In fact, you can use NT 4.0 quite a while before you notice it isn't Win 95. It's also faster. Although few current applications have threaded code able to take advantage of the Doubleshot 133's dual processors, ordinary single-threaded jobs are still faster because NT 4.0 is able to trade off between processors, putting all the background stuff like network and disk operations, monitoring the uninterruptible power supply (UPS) status, etc., on one processor while the other runs your task.

In practice, it's not quite that simple. NT 4.0 has a utility that shows a graph of processor-use history. There are two such graphs for a dual-processor system, and it's interesting to watch how NT switches loads between processors as you load it down by networking to the server.

There was a time when OS/2 was a technically more elegant OS than NT, and OS/2 Server was about the best server software around. I don't think that is true any longer; IBM long ago lost the marketing edge and may now have lost the technical edge as well. NT 3.51 is very stable and makes for a good server system; while NT 4.0, even in the beta version, is fast, easy to use, simple to install, and looks like Windows to most of your network. Moreover, IBM is rapidly adapting its server software to run just fine on NT systems. If you have a large computer network system and the resources to manage it, you may have a need for OS/2; but NT 4.0 seems to be the NT for the rest of us. More when I know more, but my first impressions of NT 4.0 are very positive.

Meanwhile, the little Doubleshot 133 remains the quietest system in the house. It's very stable, and running NT 4.0, it may be the fastest networked system we have



**IT'S AMAZING HOW MANY
COMPUTING EXPERTS PRACTICALLY LIVE
AT THIS ADDRESS.**

With so many web sites popping up today, it's hard to know which ones Net the best results. Especially if you're an advertiser looking to reach key Information Technology prospects.

Fortunately, the answer is close at hand. It's called The BYTE Site, and more computing influencers worldwide call it "home" than just about any address on the Web.

The BYTE Site is the online version of BYTE magazine, the worldwide technical authority for computing experts. That means it's chockfull of insights and information about the IT market from products to applications to trends. On The BYTE Site, visitors can instantly access every BYTE article published since 1993 through the BYTE Archive. Read all about the newest products and technologies in our Virtual Press Room. Share viewpoints with BYTE editors worldwide by on-site Email. Even download industry standard CPU test suites from our BYTEMarks benchmark service.

With features like these, it's no wonder The BYTE Site logged nearly 150,000 visits this past January alone, and posted an overall repeat visit rate of 41%. Not surprisingly, it's become equally popular among advertisers. That's because



The Byte Site offers such interactive marketing options as hot-linked AD-Action buttons to showcase product information, catalog listings and data sheets. Plus our Virtual Press Room where users can access the latest press releases from your company.

To learn more about The BYTE Site, call John Griffin, VP/Publisher at 603.924.2663. Or find him on The BYTE Site at <http://www.byte.com>. You'll discover reaching computing influencers worldwide is easy once you know where they live.

BYTE

A Division of The McGraw-Hill Companies



THE GLOBAL AUTHORITY FOR COMPUTING TECHNOLOGY.

here. Those dual processors really speed things up. Just now, it is the NT experimental machine, but once I'm sure NT is stable, I think I'll put the Micropolis external 4-GB drive on the Doubleshoot 133 and make it the main Chaos Manor server.

Visioneer's PaperPort Vx is a blooming little miracle.

This is a gadget about 4 inches tall, 3 inches deep, and a foot wide. It sits anywhere you like and connects to a serial port with a normal cable. Once installed, you activate it by feeding it a sheet of paper. It

reads your papers, one sheet at a time, into image files, one file per sheet.

Installation was simple: I plugged the PaperPort Vx into the COM1 serial port, connected its power supply, and ran the installation program. The software seems to have scanned my system, because when it was done, the PaperPort "desktop" had icons for Microsoft Word and WinFax, as well as "printer," Exchange, Excel, WordPad, and Paint.

I fed in a printout of some e-mail I'd received on BIX. The PaperPort Vx pulled it through and quickly made an image file

of the document. Then I dragged the image onto the WinFax icon and sent it to my fax machine downstairs. It came out quite readable, as good as any fax comes out on my old thermal fax machine.

Then I dragged the image onto the Microsoft Word icon. That automatically activated the OCR to produce a Word document. It made one mistake: the original said "pc." The OCR read that as "pe."

I've also fooled around with other stuff. There are a bunch of settings to get different qualities of OCR performance and image quality. It's all quite intuitive, and now I've got electronic versions of some newspaper articles I've been saving, meaning I can find them by electronic search now. I think I'll do a lot more of that.

I had one major glitch. Once when I fed in a sheet of paper, the electric fan blew it about as it emerged, and the program said the read had failed, although examination of the document image didn't show any problems. After that, though, the PaperPort Vx wouldn't feed paper at all, and the software kept telling me there was no PaperPort device on COM1. I even tried turning off the computer and bringing it back up, and still the Visioneer software insisted there was no PaperPort on COM1. Finally, I turned off the PaperPort itself by pulling its power cord. That worked: it processed the next sheet of paper I fed it just fine. Apparently that "reset" it.

Visioneer also makes a keyboard with a PaperPort built into it, called the PaperPort ix. It has a separate power supply, so presumably you can "reset" it the same as with the stand-alone version. I'm fairly picky about keyboards, so I haven't tried it yet, but I'll have one of the interns install it at his station. I'm sure it will work; my only question is whether I'd like the PaperPort ix as a keyboard. More another time.

Disk space keeps getting cheaper. You can put a lot of documents on a 100-MB Zip cartridge; and that's a lot of paper you don't have to keep around. My son Richard uses a PaperPort to keep his paper files small, and it sounds like a good habit to get into. I expect I'll be writing about this again.

"Tough questions to ask about UPSs. And the answers you'll get if you ask..."



Aren't all UPS warranties alike?

No. Deltec offers the industry's longest, most comprehensive warranties including 5- and 10-year pro-rated warranties, \$25,000 Load Protection, and a 60-Day No Questions Asked Customer Satisfaction Guarantee.

Aren't all UPS batteries alike?

Batteries, the most critical component of any UPS, are alike. Deltec is the only manufacturer to offer Advanced Battery Management (ABM™) that uses a patented 3-stage charger to double battery life. Exclusive circuitry also provides reliable advanced warning when batteries require service — so users are never left in the dark.

What determines price/performance value?

From PCs to mainframes, Deltec UPSs are, the price/performance leaders in the areas most important to users: reliability, ease-of-use, and customer support. Deltec's goal is to offer products with unique user benefits at very competitive prices.

How important is a broad product line?

Deltec's roots were established protecting critical mainframe applications. We now bring those advanced features to micro UPSs with the most comprehensive product offering available and factory trained service engineers throughout the nation.

How do you evaluate system reliability?

After more than 25 years as a technology leader end-users, independent test labs, and leading computer manufacturers alike have rated Deltec UPSs #1 in this vital area.



Why is power management software important?

Protecting data is as important as safeguarding hardware. Deltec's power management software saves data throughout the network and ensures graceful shutdown during extended blackouts. LanSafe III and FailSafe III packages are compatible with all major operating systems — and work with Deltec's, as well as other manufacturer's, UPSs.

Call today for a FREE info kit:

PC 1-800-DELTEC-1



info@deltecpower.com

DELTEC

Innovators in Power Protection for 25 Years



http://www.deltecpower.com

You'll have noted that my primary e-mail address remains jerry@bix.com. BIX began as the BYTE Information Exchange and was eventually sold by McGraw-Hill to Delphi, which was later bought by News Corp. Recently, a group of Delphi/BIX employees with some outside backing bought both BIX and Delphi

and are making a going concern of both.

BIX isn't for everyone. It's small, and the interface is text-based and command-line-driven. It looks old and clunky. The appeal of BIX is the information density. BIX never exploded the way the Internet did, and as a consequence, there are intelligent technical conversations and very little spam. When you ask a question on BIX, you get a reliable answer.

My usual access to BIX is through a shareware program called Galahad. This is a Windows/Win 95 program that goes out to BIX, logs on, downloads all my e-mail and all the message traffic in the conferences I belong to, and then logs off, letting me deal with everything off-line with reasonable text editors. It's one of the main reasons I stay with BIX.

The main problem with Galahad has been using it on multiple machines. Galahad keeps all kinds of reference files, archives, and databases, and transferring all that when I want to use a different machine is a major pain. Then, just today, on BIX, BYTE technical editor Russell Kay suggested the solution: put Galahad—pro-

gram, logs, files, and all—on a Zip cartridge. Carry the Iomega parallel Zip drive in checked luggage—a good idea for a backup system since I do a lot of work on the road—and access BIX that way. When I get back home, I attach the Zip drive to the parallel port of the system I'm using.

I haven't tried this, but I will. I'll probably go even further: since I have five Internet accounts and three e-mail boxes, I'll put all that Internet stuff on a Zip cartridge. Working out a backup system shouldn't be too difficult. Yet one more use for the parallel Zip drive.

Meanwhile, BYTE readers weary of the bickering and nonsense in much of the Internet might think about BIX, where all conferences are moderated and most of the participants really do know what they're talking about.

Two vital books for computer pros: *The Hard Disk Data Base* and *The BIOS Companion*, both by Phil Croucher, and both exactly what their titles imply. If you work with odd computers, particularly older ones, these are invaluable: page after

page of technical data, all in one place.

The game of the month is the Strategic Studies Group's *The Complete Carriers at War*. All the older Carriers at War games and construction tools, plus new scenarios, including the North Atlantic and Mediterranean. Suppose the Germans had gotten control of the entire French navy: could the British have beaten the combination? Plus the entire Pacific carrier war. Lots of realism and no arcade action.

The CD-ROM of the month is *The 1996 Grolier Multimedia Encyclopedia*. It's well balanced between details and brevity. Philip Jose Farmer defined a dullard as a person who can go to the encyclopedia, look up one item, read it, and close the book. It's fun to browse Grolier.

The book of the month is by Cicely Veronica Wedgwood, *The Thirty Years War* (Routledge). I thought I knew all I wanted to about the Defenestration of Prague, Friedrich the Winter King, Father Tilly, Cardinal Richelieu and Father Joseph "the gray eminence," and Wallenstein, but once I opened this wonderful book, I found a wealth of details more fascinating than any

Imagine if you could take all of your forms-based data and instantly send it to your database—no manual data entry, no delays. Stop imagining and do it today with **TELEform**, the most accurate and affordable forms processing software available.

TELEform has the power, speed and accuracy you need to automatically collect data from scanned or faxed-in forms. Using familiar communications—paper and pen, fax machines and modems—**TELEform** reads hand-printed, typed and filled-in data.

See us
at COMDEX
Booth M232



Cardiff Software
PHONE: 619-752-5200 FAX: 619-752-5222

**AUTOMATED
DATA ENTRY.**

**ACCURACY
FROM A TO Z.**

READS MACHINE
PRINT TEXT (OCR)

READS HAND PRINT
TEXT (ICR)

READS OPTICAL
MARK RECOGNITION
ENTRIES (OMR)

READS BARCODES



Eliminating data entry means your staff will be free for more productive activities. Having data entered in seconds means increased productivity—you'll work smarter, capture more data, faster and with less effort.

Thousands of companies use **TELEform** to make their businesses more efficient. Join them by calling 800-659-8755 today.

For more information, visit Cardiff Software's Web site: <http://www.cardiffsw.com>.

REGISTRATION FORMS,
SALES ORDERS, CLAIMS,
TIME CARDS, SURVEYS
AND MORE.

TriCR is a registered trademark of Cardiff Software. Advanced Technologies, Teleform, and Cardiff are trademarks of Cardiff Software.

novel. Part of Hitler's popularity came from his promise to upset the Peace of Westphalia that ended the Thirty Years War.

The computer book of the month is by Gary Frerking, Nathan Wallace, and Wayne Nidderly, *Borland Delphi How-To* (The Waite Group). I've neglected Borland Delphi in my language discussions,

and I shouldn't: it's a practical language every bit as useful as Visual Basic, and, being rooted in Pascal, it has a more logical structure. The book teaches through examples and includes a CD-ROM with hundreds of subroutines that are useful in themselves as well as worth studying.

A computer book I overlooked when it

first came out is Susan A. Kitchens' *The KPT Bryce Book* (Addison-Wesley). Bryce is the landscape-generator software portion of the Kai's Power Tools series; Kai's Power Tools are one of the reasons Mac computers are so much fun. Kitchens starts with basics and explains how to build structures, from castles to planets, with examples, including the inevitable CD-ROM of routines and pictures. If you use a Mac, you'll like this.

As usual, I've written more than will appear in the magazine. You can find it on BYTE's Web site. You might also want to check out <http://www.earthlink.net/discontinuity>, where John C. Dvorak and I argue critical issues. **B**

Jerry Pournelle is a science fiction writer and BYTE's senior contributing editor. You can write to Jerry c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please include a self-addressed, stamped envelope and put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerry@blx.com.

PRODUCT INFORMATION

The Complete Carriers at War \$69.95
Strategic Studies Group
Pensacola, FL
(904) 469-8880
fax: (904) 469-8885
Circle 977 on Inquiry Card.

Cyrix 6x86-P166 \$3939;
without monitor, \$3389
Cyrix Corp.
Richardson, TX
(800) 340-7501
(214) 968-8388
fax: (800) 340-7532
<http://www.cyrix.com>
Circle 978 on Inquiry Card.

Doubleshot 133 (with OS/2 SMP 2.11) or Landmarq P133

VPM Doubleshot (with Windows NT) \$2599
Diamond Flower, Inc.
Sacramento, CA
(800) 808-4334
(916) 568-1234
fax: (916) 568-1233
<http://www.dfusa.com>
Circle 979 on Inquiry Card.

The 1996 Grolier Multimedia Encyclopedia \$59.99
Grolier Interactive, Inc.
Danbury, CT
(800) 285-4534
(203) 797-3530
fax: (203) 797-3130
<http://www.grolier.com>
Circle 980 on Inquiry Card.

PaperPort Vx about \$299
PaperPort ix about \$349
Visioneer, Inc.
Palo Alto, CA
(800) 787-7007
(415) 812-6400
fax: (800) 505-0175
or (415) 855-9750
<http://www.visioneer.com>
Circle 981 on Inquiry Card.

Zip 100-MB Removable Disk Drive SCSI or parallel version, \$199.95
Iomega Corp.
Roy, UT
(800) 697-8833
(801) 778-1000
fax: (801) 778-5763
<http://www.iomega.com>
Circle 982 on Inquiry Card.

SOMETHING MISSING?

Complete your BYTE collection by ordering Back Issues today!

1991 1992 1993 1994 1995 1996

January

February

March

April

May

June

July

August

September

October

November

December

Special Issues

Outlook '92

Windows Portability

Windows '93

8 Guide Summer '93

8 Guide Fall '93

☐ Check enclosed

☐ Charge:

☐ VISA

☐ MasterCard

☐ American Express

Card #

Exp. Date

Name

Signature

First Name

Last Name

Address

Address

City

State

Zip

Special Issues U.S. Delivery \$3.00, Foreign Delivery \$4.00; 1990 thru 1996 U.S. Delivery \$6.50, Foreign Delivery \$8.50, Canada & Mexico \$7.00. All issues prior to 1990 U.S. Delivery \$3.00, Foreign Delivery \$4.00. (Call for availability.) These prices include postage (US), surface mail (foreign). All checks must be in U.S. funds and drawn on a U.S. bank.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:



Back Issues, One Phoenix Mill Lane, Peterborough, N.H. 03458, (603) 924-9281



A Division of The McGraw-Hill Companies

BYTE



BUYER'S GUIDE

Essential Products
and Services for
Technology Experts

Mail Order

Top mail-order vendors offer the latest hardware and software products at the best prices. **Page 170**

Hardware/Software Showcase

Your full-color guide to in-demand hardware and software products, categorized for quick access. **Page 187**

Buyer's Mart

The BYTE classified directory of computer products and services, by subject so you can easily locate the right product. **Page 196**



FREE Now
Up-to-Date
a \$99 retail value*

Jaz™ drive

The unlimited personal hard drive

Simply plug Iomega's Jaz drive into a SCSI port and you have a second hard drive with a full gigabyte of capacity instantly. Unlimited storage space is yours by simply adding disks as needed.

- ◆ 12mb average seek time, up to 6.6MB per second sustained transfer rate
- ◆ Burst transfer rate: 10MB/sec.
- ◆ Buffer size: 256KB read/write
- ◆ Interface: Fast SCSI-2 ◆ 1-year limited warranty

| | | |
|----------------------|---------------------------|-----------|
| Internal..... | \$399⁰⁰ | CDW 62710 |
| External..... | \$499⁰⁰ | CDW 58389 |
| 1GB Jaz disk PC..... | \$124⁰⁰ | CDW 62711 |

Free Now Up-to-Date personal organizer software on CD when you register your new Iomega Zip, Jaz or Ditto drive. Offer fulfilled via manufacturer coupon. Offer valid 8/1/96-1/31/97.

WHY PAY RETAIL?

CDW® Sells For Less!™

TEXAS
INSTRUMENTS

TravelMate 6020 and 6030

Setting the standard in high performance and flexibility

- ◆ 120MHz (TM6020) or 133MHz (TM6030) Intel Pentium® processor
- ◆ 8MB (TM6020) or 16MB (TM6030) RAM standard
- ◆ 1.08GB (TM6020) or 1.35GB (TM6030) hard drive
- ◆ Optional integrated 6X CD-ROM drive ◆ 11.3" (TM6020) or 12.1" (TM6030) TFT active-matrix SVGA color display ◆ 28.8K bps modem

| | | |
|-------------|----------------------------|-----------|
| TM6020..... | \$4041⁹⁵ | CDW 70835 |
| TM6030..... | \$4806²⁶ | CDW 70837 |

The Intel Inside® Logo and Pentium® are Registered Trademarks of Intel Corporation



HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

SOFTWARE

| | |
|--|--------|
| Adobe PageMaker V6.0 WIN 3.5/CD | 545.78 |
| Adobe PageMaker V6.0 WIN upg 3.5/CD | 132.81 |
| Adobe Photoshop V3.0 5 WIN 3.5/CD | 545.78 |
| Adobe Photoshop V3.0 5 WIN upg | 109.55 |
| Arcade Backup for Windows 95 | 56.10 |
| Cadre OmniPage Pro V7.0 WIN95 vers upg | 113.63 |
| Corel WordPerfect Suite V7.0 WIN95 CD | 241.54 |
| Corel WordPerfect Suite V7.0 WIN95 upg CD | 135.70 |
| Corel WordPerfect Suite V7.0 WIN95 upg CD | 83.15 |
| Corel WordPerfect Suite WIN 3.5/CD | 241.54 |
| Corel WordPerfect Suite WIN upg 3.5/CD | 135.70 |
| Corel WordPerfect Suite WIN upg CD | 91.77 |
| CorelDRAW! V6.0 WIN95 CD | 413.37 |
| Datastorm Procomm Plus V2.01 DOS | 99.01 |
| Datastorm Procomm Plus V3.0 WIN95/WIN | 122.72 |
| Datastorm Procomm Plus V3.0 WIN95/WIN CD | 121.17 |
| Datallstorm Procomm Plus V3.0 WIN95/WIN upg | 66.09 |
| Delrina WinFax PRO V7.0 WIN95 | 136.00 |
| Delrina WinFax PRO V7.0 WIN95 CD | 72.52 |
| GoldMine V3.0 WIN95 | 169.32 |
| Helix Hurricane V2.0 WIN95/WIN | 42.99 |
| Infut QuickBooks V4.0 WIN | 94.28 |
| Infut QuickBooks V3.0 WIN | 41.73 |
| Lotus 1-2-3 V5.0 WIN | 291.45 |
| Lotus 1-2-3 V5.0 WIN spec upg | 93.16 |
| Lotus ccMail Mobile V4.0 WIN | 134.00 |
| Lotus SmartSuite 95 WIN95 upg CD | 134.72 |
| Lotus SmartSuite V4.0 WIN upg | 134.72 |
| McAfee VirusScan V2.0 WIN95 | 44.23 |
| McAfee VirusScan V2.2 DOS | 43.85 |
| McAfee VirusScan V2.2 WIN | 44.17 |
| Microsoft Access V2.0 WIN | 296.94 |
| Microsoft Access V2.0 WIN upg | 114.80 |
| Microsoft Encarta Encyclopedia 1996 WIN CD | 44.94 |
| Microsoft Excel V5.0 WIN comp upg | 114.98 |
| Microsoft FrontPage V1.0 WIN95 | 131.14 |
| Microsoft MS-DOS V6.22 upg | 51.82 |
| Microsoft Office Pro V4.0 WIN CD w/Backshell | 338.24 |
| Microsoft Office Professional V4.3 WIN license | 458.68 |
| Microsoft Office Professional V4.3 WIN upg | 354.25 |
| Microsoft Office Pro w/Access WIN95 upg | 314.90 |
| Microsoft Office Professional WIN95 | 539.03 |
| Microsoft Office Pro WIN95 CD w/Backshell | 539.03 |
| Microsoft Office Pro WIN95 upg CD w/Backshell | 314.23 |
| Microsoft Office V4.0 WIN | 448.89 |
| Microsoft Office Std WIN95 upg CD | 223.97 |
| Microsoft Office Std WIN95 upg CD | 223.97 |
| Microsoft Office V4.2 WIN | 448.89 |
| Microsoft Office V4.2 WIN license | 392.05 |
| Microsoft Office V4.2 WIN upg | 265.72 |
| Microsoft Plus! WIN95 | 44.44 |
| Microsoft Plus! WIN95 CD | 45.13 |
| Microsoft Project V4.0 WIN | 411.89 |
| Microsoft Publisher V2.0 WIN95 | 89.29 |
| Microsoft Publisher V2.0 WIN upg | 89.29 |
| Microsoft Visual Basic Pro V4.0 WIN95/WINNT CD | 445.49 |
| Microsoft Visual Basic Pro V4.0 WIN95/WINNT upg CD | 364.35 |
| Microsoft Visual C++ Subscription WIN95 | 497.93 |
| Microsoft Windows 95 | 185.47 |
| Microsoft Windows 95 upg CD | 94.77 |
| Microsoft Windows 95 upg CD | 94.77 |
| Microsoft Windows V3.11 | 92.06 |
| Microsoft Word V6.0 WIN upg | 114.88 |
| Microsoft Works V3.0 WIN | 45.13 |
| Microsoft Works WIN95 | 45.13 |
| Quark QuarkXPress V3.32 WIN | 592.58 |
| QuarkQuarkXPress V6.0 WIN95/WIN | 82.14 |
| Symantec ACT! V2.0 WIN | 171.24 |
| Symantec Norton AntiVirus V3.0 DOS/WIN | 49.20 |
| Symantec Norton AntiVirus WIN95 | 72.14 |
| Symantec Norton AntiVirus WIN95 trade-up | 34.75 |
| Symantec Norton NT Tools V1.0 WIN NT CD | 46.00 |
| Symantec Norton Utilities V8.0 DOS/WIN | 119.53 |
| Symantec Norton Utilities WIN95 | 118.15 |
| Symantec Norton Utilities WIN95 trade-up | 57.24 |
| Symantec pCANYWHERE V2.0 WIN | 119.21 |
| Symantec pCANYWHERE V5.0 DOS | 121.17 |
| Symantec pCANYWHERE V7.5 WIN95/NT upg | 81.79 |
| Symantec pCANYWHERE V7.5 WIN95/NT | 131.24 |
| Symantec WinFax Pro V4.0 WIN | 136.00 |
| Veritana NetLapack Navigator V2.0 WIN | 41.04 |
| Vista Technical V4.1 WIN95/WINNT | 259.78 |
| Vista V4.0 WIN 3.5/CD | 132.80 |

NETWORKING PRODUCTS

| | |
|------------------------------|---------|
| Novell | |
| NetWare 4.1 | |
| 5-user CD | 715.40 |
| 10-user CD | 1810.15 |
| 25-user CD | 2301.71 |
| 50-user CD | 3311.25 |
| 100-user CD | 4509.48 |
| NetWare 3.12 | |
| 5-user 3.5" | 699.05 |
| 10-user 3.5" | 1574.17 |
| 25-user 3.5" | 2329.28 |
| 50-user 3.5" | 3271.25 |
| 100-user 3.5" | 4509.48 |
| GroupWise V4.1 | |
| Multilingual client/admin CD | 471.75 |
| Single-user license | 83.91 |
| 5-user license | 487.29 |
| 25-user license | 1964.38 |
| 50-user license | 2572.01 |
| ManageWise V2.0 | |
| 10-user CD | 875.82 |
| 50-user CD | 1832.58 |
| 100-user CD | 2642.32 |
| LAN Workplace V5.0 | |
| Single-user CD | 148.45 |
| 10-user CD | 1544.42 |
| 100-user CD | 4678.57 |

Microsoft

| | |
|---|---------|
| BackOffice Server V2.0 | |
| Version upg CD | 686.74 |
| Comp upg CD | 1599.03 |
| Full version CD | 1998.91 |
| 5-client license | 1159.88 |
| 20-client license | 3687.84 |
| Windows NT Server V3.51 | |
| Server upg CD | 679.03 |
| Server CD | 822.00 |
| Network Value Pack upg | 754.68 |
| Network Value Pack w/Internet Info Server | 899.19 |
| Single-client license | 57.86 |
| 20-client license pack | 605.27 |
| Windows NT Server V4.0 | |
| Upg - 5-client license CD | 579.04 |
| Upg - 10-client license CD | 803.35 |
| Comp upg - 5-client license CD | 579.04 |
| Comp upg - 10-client license CD | 803.35 |
| Server - 5-client license CD | 618.25 |
| Server - 10-client license CD | 1028.73 |
| Single-client license upg | 16.02 |
| Single-client license | 54.08 |
| Microsoft SQL Server V6.5 | |
| Server - 5-client license CD | 1225.33 |
| Server - 10-client license CD | 1281.33 |
| Server - 25-client license CD | 3556.82 |
| 5-client license | 899.19 |
| 20-client license | 2084.38 |
| Microsoft Systems Mgmt Server V1.1 | |
| SMS Server CD | 579.18 |
| SMS Servul upg CD | 84.24 |
| Single-client license | 48.14 |
| 20-client license | 718.04 |
| Microsoft SNA Server V2.11 | |
| SNA Server CD | 558.58 |
| Single-client license | 85.57 |
| 20-client license pack | 881.40 |
| Microsoft Exchange Server V4.0 | |
| Server - 5-client license CD | 899.76 |
| Server - 10-client license CD | 1218.21 |
| Server - 25-client license CD | 1889.72 |



| | |
|--|---------|
| 3Com EtherLink XL PCI 10BT | |
| 3C900 EtherLink XL PCI 10BT 5-pack | 112.20 |
| 3C900 EtherLink XL PCI 10BT 5-pack | 149.49 |
| 3C900 EtherLink XL PCI 10BT 5-pack | 152.18 |
| 3C900 EtherLink XL PCI 10BT 5-pack | 147.01 |
| 3C905 Fast EtherLink XL PCI 10/100BT | 137.00 |
| 3C905 Fast EtherLink XL PCI 10/100BT | 146.47 |
| SuperStack II Hub 15-port 10BT | 211.25 |
| SuperStack II Hub 24-port 10BT | 217.78 |
| SuperStack II Hub 12-port 10BT | 1629.99 |
| SuperStack II Hub 48-port 10BT | 5976.44 |
| SuperStack II Switch 1000 12-port Enet | 1497.13 |
| SuperStack II Switch 1000 24-port Enet | 1117.21 |
| SuperStack II Hub TR 12-port | 1193.51 |
| SuperStack II Switch 2000 TR 12-port | 6449.47 |

Bay Networks

| | |
|-----------------------------|---------|
| BayStack 12-port hub 10BT | 882.16 |
| BayStack 24-port hub 10BT | 1051.10 |
| BayStack 12-port hub 100BTX | 1655.51 |

NETWORKING PRODUCTS

| | |
|--|---------|
| Artisoft | |
| LANtastic V7.0 | |
| Starter kit 3.5" + CD | 246.54 |
| Add-on kit 3.5" + CD | 129.55 |
| 1-user comp upg CD | 57.36 |
| 10-user comp upg CD | 232.51 |
| ModemShare V7.0 | |
| 1 shared port, unlimited users | 87.91 |
| 4 shared ports, unlimited users | 291.24 |
| 32 shared ports, unlimited users | 1588.24 |
| COMPAQ | |
| Netelligent 10BT PCI controller | 103.80 |
| Netelligent 10/100BTX PCI controller | 138.85 |
| Netelligent 2000 8-port 10BT repeater | 484.30 |
| Netelligent 2000 16-port 10BT repeater | 619.70 |
| intel. | |
| EtherExpress 16 10BT | 105.19 |
| EtherExpress 16 10BT 5-pack | 458.76 |
| EtherExpress 16 combo | 123.25 |
| EtherExpress 16 combo 5-pack | 542.71 |
| EtherExpress PRO 10Mbps ISA | 86.25 |
| EtherExpress PRO 10Mbps PCI | 159.01 |
| EtherExpress PRO 10Mbps EISA | 246.25 |
| EtherExpress PRO 10Mbps PCI 5-pack | 819.80 |
| NetPortExpress EL Ethernet | 575.30 |
| TokenExpress PRO ISA LAN adapter | 242.73 |
| LINKSYS | |
| Combo Ether16 LAN card | 36.66 |
| Combo EtherPCI LAN card | 78.02 |
| Combo PC/Ethernet card 10BT | 105.88 |
| PC Card LAN/modem 10BT | 359.85 |
| SMC | |
| EtherEZ coax ISA | 91.63 |
| EtherEZ 10BT ISA | 92.03 |
| EtherEZ combo | 104.81 |
| EtherPower 10BT PCI | 117.30 |
| EtherPower 10/100BT PCI | 143.81 |
| EtherPower coax PCI | 148.63 |

DATA STORAGE

| | |
|----------------------------------|--------|
| COLORADO | |
| MAXMAX | |
| Jumbo 350 350MB TBU internal | 199.00 |
| Jumbo 1400 1.3GB TBU internal | 276.67 |
| Trakker 350MB TBU parallel | 159.12 |
| T1000 800MB TBU parallel | 199.68 |
| iomega | |
| Zip drive 100MB parallel | 199.00 |
| Zip drive 100MB SCSI | 199.00 |
| Ditto Easy 800MB Travan internal | 119.00 |
| Ditto Easy 800MB Travan external | 149.00 |
| Jaz drive 1GB internal SCSI-2 | 399.00 |
| Jaz drive 1GB external SCSI-2 | 499.00 |
| Jaz drive 1GB cartridge | 124.00 |

Pinnacle

| | |
|---|---------|
| 10XTREME 10X CD internal | |
| RCD Explorer 2X CDH recorder internal | 751.81 |
| RCD 5040 2X CDH recorder internal | 841.20 |
| RCD 5040 2X CDH recorder external | 942.73 |
| Venex 2.6GB optical hard drive internal | 1311.81 |
| Venex 2.6GB optical hard drive external | 1314.07 |
| SyQuest | |
| EZ135 135MB IDE internal | 119.33 |
| EZ135 135MB SCSI external | 119.33 |
| EZ135 135MB external | 119.33 |
| EZ135 135MB cartridge | 19.45 |
| EZ135 135MB SCSI external | 119.33 |
| EZ135 135MB SCSI external | 119.33 |
| EZ135 135MB SCSI external | 119.33 |
| EZ135 135MB SCSI external | 119.33 |

OVERDRIVE PROCESSORS

| | |
|---|--------|
| intel | |
| Intel OverDrive DX4/75 | 142.12 |
| Intel OverDrive DX4/100 | 178.74 |
| Intel OverDrive Pentium 63MHz | 158.68 |
| Intel OverDrive Pentium 63MHz | 158.68 |
| Intel OverDrive Pentium 100/133MHz upg for 5/60, 5/60 | 265.45 |
| Intel OverDrive Pentium 125MHz upg for 6/75 | 208.24 |
| Intel OverDrive Pentium 150MHz upg for 6/90 | 319.20 |
| Intel OverDrive Pentium 160MHz upg for 6/100 | 455.22 |

INPUT DEVICES

| | |
|---------------------------------|---------|
| EPSON | |
| PhotoPC digital camera | 499.88 |
| ActionScanning System II | 403.37 |
| ES1000C color scanner | 598.86 |
| ES1200C Pro color scanner | 1134.01 |
| HEWLETT PACKARD | |
| HP ScanJet 4P flatbed scanner | 468.00 |
| HP ScanJet 4C flatbed scanner | 884.00 |
| HP ScanJet 4C document feeder | 453.97 |
| KODAK | |
| DC20 Digital Science Camera | 329.00 |
| DC40 Digital Science Camera | 599.00 |
| DC50 Digital Science Camera | 599.00 |
| Logitech | |
| MouseMan 96 | 49.17 |
| Cordless MouseMan | 67.44 |
| TrackMan Marble | 76.99 |
| TrackMan Livel cordless pointer | 394.48 |
| PageScan color scanner | 297.82 |
| UMAX | |
| Vista-S6E 6000 scanner | 368.00 |
| Vista-S-12 scanner | 789.80 |
| VISIONEER | |
| PaperPort Vx scanner | 257.45 |
| PaperPort ix scanner | 297.24 |

MONITORS

| | |
|------------------------------------|---------|
| Mag Innovision DX1595 PnP 15" 26mm | 359.58 |
| Mag Innovision DX1795 PnP 17" 26mm | 612.61 |
| Mag Innovision DX1515 15" 26mm | 394.48 |
| Mag Innovision DX1717 17" 26mm | 715.47 |
| Mag Innovision MXP17F 17" 26mm | 715.22 |
| Mag Innovision MXP21F 21" 26mm | 1484.25 |
| Magnavox CM2099 14" 26mm | 322.20 |
| Magnavox CM2015 15" 26mm | 198.18 |
| Magnavox CM1215 15" 26mm | 342.50 |
| Magnavox CM1815 18" 26mm | 599.50 |
| Magnavox CM20M4 20" 31mm | 924.01 |
| NEC C400 14" 26mm | 308.76 |
| NEC XV15- 15" 26mm | 473.13 |
| NEC M500 15" 26mm | 526.94 |
| NEC XV17- 17" 26mm | 789.84 |
| NEC XE21 21" 26mm | 1679.48 |
| NEC XP21 21" 26mm | 1941.81 |
| Samsung 17G1U 17" 26mm | 919.00 |
| Sony Multiscan 15x15 15" PnP 25mm | 389.63 |
| Sony Multiscan 17x17 17" PnP 25mm | 471.90 |
| Sony Multiscan 17x17 17" PnP 25mm | 715.83 |
| Sony Multiscan 17x17 17" PnP 25mm | 978.41 |
| Sony Multiscan 20x20 20" PnP 30mm | 1030.53 |
| ViewSonic 1505 15" 27mm | 281.72 |
| ViewSonic 1705 17" 27mm | 618.78 |
| ViewSonic G1010 21" 25mm | 1494.55 |
| ViewSonic P810 21" 25mm | 1084.29 |
| ViewSonic P815 21" 25mm | 1063.54 |
| ViewSonic PT810 21" 30mm | 1551.52 |

MULTIMEDIA AND CD

| CREATIVE | |
|---------------------------------------|--------|
| Sound Blaster 163D Value PnP. | 94.63 |
| Blaster CD 8X internal | 139.46 |
| Sound Blaster 32 PnP | 164.30 |
| Sound Blaster AWE32 PnP | 272.43 |
| Sound Blaster Discovery CD 8X | 255.72 |
| Sound Blaster Performance 8X | 319.87 |
| ADS TV Superscan 2 PC to TV converter | 292.20 |
| Connectix QuickCam for Windows | 98.05 |
| Connectix Color QuickCam for Windows | 208.44 |
| EXP CD-R 4X portable 6X CD-ROM id | 717.29 |
| EXP 8X CD w/igame port PCMCIA | 733.50 |
| EXP 8X CD w/round module PCMCIA | 609.61 |
| Microlutions 4X CD parallel | 218.67 |
| Microlutions 6X CD parallel | 269.15 |
| Microlutions 8X CD w/round parallel | 359.58 |
| Microlutions 8X CD parallel | 337.65 |
| Movie Snappy video still capture | 181.68 |
| NEC 4x4 4X CD 4-disc changer internal | 88.60 |
| NEC 4x4 4X CD 7-disc changer external | 342.15 |
| NEC 6X 6X CD internal | 343.82 |
| NEC 6X 6X CD external | 356.85 |
| NEC 8X 8X CD internal IDE | 355.71 |
| NEC 8X 8X CD internal SCSI-2 | 341.76 |
| NEC 8X 8X CD external SCSI-2 | 449.61 |
| Panasonic portable 4X CD SCSI | 399.00 |
| Portable 4X 4X CD-ROM Discmaster | 487.46 |
| SunMoonStar 8X CD portable | 260.57 |
| SunMoonStar 8X CD internal IDE/ATAPI | 161.74 |

Optra R+

Affordable, 1200 dpi desktop laser printer

- 300 or 600 dpi, with PQET, 16 ppm print speed
- True 1200 x 1200 dpi, 8 ppm print speed
- 4MB RAM standard, upgradeable to 64MB
- 25MHz AMD 29000 CPU
- Enhanced PCL[®] 5, PostScript[®] Level 2 emulations
- 1-year LexExpress Warranty

Optra R+ \$1253⁶²
Optra R+ \$1481⁵⁴



WHY SETTLE FOR LESS?

CDW[®] SERVICES YOU BETTER[™]

Novell[®] GroupWise V4.1

Not just e-mail!

Novell[®] GroupWise[™] V4.1 is a fully integrated e-mail, calendaring, scheduling and task management application. Now you can send messages, schedule meetings, and assign and track vital tasks across an entire enterprise - including WAN configurations and dissimilar messaging systems.

Win/Mac/DOS client/DOS admin... \$471⁷⁵
1 add'l license... \$93⁹¹
5 add'l licenses... \$487²⁹
25 add'l licenses... \$1964³⁹



CDW[®] CARRIES OVER 20,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

COMPUTERS

PRINTERS

MODEMS & COMMUNICATIONS

| |
|--|
| <div><div>TOSHIBA</div><div>Satellite & Satellite Pro Notebooks</div><div>100CS 575 8MB 500MB 10.4" dual1929.77</div><div>110CS 5100 8MB 810MB 11.3" dual1939.78</div><div>110CT 5100 8MB 810MB 11.3" active2460.07</div><div>140CS 590 8MB 772MB 11.3" dual2578.81</div><div>4100CDT 590 8MB 772MB 11.3" active 4X CD2480.00</div><div>4200CDT 5100 8MB 810MB 11.3" dual 6X CD3480.30</div><div>4200CT 5100 8MB 1.26GB 11.3" active 6X CD398.25</div><div>Portege Notebooks</div><div>500CS 5120 16MB 1.26GB 12.1" dual3578.56</div><div>500CT 5120 16MB 1.26GB 12.1" active 6X CD3578.56</div><div>6100CT 590 8MB 720MB 9.5" active2429.00</div><div>6500T 5133 16MB 1.26GB 11.3" active3559.19</div><div>Tecra Notebooks</div><div>700CS 5120 8MB 1.2GB 11.3" dual399.52</div><div>7200CT 5133 16MB 1.2GB 12.1" active 6X CD228.11</div><div>7300CT 5150 16MB 2GB 12.1" active 6X CD596.51</div><div>AST</div><div>Ascenta Notebooks</div><div>J10 575 8MB 500MB 10.4" dual1979.47</div><div>J20 5100 8MB 540MB 11.3" dual1738.67</div><div>J30 5100 8MB 600MB 10.4" dual2326.68</div><div>J40 5100 8MB 600MB 10.4" active2800.50</div><div>J50 5133 8MB 800MB 10.4" active3278.85</div><div>P30 5100 8MB 800MB 11.3" dual 4X CD2585.40</div><div>P40 5100 8MB 1.2GB 11.3" dual 4X CD3351.37</div><div>P40 5120 16MB 1.2GB 11.3" active 6X CD3278.93</div><div>P40 5120 16MB 1.2GB 11.3" active 6X CD3749.69</div><div>P60 5133 8MB 800MB 11.3" active 4X CD3278.72</div><div>P60 5133 8MB 1.2GB 11.3" active 4X CD3278.72</div><div>P90 5133 24MB 1GB 12.1" active 6X CD4217.73</div><div>P90 5133 24MB 1GB 12.1" active 6X CD4676.95</div><div>Advantagel Lifestyle Mini-towers</div><div>9312 5166 16MB 2.5GB 8X CD2445.84</div><div>9316 5166 24MB 2.5GB 8X CD2351.94</div><div>9316 5166 32MB 2.5GB 8X CD2633.64</div><div>9316 5200 32MB 8X CD2621.44</div><div>Advantagel 5300 Series Mini-towers</div><div>9304 5133 24MB 1.6GB 8X CD1660.53</div><div>9308 5166 24MB 2.5GB 8X CD2071.30</div><div>9314 5200 32MB 8X CD2633.64</div><div>Bravo Desktops</div><div>LC 5100 5100 8MB 630MB1418.46</div><div>LC 5100 5100 16MB 1.2GB1418.56</div><div>LC 5133 5133 8MB 630MB1981.52</div><div>LC 5133 5133 16MB 1.2GB1610.76</div><div>LC 5166 5166 16MB 1.2GB1885.27</div><div>MS 5100 5100 8MB 1.2GB1668.06</div><div>MS 5133 5133 8MB 1.2GB1775.70</div><div>MS 5133 5133 16MB 1.2GB1775.70</div><div>MS 5133 5133 16MB 2.1GB1899.33</div><div>MS 5166 5166 16MB 2.1GB2384.91</div><div>Bravo Mini-towers</div><div>MS-T 5100 5100 16MB 1.2GB1719.33</div><div>MS-T 5100 5100 16MB 2.1GB1831.01</div><div>MS-T 5133 5133 16MB 1.2GB1821.01</div><div>MS-T 5133 5133 16MB 2.1GB1901.23</div><div>IBM</div><div>ThinkPad Notebooks</div><div>365ED 5100 8MB 540MB 10.4" dual 4X CD1990.00</div><div>365X 5100 8MB 810MB 10.4" dual1990.00</div><div>365XD 5100 8MB 810MB 10.4" active2339.05</div><div>365XD 5100 8MB 810MB 10.4" dual 4X CD2339.05</div><div>365XD 5120 8MB 1GB 11.3" dual 4X CD2485.30</div><div>365XD 5120 8MB 1GB 10.4" active 4X CD2491.13</div><div>560 5100 8MB 810MB 11.3" dual2618.94</div><div>560 5120 8MB 810MB 12.1" active3239.15</div><div>560 5133 8MB 1GB 12.1" active4193.15</div><div>760E 5120 8MB 810MB 12.1" active4387.54</div><div>760E 5120 8MB 1.2GB 12.1" active4427.71</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1" active4878.83</div><div>760E 5133 16MB 1.08GB 12.1</div></div> |
|--|

SMARTCACHE[®] IV

SMARTRAID[®] IV

...
We Wrote the Book On RAID.
...



Check Out Our Latest Editions

Communications Week called our SmartCache IV card with its optional RAID/Caching Module attached "...one of the fastest SCSI adapters we've ever tested." And our performance doesn't stop there. The new *SmartRAID IV high performance ULTRA SCSI RAID adapters* offer an **even faster** processor, and your choice of one, two or three SCSI bus configurations. Maybe that's why SmartRAID IV adapters have been chosen by major computer manufacturers around the world as the standard RAID offering in their high-end servers.

Key features of DPT RAID adapters include:

- Hardware RAID 0, 1 and 5
- Support for up to 64MB of cache
- Powerful on-board processors for best performance
- **SmartCorrect**, DPT's exclusive error correcting technology
- Storage Manager software for easy RAID setup and maintenance

Call us today for more information on DPT RAID products. Mention the key code at the bottom of this ad and we'll also send you a copy of our latest book on RAID entitled "**RAID and SCSI Technology Papers.**"

See for yourself why we say: SmartCache, SmartRAID, Smart Choice!

1-800-860-4589

DPT[®]
Distributed Processing Technology

Circle 200 on Inquiry Card.




B9610



Operating Your PC up to 300 Feet Away is a SNAP!

- Locate your keyboard, monitor and PS/2 mouse up to 300 feet away from your computer
- Uses two Category 5 UTP cables for lower installation cost
- Works with PC, PC/XT, PC/AT, PS/2 and 100% compatibles
- Keep your PC in a secure, climate-controlled area and maintain access from crowded or harsh environments
- Supports up to 1024 x 768 non-interlaced resolution



COME SEE US AT
Networks Expo in Dallas, TX Oct. 29-31 Booth #1591
COMDEX/Fall '96 in Las Vegas NV, Nov. 18-22 at Booth #L4254



S N A P PC EXTENDER

Cybex Computer Products Corporation
4912 Research Drive Huntsville, AL 35805 USA
(205) 430-4000 (205) 430-4030 fax
<http://www.cybex.com/>



Cybex and Extender are trademarks of Cybex Computer Products Corporation. PC, PC/XT, PC/AT, and PS/2 are registered trademarks of International Business Machines Corporation. The Inc. 500 logo is a registered trademark of Goldhirsh Group, Inc.

Dealer Program Available

Made in USA

Circle 198 on Inquiry Card (RESELLERS: 199).

Diagnose any PC's problems fast with

the **UNIVERSAL DIAGNOSTICS TOOLKIT**



- **Get the best, most accurate full-system diagnostics package for all your problem PCs.**
- **Low-Level Formats all hard drives including IDEs. Allows relocation of Track 0.**
- **Works with any PC regardless of O/S: DOS, Windows 95 & NT, O/S2, Unix, Novell, etc.**

Loop-back Plugs—
9-pin serial, 25-pin serial
and 25-pin parallel
plugs, used for external
I/O port testing.

2 Micro-Scope
floppy disks—
containing the best
PC diagnostic tools
on the market.
Comes with both 3.5"
and 5.25" disks to
work with any PC.



Micro-Scope 6.1 UNIVERSAL DIAGNOSTIC SOFTWARE



**Fully O/S Independent
diagnostic software...**

*Call for upgrade pricing &
complete new features list!*

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp **ACCURACY** are a few of the advantages that arise from this system independence. Jerry Pournelle awarded MICRO-SCOPE & POST-PROBE the User's Choice Award in the May 1994 issue of Byte Magazine, saying: **"You name it, this tests it. If you maintain PCs you'll love it."**

♦ **LOW-LEVEL FORMAT**—Performs low-level format on all hard drives including IDE drives. ♦ **TRUE HARDWARE DIAGNOSTICS**—Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy drives, video cards, etc. ♦ **RELOCATES TRACK 0** on hard drives that support relocation. ♦ **IRQ CHECK**—Talks directly to hardware and shows I/O address and IRQ of devices that respond. ♦ **O/S INDEPENDENT**—Does not rely on O/S for diagnostics. Talks to PC at hardware level. All tests are full function regardless of O/S (i.e. Windows, Novell, UNIX, O/S2). ♦ **IRQ DISPLAY**—Show bits enabled in IRQ chip for finding cards that are software driven (Network, Sound Card, etc.). ♦ **MEMORY DISPLAY**—Displays any physical bit of memory under 1 MB. Very useful for determining memory conflicts and available memory space. ♦ **AND MUCH MORE...** We don't have enough space here for everything this software can do!



Complete Micro-Scope Manual—easy to follow testing procedures and detailed error code descriptions. See the features list at left to view some of the incredible wealth of testing capabilities this program contains.

Govt. Orders: NSN-7030-01-421-6459

Call Now for Special Pricing
1-800-864-8008

**MICRO
2000**
TM



**Windows 95
COMPATIBLE**

100% accurate results...

Tri-State Logic Probe—works with Post-Probe and enables testing down to individual chip level.

Durable Zip-up Leatherette Carrying Case—all your tools in one organized easy to carry toolkit.

Post-Probe Diagnostic Card—when Post-Probe detects an error, a 2 digit BIOS code will display on the card telling you exactly what's wrong with your PC. 100% compatible with all ISA, EISA, Compaq and Micro-Channel PCs.

Micro-Channel Adapter Card—(behind Post-Probe card) allows Post-Probe to be used with Micro-Channel equipped computers.

NEW Optional Tutorial and PC Trouble Shooting Videos—Call for titles and current prices. A wealth of technical help at your fingertips.



Post-Probe™

First Ever Universal P.O.S.T. Card for All PCs!

PC won't boot up? Find out why fast with our universal POST card...

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card." —**Scott Mueller** from his globally recognized book, *Upgrading & Repairing PCs, Second Edition*

- ◆ Includes pads for voltmeter to attach for actual voltage testing under load.
- ◆ 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc.
- ◆ Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure.
- ◆ Monitors I/O Write and I/O Read to distinguish between write and read errors.
- ◆ Accurately monitors progress of POST for computers *without* POST codes.
- ◆ Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA.
- ◆ Compatible with Micro Channel computers.
- ◆ Dip switch allows easy selection of I/O ports to read.
- ◆ Includes **TRI-STATE LOGIC PROBE** to determine actual chip failures.
- ◆ Manual includes chip layouts and detailed POST procedures for all major BIOSs.
- ◆ **AND MUCH MORE...** call for more details.

Govt. Orders: NSN-7025-01-421-6467

Micro 2000, Inc. Makers of Professional PC Diagnostic Tools
 1100 East Broadway, Suite 301, Glendale, California, USA 91205
 Toll Free: 800/864-8008 • Phone: 818/547-0125 • Fax: 818/547-0397
 Web Site: <http://www.micro2000.com>
 International Orders please call:
 Micro 2000 Australia.....61-42-574-144
 Micro 2000 UK.....44-1462-483-483
 Micro 2000 Amsterdam.....31-206-384-433
 Micro 2000 Germany.....49-69-420-8278

Copyright © 1996 Micro 2000, Inc. All Rights Reserved.
 Circle 207 on Inquiry Card.

Extensive Post-Probe Manual—exhaustively complete, containing BIOS error codes for most PCs on the market. Look up the 2-digit error code in this manual and instantly diagnose your PC's problem. Also contains common chip diagrams, descriptions and complete troubleshooting tips.



Reliable and Affordable Ethernet Networking Products!

EtherPRO III Series

10BASE-T/BNC Adapter Card features Plug 'N Play I/O, interrupt and PROM address. NE2000/IEEE802.3 compliant with LED indicators for activity and link detection. Supports NOVELL, Microsoft, Artisoft, FTP and PC/NFS. Compatible with all Bus systems, 10Mbps transfer and is FCC certified.

Configuration options:

- Plug 'N Play Design -I/O 300h,320h,340h & 360h
-Interrupt 2,3,4,5,10,12,15

| | | |
|------------|--------------------------|-------|
| AE-200JL-N | 10BaseT/BNC Adap. | \$39 |
| AEF-380PCI | PCI 10BaseT Adap. | \$59 |
| AEF-350TX | PCI 10BaseT 10/100 Adap. | \$89 |
| UTP16/L | 16 Port 10BaseT Hub | \$227 |
| UTP8SL | 8 Port 10BaseT Hub | \$96 |



16-Port 10BASET Concentrator

- Reliable
- Compact
- Cost-effective!



BOCA
RESEARCH INC.

Offers Sixteen 10BaseT ports with RJ45 connectors, One BNC and One AUI port for cascading hubs or connection to existing backbone, has 21 LED indicators for confirming status and operations. IEEE802.3 compliant.

BEN220 BOCAHUB-16 PLUS 10Base-T Concentrator \$247
BEN210 BOCAHUB-8 (Eight Port) 10Base-T Concentrator \$99

Non-Powered Parallel Line Extender

PLE100 DB25 Male to DB25 Male, 30' Cable \$43 PLE110 DB25 Male to 36P Male, 30' Cable \$43

36.6Kbps Modems

V.34i **ZOOM** 36.6Kbps
Internal Send/
Receive Fax
Modem \$109



SPORT-28.8E
US ROBOTICS
36.6Kbps
External \$189

SPORT-28.8I
36.6 Kbps
Internal \$169



Texas Locations
800-531-5369

San Antonio, TX
10731 Gulfdale

(210) 828-0503 • FAX: (210) 348-2408
Austin, TX

10705 Metric Blvd.

(512) 832-9131 • FAX: (512) 835-1328
Dallas, TX

15207 Midway Rd

(214) 388-8882 • FAX: (214) 388-9182
Corpus Christi, TX

2650 S.P.I.D.

(512) 814-8882 • FAX: (512) 814-8812
San Antonio, TX

11342 IH-35 North

(210) 837-3200 • FAX: (210) 837-3284

Category 5

(UTP) Unshielded

Twisted Pair

VDC5-4

Level 5, 4 Pair, Unshielded

CL-2 PVC

1-99' 100-999' 1000'

\$0.15 \$0.10 \$90

VDC5-4P

Level 5, 4 Pair, Plenum

1-99' 100-999' 1000'

\$0.45 \$0.30 \$257

MP-8S


Modular Plug, 8 pin for 24

AWG Solid Wire

1-99 100-999 1000+

\$0.38 \$0.30 \$0.25

100MHz PENTIUM MOTHERBOARD



Supports Intel Pentium processors 75 to 166MHz. AMI Plug 'n Play Flash BIOS, clock generator for fast speed changes and meets EPA EnergyStar Standards.

- 256KB cache
- Four 72-pin SIMM sockets support EDO with up to 128Mb.
- Built-In Controller support 4 IDE drives (up to 16.6MBps transfer)
- Features 4 PCI Master & 4 ISA Slots
- Integrated I/O features EPP/ECP bi-directional parallel port.
- Two 16550 UART Serial ports with 16 byte FIFO, LBA IDE drive support over 528Mb

| | |
|------------|--|
| MBPEN-100 | PREMIO Pentium Motherboard 100MHz CPU |
| MBPEN-133 | PREMIO Pentium Motherboard 133MHz CPU |
| MBDX4P100A | 486 DX4 "Green", PCI Mainboard with 120MHz AMD CPU |



\$299
\$459
\$169

IEEE 1284 Enhanced Parallel (EPP) - Printer Cables

Bi-Directional Printer Cables

| | | |
|------------|--|--------------|
| PPC1284-6 | DB25 Male to Centronics 36P Male (6 ft) | Each \$12.95 |
| PPC1284-10 | DB25 Male to Centronics 36P Male (10 ft) | Each 15.95 |

Cable Assemblies (Premium Fully Shielded)

| Part# | Description | Each | 10+ |
|----------|--|--------|--------|
| 5MM-6 | 5-Pin Din M-M, 6 ft. | \$2.99 | \$2.54 |
| PPC301-6 | Printer Cable DB25-36 Pin Centronics, 6ft. | 2.99 | 2.54 |
| 25MM-6 | DB25, 25 Line Cable Male to Male, 6 ft. | 3.99 | 3.51 |
| 25MF-6 | DB25, 25 Line Cable Male to Female, 6 ft. | 3.99 | 3.51 |
| HD15MM-6 | 15 Pin High Density, Male to Male, 6 ft. | 4.99 | 4.24 |
| KEC-6 | AT Keyboard Extension Cable, 6 ft. | 2.99 | 2.54 |
| PS2KEC-6 | PS2 Keyboard Extension Cable, 6 ft. | 3.39 | 2.99 |
| MEC-6 | AT Monitor Extension Cable, (9M-9F) 6 ft. | 2.99 | 2.54 |
| PS2MEC-6 | PS2 Monitor Extension Cable, 6 ft. | 3.39 | 2.99 |
| ATM-6 | AT to Modem, 6 ft. (9S-25P) | 2.99 | 2.60 |

Check Out
Our Home
Page

http://
www.altex.com



PPC301-6

Reliable, Efficient Tape Storage Allows You Portable Security & Peace of Mind!

IOMEGA "ZIP" 100MB Drive

Allows you quick storage on the go! Great for software applications, presentations, financials, spreadsheets and more. Features 1.25Mbps Data Transfer with 29ms access time, ZIPTool Software allowing you to organize, track and locate files fast and effectively. Weighs less than a pound and fits in palm. Compatible with DOS, Windows 95 or Mac7.



| | | |
|----------|---|----------|
| ZIP-100P | IOMEGA ZIP 100Mb Parallel Port for PC/Notebooks | \$209 |
| ZIP-100S | IOMEGA ZIP 100Mb SCSI Port for PC | 199 |
| ZIP-C3 | 100Mb ZIP PC Cartridges (Three) | \$2.95 |
| ZIPC10 | 100Mb ZIP PC Cartridges (Ten) | \$149.95 |
| ZIP100CF | SONY 100Mb Capacity Cartridge | \$15.95 |



Since
1980



Altex
Computers & Electronics

Hours 7:30am-6:30pm M-F • 9-5pm Sat CST


800-531-5369



CORPORATE, INSTITUTIONAL & GOVERNMENT POS WELCOME. NET 30 TERMS AVAILABLE UPON APPROVAL

TERMS: For C.O.D. orders add \$5 per package. Minimum \$25. Cash or Cashiers Check only. For orders under \$99 add \$3 handling charge. All shipping is FOB San Antonio, Texas and will be added to your invoice. Texas residents add 7.34% sales tax. All returns require RMA# and must be returned in original condition. A 15% restocking fee will be assessed on product returned in non-resalable condition. Prices subject to change without notice. We are not responsible for typographical errors.

Hard Drives



ST51270A

1.28Gb, IDE, 10.5ms \$225

ST32140A

2Gb, IDE ATA-2, 10ms \$310

MXT-72004A Maxtor

2Gb, IDE ATA-2, \$289



MITSUMI 8XCDROM Drive

- 1200Kbps data transfer
- 256K Built-in Buffer memory
- Compatible with 16-bit enhanced IDE/ATAPI interface
- Motorized front disc loading/auto eject
- MPC3 compliant

FX-800 \$129



UPS Battery BackUp System

BCPERS280

280VA/175W Personal UPS (2 Outlets) \$97

OMNIPRO450 450 Watts/280VA, 4 Outlets \$203

SUPER7 7 Outlet, 18,000 amp Spike, Diag. LEDs, 7' Cord \$19

SUPER8 Super Surge Alert, 8 Outlet, 36,000 amp Spike \$24

BCINT450 450Va, 4 Outlets, 2 RJ11 \$159



Network Server Switch

MASTER VIEW allows one console to access six servers (CPUs). Supports VGA to Multi-sync, has built-in buffer, Daisy Chainable, AutoScan or Manual selection (3-40 sec. scan). Perfect for computer room access to file servers, trouble shooting, testing.

CS-106 AT, 1 to 6 \$279

CS-104 AT/PS2, 1 to 4 \$269

CS-102 AT, 1 to 2 \$219

CS-122 PS2, 1 to 2 \$219

VIDEO SEPARATOR - Video

Signal is enhanced for distance up to 210 ft. (Daisy Chainable)

VS-102 2 to 1 \$55

VS-104 4 to 1 \$119

VS-108 8 to 1 \$179

RAID

PERFORMANCE



DATA INTEGRITY

Today's applications require higher performance and reliability from your storage configurations. Consan RAID systems are your storage solutions.

We have specialized in mass storage configurations for nine years and Consan designs the highest performing RAID configurations to meet your most demanding needs.

- **HARDWARE+SOFTWARE RAIDS** — All Raid levels for all platforms.
- **HOT SWAP** — Optional hot swap drives, power supplies, and fan.
- **DIGITAL VIDEO+CAD** — Digital Video + CAD Approved with most applications.
- **NETWORK SERVERS** — Combining performance and data integrity.

CONSAN builds Seagate based solutions as well as a full line of other disk, tape, optical and CDR storage products. For more information, call Consan toll-free at :

1-800-221-6732.

 **Seagate**

CONSAN

7876 EXECUTIVE DRIVE
EDEN PRAIRIE, MN 55344
TEL: 612-949-0053
FAX: 612-949-0453

1320 TOWER ROAD
SCHALMBURG, IL 60173
TEL: 847-519-1060
FAX: 847-519-1248

101 EAST PARK BLVD.
PLANO, TX 75074
TEL: 214-422-3392
FAX: 214-422-3397



Circle 206 on Inquiry Card.

Powered By Polywell

For CAD/CAM, Animation, Video Editing, Internet/Intranet, SQL Servers



Custom Configuration for high-end Alpha, Multi-processor Pentium Pro Server/Workstations.

PolyRaxx RackMounts
Clustering Disk Array
Portable Alpha, PCs



Optimized for:
Video/Animation Authoring,
Image Editing, Presentation,
CAD/CAM, 3D Rendering,
Internet/Intranet/SQL Server



433MHz (256-bit Alpha 21164A) Super System with 9GB HD
400MHz (256-bit Alpha 21164A) Advanced System with 4.3GB HD
300MHz (256-bit Alpha 21164) Standard System with 2.1GB HD
275MHz (128-bit Alpha 21064A) Basic System with 1.2GB HD

from \$9,995
from \$7,995
from \$4,995
from \$2,995



Quad Pentium Pro 4 x 200MHz SQL Server with 20GB Disk Array
Dual Pentium Pro 2 x 200MHz SMP NT System with 4.3GB HD
Single Pentium Pro 200MHz Standard NT Station with 2GB HD

from \$19,950
from \$4,500
from \$2,500



Pentium 200MHz High-Power PC with 2GB HD
Pentium 166MHz Standard PC with 1.6GB HD
Cyrix P166+ Budget PC with 1.2GB HD

from \$2,300
from \$1,995
from \$1,595


Polywell Computers, Inc (800) 789-8027

www.polywell.com

1461 San Maleo Ave., So. San Francisco, CA 94080, USA
Tel: (415) 583-7222 Fax: (415) 583-1974 E-Mail: info@polywell.com



Warranty and Support
5-year in-house labor,
2-year standard parts,
10-year toll free support
30-day money back guarantee



Circle 203 on Inquiry Card.

Watch the Asia-Pacific's
Networking Leaders
Vie to Solve
REAL-WORLD
Strategic
Issues.

SINGAPORE OCT. 24th • HONG KONG OCT. 29th • SYDNEY OCT. 31st

Two real networks, two real debates on how they should grow.

Here's a common-sense, real-world seminar to help you practically understand the new high-speed LAN, switching, and routing technologies, as well as frame relay, ATM and the new wide-area networking products and strategies.

First you'll get a tutorial on these hot areas from Robin Layland, Data Communications Contributing Editor and experienced networking manager, and Datapro analyst Mitch Radomir, an Asia-Pac expert in internetworking.

Then, you'll be able to compare the products and strategies of the leading Asia-Pacific networking vendors and then watch them solve two real-world networking problems facing a typical campus network and wide area network in the region.

Here's only some of the issues to be addressed:

- How will campus networks evolve over the next three years?
- Will routers be replaced by switches?
- How much bandwidth is needed on the desktop?
- What's the best way to handle voice and data to remote locations?
- Is ATM the answer?
- Is it frame relay that handles both data and voice?
- What role should the internet play?

Register now! Fax to +65-538-4436.

Seating is limited to 200 attendees. For more information call Rosie Lee at

Phone: +65-538-4432 or fax at number above.

Data Communications and Datapro

The Great Debate on LAN and WAN Strategies

October 24, 1996

The Sheraton Towers
Singapore
39 Scotts Rd.
Singapore 228230

October 29, 1996

The Grand Hyatt
Hong Kong
1 Harbour Rd.
Hong Kong

October 31, 1996

ANA Hotel Sydney
176 Cumberland St
The Rocks, Sydney
NSW 2000 Australia

Registration Fee: \$150 (U.S. Currency)

☐ I'd like to register immediately.

☐ I'm interested, but want more information.

Name _____

Title _____

Organization _____

Address _____

Country _____

Phone _____

Fax _____

Presented
by

Data
Communications &
ASIA-PACIFIC

DATAPRO
Information Services
Group

- DISCOUNT PRICES
- FREE SUPPORT FOR FSI CUSTOMERS
- CORPORATE PO'S WELCOME
- HUGE SELECTION
- SATISFACTION GUARANTEED
- GOVERNMENT &
- OVERNIGHT DELIVERY
- NO SURCHARGE ON CREDIT CARDS
- EDUCATIONAL PRICING

**CALL NOW
FOR YOUR
FREE
CATALOG!**

DESKTOP COMPUTER MEMORY

 HEWLETT

| PACKARD | | | |
|---|-------|--------|-------------------|
| Series 4 & 5 up to 24 models | | | |
| 20774A | \$43 | DD035A | \$76 |
| 20856A | \$148 | 22028A | \$16 |
| 2012035A/56/57/58/59/60/61/62/63/64/65 Multimedia PC or Position Model | | | |
| 21059A | \$34 | DD014 | \$6 |
| 21060A | \$120 | 22045 | \$73 |
| Alto Main 21077/78/79/80/81/82/83/84/85 Models | | | |
| 21215A | \$45 | 80125A | \$6 |
| 22076A | \$148 | 20152A | \$6 |
|  | | | |
| Series MTE, V & M Models | | | |
| PERFC7AAA | \$43 | 7AMB | PERFC7AAAAB \$140 |
| Series V & Versus Models | | | |
| PERFC7AAA | \$34 | 5AB | PERFC7AAAAB \$140 |
| PERFC7AAC | \$120 | 22045 | PERFC7AACAB \$73 |
|  | | | |
| ELECTRONICS INC. | | | |
| Design Series & Power Series Series Models | | | |
| 21059A | \$34 | 5AB | \$6 |
| 21060A | \$120 | 22045 | \$73 |
| Reference Series Power Station Series & Home MATE Series Models | | | |
| 21059A | \$34 | 5AB | \$6 |
| 21060A | \$120 | 22045 | \$73 |

NEW LOWER PRICES!!

| 30-PIN | 72-PIN Non-parity | 72-PIN Parity | EDO | First Source International Always Includes Installation Instructional (on standard elims) |
|---|----------------------------------|----------------------------------|----------------------------------|---|
| 1 x 3-70ns (3 chip/1MB) \$10 | 1 x 32-70 (4MB) \$31 | 1 x 36-70 (4MB) \$35 | 1 x 32-60 (4MB) \$31 | |
| 1 x 9-70ns (1MB) \$19 | 2 x 32-70 (8MB) \$59 | 2 x 36-70 (8MB) \$69 | 2 x 32-60 (8MB) \$63 | |
| 4 x 3-70ns (3-chip/4MB) \$37 | 4 x 32-70 (16MB) \$118 | 4 x 36-70 (16MB) \$128 | 4 x 32-60 (16MB) \$119 | |
| 4 x 9-70ns (4MB) \$44 | 8 x 32-70 (32MB) \$237 | 8 x 36-70 (32MB) \$257 | 8 x 32-60 (32MB) \$244 | |
| <p>ALWAYS CALL FSI BEFORE YOU BUY!</p> | | | | |

[illegible]

LOWER

CALL FSI WITH THE NAME OF YOUR PC!

Our upgrade experts have detailed configuration information on thousands of computers and printers from the oldest to the latest models!

WE PROVIDE YOU WITH:

- ✓ Your system memory features (RAM, cache & video)
- ✓ How much memory you really need
- ✓ Memory products available for your system

| TOSHIBA | | | |
|---|-------|------|-----------|
| 11910, 11950, 11960, 14500, 14600, 14700, 14800, 14850, 14900 | | | |
| PC-A2010U | \$59 | 8MB | PC-A2010U |
| PC-A2010U | | | \$203 |
| Models | | | |
| PC-A3030U | \$70 | 8MB | PC-A3030U |
| | | | \$109 |
| 12105, 12110, 12113, 12150, 12155 Models | | | |
| NAW2020U | \$49 | 8MB | NAW2020U |
| | | | \$67 |
| NAW2080U | | | \$173 |
| 160, 1110, 1115, 1400, 1405, 1410, 1415, 1430, 1435, 1410 | | | |
| 9/770 Models | | | |
| PC-90331 | \$127 | 16MB | PC-90331 |
| | | | \$191 |

Most cost effective upgrade path for your system

✓ Your system's minimum & maximum memory capabilities

 **TEXAS
INSTRUMENTS**

| Intel/More AT/DMC Models | | |
|--------------------------|------------------|---------------|
| ASB | 0753117 | \$139 |
| ASB | 255 & 255 Models | |
| ASB | 98C392/2001 | \$19 |
| ASB | 98C392/2001 | \$109 |
| ASB | 98C392/2001 | \$209 |
| ASB | 98C392/2001 | \$309 |
| ASB | 98C392/2001 | \$409 |
| ASB | 98C392/2001 | \$509 |
| ASB | 98C392/2001 | \$609 |
| ASB | 98C392/2001 | \$709 |
| ASB | 98C392/2001 | \$809 |
| ASB | 98C392/2001 | \$909 |
| ASB | 98C392/2001 | \$1009 |
| ASB | 98C392/2001 | \$1109 |
| ASB | 98C392/2001 | \$1209 |
| ASB | 98C392/2001 | \$1309 |
| ASB | 98C392/2001 | \$1409 |
| ASB | 98C392/2001 | \$1509 |
| ASB | 98C392/2001 | \$1609 |
| ASB | 98C392/2001 | \$1709 |
| ASB | 98C392/2001 | \$1809 |
| ASB | 98C392/2001 | \$1909 |
| ASB | 98C392/2001 | \$2009 |
| ASB | 98C392/2001 | \$2109 |
| ASB | 98C392/2001 | \$2209 |
| ASB | 98C392/2001 | \$2309 |
| ASB | 98C392/2001 | \$2409 |
| ASB | 98C392/2001 | \$2509 |
| ASB | 98C392/2001 | \$2609 |
| ASB | 98C392/2001 | \$2709 |
| ASB | 98C392/2001 | \$2809 |
| ASB | 98C392/2001 | \$2909 |
| ASB | 98C392/2001 | \$3009 |
| ASB | 98C392/2001 | \$3109 |
| ASB | 98C392/2001 | \$3209 |
| ASB | 98C392/2001 | \$3309 |
| ASB | 98C392/2001 | \$3409 |
| ASB | 98C392/2001 | \$3509 |
| ASB | 98C392/2001 | \$3609 |
| ASB | 98C392/2001 | \$3709 |
| ASB | 98C392/2001 | \$3809 |
| ASB | 98C392/2001 | \$3909 |
| ASB | 98C392/2001 | \$4009 |
| ASB | 98C392/2001 | \$4109 |
| ASB | 98C392/2001 | \$4209 |
| ASB | 98C392/2001 | \$4309 |
| ASB | 98C392/2001 | \$4409 |
| ASB | 98C392/2001 | \$4509 |
| ASB | 98C392/2001 | \$4609 |
| ASB | 98C392/2001 | \$4709 |
| ASB | 98C392/2001 | \$4809 |
| ASB | 98C392/2001 | \$4909 |
| ASB | 98C392/2001 | \$5009 |
| ASB | 98C392/2001 | \$5109 |
| ASB | 98C392/2001 | \$5209 |
| ASB | 98C392/2001 | \$5309 |
| ASB | 98C392/2001 | \$5409 |
| ASB | 98C392/2001 | \$5509 |
| ASB | 98C392/2001 | \$5609 |
| ASB | 98C392/2001 | \$5709 |
| ASB | 98C392/2001 | \$5809 |
| ASB | 98C392/2001 | \$5909 |
| ASB | 98C392/2001 | \$6009 |
| ASB | 98C392/2001 | \$6109 |
| ASB | 98C392/2001 | \$6209 |
| ASB | 98C392/2001 | \$6309 |
| ASB | 98C392/2001 | \$6409 |
| ASB | 98C392/2001 | \$6509 |
| ASB | 98C392/2001 | \$6609 |
| ASB | 98C392/2001 | \$6709 |
| ASB | 98C392/2001 | \$6809 |
| ASB | 98C392/2001 | \$6909 |
| ASB | 98C392/2001 | \$7009 |
| ASB | 98C392/2001 | \$7109 |
| ASB | 98C392/2001 | \$7209 |
| ASB | 98C392/2001 | \$7309 |
| ASB | 98C392/2001 | \$7409 |
| ASB | 98C392/2001 | \$7509 |
| ASB | 98C392/2001 | \$7609 |
| ASB | 98C392/2001 | \$7709 |
| ASB | 98C392/2001 | \$7809 |
| ASB | 98C392/2001 | \$7909 |
| ASB | 98C392/2001 | \$8009 |
| ASB | 98C392/2001 | \$8109 |
| ASB | 98C392/2001 | \$8209 |
| ASB | 98C392/2001 | \$8309 |
| ASB | 98C392/2001 | \$8409 |

[illegible]

IF YOU CAN'T FIND WHAT YOU'RE LOOKING FOR CALL!

Call the Upgrade Experts
ORDER NOW
800-635-9866
 International Orders Call **714-448-7750**
SEE US ON THE INTERNET: www.firstsource.com

TERMS & CONDITIONS: Credit card orders shipped only to your verified billing address. All returns must be in brand new condition, including all original packaging, warranty cards, manuals and accessories and may be subject to a 20% restocking fee. All returns and exchanges must be made within 15 days of invoice date. FSI accepts returns on computers, printers, scanners, memory and software for liquidation only. Shipping and insurance charges are non-refundable. A Return Merchandise Authorization (RMA) number is required for all returns, please contact our customer service department. Memory products are third party manufacturers' part numbers are for your information. We sell U.S. based products and our merchandise is not. Memory pricing may be higher than other providers. Prices and availability subject to change without notice. Purchase price at time of order are final. FSI cannot be responsible for errors in typography or photography. Trademarks and registered trademarks are of their respective companies.

Circle 201 on Inquiry Card (RESELLERS: 202).

Windows NT • Solaris • Linux • Windows 95 • OS/2 • PC-DOS • SCO UNIX

QNX • Free BSD • Warp • Lynx OS • Coherent Unix

NetWare • Next Step • Windows 95 • UnixWare

Run more than one OS on your PC!



SYSTEM COMMANDER

System Commander makes it safe and easy to add as many OSes to your PC as you want!

Easy Automatic Installation

- Prepares your PC for new OSes in minutes
- Simply select the OS you want and System Commander does the rest
- To use another OS simply reboot and make another selection

Money-Saving Flexibility

- Minimize hardware expenses by putting up to 100 OSes on one PC
- Use any combination of hard drives

- Use any Intel compatible OS or combination of OSes, in English or any other language

System Commander is only \$99.95 and comes with an **unconditional** 60 day money back guarantee. Get **Free** overnight shipping when you mention this ad. *Order it now and have it on your desk tomorrow morning!

"System Commander is a blooming miracle"
Jerry Pournelle- BYTE

Free overnight shipping*
when you mention this ad.

800-648-8266
www.v-com.com

V Communications, Inc.
4320 Stevens Creek Blvd, #120-3BYT
San Jose, CA 95129
408.296.4224 fax 408.296.4441


* When ordered before noon PST. No Saturday delivery. Standard shipping outside US. CA res. add \$7.25 sales tax. Offer subject to change without notice. All logos and product names are trademarks of their respective companies. VISA/MC/Amex ©1996

Windows v3.x • DOS/V • Windows 95J • Warp • MS-DOS • Linux • Merlin

Copy Protection

Why use more and more developers WIBU-KEY to protect their software against piracy?

- ✓ **Longevity:** You could use a WIBU-BOX from 1989 today with Windows NT, which does not exist 1989! Also you could run old software for DOS today in a DOS box of Window NT or 95. Each WIBU-BOX is accompanied by a full 3 year warranty.
- ✓ **The most flexible security system for the programmer:** Great Windows interface for programming of WIBU-BOXes and protection of applications, automatic detection of all WIBU-BOX variants with one software WIBU-BOX for LPT, COM and ADB, transparent and cascadeable, as PCCard and (E)ISA card. No special, expensive network dongle, the same WIBU-BOX for single stations and usage for a network server. It's one API for DOS, Windows 3.x, 95, NT OS/2, MacOS and networks, independent of the programming language.
- ✓ **The most user-friendly security system for the developer's customer:** The WIBU-BOX is one of the smallest dongles available with an unique design and handling advantage for your customer. A great control panel applet provides easy installation and diagnose tools to your customer. New sales or updates could be handled by "Remote Programming" the WIBU-BOX at your customers PC.
- ✓ **The most secure system:** WIBU-KEY doesn't just do a quick check to see if the dongle is connected - it works by encrypting through our custom ASIC. With top notch security and flexibility. Each encryption in the WIBU-BOX is initialized by a FEAL-8 algorithm (block cipher, 64 bit key). Over 200 different encryptions could be enabled independently with one WIBU-BOX for selling different applications separately. Additionally, each encryption has over 4 billion variants, chosen by a 32 bit selection code.



WIBU-KEY on stage at these next events:

SYSTEMS 96

Munich, Germany
October 21 - 25, 1996
Hall 12, Booth A12

COMDEX
Fall '96 S 2031

Sands Expo, Las Vegas
November 18 - 22, 1996

Order your Test-Kit today!
Phone: (800) 986-6578
<http://www.griftech.com>
<http://www.wibu.de>

Providing the highest quality Software Protection since 1989

We are happy to serve you:

Circle 211 on Inquiry Card (Resellers: 212).

WIBU
SYSTEMS

Germany and International:
WIBU-SYSTEMS AG
Reinhardtstrasse 54 D-76137 Karlsruhe
Tel +49 721 93172-0 FAX +49 721 93172 22
885 +49 721 93172-21 CS 1001421674
email: wibu@carde.de / <http://www.wibu.de>

GRIFIN
TECHNOLOGIES INC.

North and South America:
Griffin Technologies Inc.
1617 St Andrew Dr. Lawrence, KS 66047
Tel (800) 986-6578 + (913) 832-2070
FAX (913) 832-8787 CS 711913624
email: sales@griftech.com / www.griftech.com

Belgium, Lux.: COMPUSEC Tel +32-2-6450944 Fax +32-2-6464266
Croatia: ARIES D.o.o. Tel +385-1-222752 Fax +385-1-2226535
Estonia: Lansoft Ltd. Tel +372-2-444760 Fax +372-2-482760
Japan: Visual Networks Co. Ltd. Tel +81-3-34057801 Fax +81-3-34057818
email: niles-vnet@cybernet.net
Netherlands: COMPUSEC Tel +31-51-5740221 Fax +31-51-5726822

BECOME A CNE ...FAST!

**THE FIRST CNE COMPUTER
BASED TRAINING PROGRAM
IS HERE...**

The AllMicro CNE Self-Study Course™ is the first 100% Computer Based Training (CBT) program to fully prepare you for Novell's CNE exams. Its innovative design provides fast, effective and convenient training to anyone wishing to become a Certified NetWare Engineer, even when hampered by a busy schedule. Our CNE CBT allows you to learn and practice *everything* you'll need for full NetWare certification.

- All on one CD
- Interactive NetWare simulation for hands-on exercises
- Study at your own pace
- Hundreds of practice questions
- Priced below competitive products
- Everything you need to prepare for Novell's test!

Effective!

Through the use of interactive exercises, you'll be able to gain practical hands-on knowledge under simulated situations without the need for a working network.

AllMicro's CNE CBT ensures that when you complete your training you'll be fully prepared to pass your CNE exams, and best of all, you'll be ready and confident to go into the workplace and perform vital CNE functions.

Convenient!

Our CNE CBT program offers you flexibility and portability unmatched by traditional training methods. You will study when and where it's convenient, at your own pace using a step-by-step format for either NetWare 3.1x or 4.1!


Affordable!

The AllMicro CNE Self-Study Course is priced far below other competitive training packages, so you can now get top quality training at a price you can easily afford.

Added Bonus!

The AllMicro CNE Self-Study Course even comes with the required Micro House Technical Library™. You'll have at your fingertips the latest specifications, diagrams, hardware settings, component locations,

configurations, and other hardware technical information, all on CD-ROM. Familiarity with the Technical Library is required for full certification.



**Don't put your career on hold
any longer! Get the AllMicro
CNE Self-Study Course and
get certified...FAST!**

COURSE MODULES INCLUDE:

- Administration v3.1x
- Advanced Administration v3.1x
- 3.1x Installation & Configuration (#802)
- Service & Support for NetWare (#801)
- TCP/IP Transport for NetWare
- Networking Technologies
- NetWare 3.1x to 4.1 Update
- *NetWare 4.1 course also available

NOTE: As of 6/30/96 current CNE's will lose their certification unless they pass Novell's new 3.1x-4.1 update test. We have the course!

CALL TODAY!!

For more information about our limited time discount pricing CALL: **1-800-653-4933**

INTERNATIONAL: (813) 539-7283 • FAX (813) 531-0200

FOREFRONT/AllMicro

18820 U.S. HWY. 19N., #215, CLEARWATER, FL 34624

Circle 208 on Inquiry Card.

No more pre-printed checks!



Save time and money printing your own checks with mips VersaCheck™!

Revolutionary mips VersaCheck™ is the inexpensive software that not only lets you print your own checks from scratch, but automatically keeps your account balances too! mips VersaCheck installs into Word for Windows and lets you create checks in minutes. Include addresses, logos, even your signature, all password protected. mips VersaCheck even prints the MICR account number required by all banks for processing. And, you can make changes to your checks at any time, instantly!

- ✓ Print checks for as little as **2.7 cents per check!**
- ✓ Prints bank drafts and deposit slips
- ✓ Business and personal size checks
- ✓ Manage an unlimited number of password-protected accounts
- ✓ Compatible with inkjets and laser printers
- ✓ Compatible with Quicken, QuickBooks, PeachTree and more

Call mips at (800) 898-8560

Also available
through:

TigerSoftware
800-888-4437

Int'l Mall
800-555-MALL

MicroWAREHOUSE®
800-367-7080

mips



Dataline America, Inc.

Tel: 619-679-4070 Fax: 619-679-4073
13240 Evering Creek Drive, Suite 311 • San Diego, CA 92128


RECOMMENDED BY
 **HEWLETT
PACKARD**

Defacto RAID

High-Performance SCSI RAID Systems

Discover the best RAID price/performance in the industry. Raidtec is the affordable, open, SCSI-to-SCSI hardware RAID solution for complete data protection. Ideal for mission critical applications, document imaging & multimedia.

It's time to re-visit the ultimate in high-availability storage. Contact Raidtec today at **(770) 664-6066.**



- Fast & Wide SCSI II
- RAID levels 0, 1, 10, 3/5
- Programmable RAID Level selection
- On-the-fly hardware parity generation eliminates read, modify, write-back performance overhead
- Single ended or differential
- Configurable read & write buffers
- Rackable, stackable
- Downloadable flash firmware
- Remote alarms, configuration & monitoring
- Environmental sensor ports
- "Hot Replaceable" disk drive bays & power supplies
- Single SCSI ID
- Solid state load sharing power subsystem
- LCD control panel status display

THE STANDARD IN ADVANCED MASS STORAGE SYSTEMS

Raidtec USA
105 Hembree Park Dr. • Suite C
Roswell, GA 30076
Tel: (770) 664-6066
FAX: (770) 664-6166

Raidtec EUROPE
Glen Mervyn House • Glanmire
Cork, Ireland
Tel: (353) 21-821454
FAX: (353) 21-821654

Raidtec
CORPORATION

IBM

ThinkPad Notebooks

Thinkpad 365 Systems

| | | | |
|----------------|---------|----------------------|------------|
| Thinkpad 365X | P100 | 8/810MB, PASSIVE | .. \$Stock |
| Thinkpad 365XD | P100 | 8/810MB, PASSIVE, CD | .. \$Stock |
| Thinkpad 365X | P100 | 8/810MB, PASSIVE | .. \$Stock |
| Thinkpad 365XD | P120 | 8/1GB, PASSIVE, CD | .. \$Stock |
| Thinkpad 365XD | P120 | 8/1GB, ACTIVE CD | .. \$Stock |
| Thinkpad 365E | 586/100 | 8/540MB, PASSIVE | .. \$Stock |
| Thinkpad 365E | 586/100 | 8/540MB, PASSIVE, CD | .. \$Stock |

Thinkpad 760 Systems

| | | | |
|-----------------|-------|----------------------|------------|
| Thinkpad 760E | P/133 | 16/1GB, ACTIVE | .. \$Stock |
| Thinkpad 760ED | P/133 | 16/1.2GB, ACTIVE, CD | .. \$Stock |
| Thinkpad 760E | P/120 | 16/1.2GB, ACTIVE | .. \$Stock |
| Thinkpad 760E | P/120 | 8/810MB, ACTIVE | .. \$Stock |
| Thinkpad 760EL | P/100 | 8/810MB, PASSIVE | .. \$CALL |
| Thinkpad 760ELD | P/100 | 8/810MB, PASSIVE, CD | .. \$CALL |
| Thinkpad 760EL | P/120 | 8/810MB, PASSIVE, CD | .. \$CALL |
| Thinkpad 760EL | P/120 | 8/1GB, PASSIVE, CD | .. \$CALL |
| Thinkpad 760EL | P/120 | 8/1GB, PASSIVE, CD | .. \$CALL |

FOR ALL DESKTOPS & SERVERS PLEASE CALL

Call us before you log IBM

NOVELL

Network 3.12/4.1 Promotion
5/10/25/50/100/250 USERS
RED or WHITE BOX

call for best price

★ free network card with Purchase over \$2500.00 ★

Visit Our Web Site
www.computerlane.com

HEWLETT PACKARD

Printers

| | |
|-----------------------|----------------|
| HP DESKJET 340 | .. \$295 |
| HP DESKJET 600/660C | .. \$289/392 |
| HP DESKJET 850C/1600C | .. \$495/call |
| HP LASERJET 5L/5P | .. \$485/call |
| HP LASERJET 4+/4M+ | .. \$1340/1845 |
| HP LASER 4V/4MV | .. \$1840/call |
| HP SCANJET 4S/4C | .. \$call/892 |
| HP LASER 5SI/5SIMX | .. \$call |
| HP LASERJET 4+ | .. \$1045 |
| HP LASERJET 5/5M | .. \$1265/1699 |

COMPUTERS

VECTRA XU SYSTEMS

| | |
|-------------------------------|------------|
| XU 6/150 16/1GBscsi+CD+Matrox | .. \$stock |
| XU 6/150 16/2GBscsi+CD+Matrox | .. \$stock |
| XU 6/200 16/1GBscsi+CD+Matrox | .. \$stock |
| XU 6/200 32/2GBscsi+CD+Matrox | .. \$stock |

built in Network card, Windows NT preloaded

HP NETSERVER

| | |
|---|-----------|
| Netserver LC P/100/133/166 32/1gb+CD | .. \$call |
| Netserver LC P/133/166 32/1gb+CD | .. \$call |
| Netserver LH P/133/166 32mb, no disk, Array | .. \$call |
| Netserver LH P/133/166 32mb, no disk | .. \$call |
| Netserver LH P/133/166 64mb, 4.2gb, Array | .. \$call |

call for all other Netserver configuration

HP VECTRA 500 COMPUTERS

| | |
|------------------------|------------|
| 515MCX 5/133 16/1.6 GB | .. \$stock |
| 515MCX 5/166 16/1.6 GB | .. \$stock |

Authorized Dealer & Service Center

COMPAQ, IBM, TOSHIBA, HEWLETT PACKARD

COMPAQ

Notebook Systems

Armada Notebook Systems

| | | | |
|--------------|------|--------------------|-----------|
| Armada 1120 | P100 | 8/810MB, Passive | .. \$1799 |
| Armada 1120 | P100 | 8/810MB, Active | .. \$2175 |
| Armada 1110 | P100 | 8/810MB, Passive | .. \$2450 |
| Armada 4110D | P100 | 8/810MB, PassiveCD | .. \$2799 |
| Armada 4120 | P120 | 8/810MB, Passive | .. \$2995 |
| Armada 4120T | P120 | 8/810MB, Active | .. \$3050 |
| Armada 4130T | P133 | 8/1GB Active | .. \$4298 |

LTE Notebook Systems

| | | | |
|----------|-------|------------------|------------|
| LTE 5150 | P-75 | 8/810MB, Active | .. \$stock |
| LTE 5250 | P-100 | 8/810MB, Active | .. \$stock |
| LTE 5250 | P-120 | 16/1.3GB, Active | .. \$stock |
| LTE 5280 | P-133 | 16/1.3GB, Active | .. \$stock |

Deskpro 2000/4000/6000 Systems

| | | | |
|--------------|---------|--------------|-----------|
| Deskpro 2000 | p/100 | 8/1.2gb | .. \$1275 |
| Deskpro 2000 | p/133 | 16/1.2gb | .. \$1675 |
| Deskpro 2000 | p/166 | 16/2.5gb | .. \$2175 |
| Deskpro 2000 | 6/200 | 16/2.5gb | .. \$2690 |
| Deskpro 2000 | 6/200cd | 32/2.5gb | .. \$3209 |
| Deskpro 4000 | 6/200 | 32/2.5gb, cd | .. \$2799 |
| Deskpro 4000 | 5/120 | 8/1gb | .. \$1599 |
| Deskpro 6000 | 5/166 | 8/1gb, cas | .. \$call |
| Deskpro 6000 | 6/200 | 32/2.5gb, cd | .. \$1275 |

Compaq Server

| | | |
|---------------|--------------------------|------------|
| Prosignia 300 | Pentium 90, 120, 150MHz | .. \$stock |
| Prosignia 500 | Pentium 120, 150MHz | .. \$stock |
| Prolinea 5000 | 6/166 Model11 | .. \$stock |
| Prolinea 5000 | 6/166 Model11A | .. \$stock |
| Prolinea 5000 | 6/200 Model12 | .. \$stock |
| Prolinea 5000 | 6/200 Model2A | .. \$stock |
| Prolinea 5000 | 6/166 (rackmount Models) | .. \$stock |
| Prolinea 5000 | 6/200 (rackmount Models) | .. \$stock |

TOSHIBA

| | | | |
|--------|-------|---------|------------|
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |

NEW RELEASE

| | | | |
|--------|-------|---------|------------|
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |
| 2110CD | 6/100 | 8/810MB | .. \$stock |

Notebook Specials

Texas Instruments

| | |
|--------------------------------------|-----------|
| Extensa 510 P/100 8/810mb passive | .. \$1899 |
| Extensa 560CDT P/75 8/810MB, active | .. \$3099 |
| Extensa 570CDT P/100 8/1.2GB, active | .. \$3384 |

NEC

| | |
|------------------------------------|-----------|
| Versa 2200c P/75 8/810mb active | .. \$2250 |
| Vecta 6000h P/100 16/1.08gb active | .. \$4250 |

Modem Special

| | |
|------------------------------------|----------|
| U.S. Robotics 28.8 phone answering | .. \$179 |
| U.S. Robotics 28.8 Win Modem | .. \$135 |
| Motorola Bitsurfer ISDN | .. \$259 |

Video Boards

| | |
|---------------------------|--------------|
| Matrox 2/4MB Millenium 3D | .. \$289/429 |
| Diamond Stealth 3D 2MB | .. \$160 |
| Imagine 128 8MB Pro PCI | .. \$1285 |
| Imagine 128 2MB | .. \$299 |

ACS Computer Specials

ACS P/166 MTCD

| | |
|--|--------------------|
| PCI Intel Triton Chipset | |
| 512kb Pipeline cache | 32MB Ram |
| 1.44mb floppy drive | 2GB IDE hard drive |
| Matrox 2MB 3D 1600x1200 Video card | |
| 8xCD Rom Drive (Toshiba) | |
| Sound blaster AW32 (3D sound) | |
| Mid Tower Case | |
| 115 watts speakers system | |
| Fujitsu 101 Enhanced quiete wings keyboard | |
| Windows 95 (original with CD) | |
| DOS 6.22 (original with disks) | |
| Mag DX 1795 SVGA Monitor 17" | |

\$2,650.00

Networking

| | |
|-----------------------------------|-----------|
| 3com 3c5009 combo NIC | .. \$119 |
| 3com 3c509b | .. \$105 |
| Lampro Ne2000 compatible, 45 | .. \$29 |
| NE2000 (microdyne) | .. \$69 |
| 3com linkbuilder hub 8/24/48 port | .. \$call |

Motherboards

| | |
|--|-----------|
| Azus Pentium M/B+256 pipeline BC | .. \$205 |
| Ampton Pentium M/B+256 pipeline BC | .. \$129 |
| Intel Zepa Pentium M/B+256 pipeline BC | .. \$199 |
| Intel Endeavor Pentium M/B+sound | .. \$call |
| Intel Aurora M/B with Orion | .. \$call |

Controllers

| | |
|----------------------|----------|
| Adaptec 2940 w/kit | .. \$250 |
| Asaptec 1542 w/kit | .. \$250 |
| Adaptec 2940UW w/kit | .. \$310 |

*** call for other scsi models ***

Academic Software

Microsoft Academic Partner

Microsoft Office Professional
for windows 95
\$165

| | |
|---------------------------|-----------|
| MS WINDOWS NT 3.51 SERVER | .. \$345 |
| Ms Win NT workstation | .. \$99 |
| Ms Backoffice Server | .. \$1074 |
| Ms SQL Server | .. \$770 |

call for other Microsoft Academic Prices

Computerlane Inc.

Outside California: 1-800-526-3482

Inside California: 818-884-8644 • Fax: 818-884-8253

comlane@instanet.com

7500 Topanga Cyn Blvd., Canoga Park, CA 91303

Hours: Monday - Friday 9-6, Saturday 10-5

Compaq is A Registered
Trademark of Compaq. IBM
is A Registered Trademark
of International Business
Machines. All Quoted
Prices Reflect A 5% Cash
Discount. VISA, Master-
Card, Wire Transfer Also
Accepted. Prices Subject
to Change Without Notice.

..... UNIX™ on NT?



Software Systems is the leading provider of standards-based open systems tools for Microsoft® Windows NT™. The OPENNT™ product family consists of a fully conformant POSIX.1 / POSIX.2 runtime and development environment for NT and a host of complementary system products. In the coming months, we will be expanding our product line to provide a fully conformant UNIX operating system environment for Windows NT. OPENNT includes all of the components that users and developers demand on UNIX systems – now available for the first time as a native, fully integrated environment for Windows NT.


1-800-GET-UNIX

185 Berry St., Suite 5514, San Francisco, CA 94107
Tel.: (415) 896-0708 • Fax: (415) 896-0709 • Sales Toll Free: 800-438-8649
Email: opennt@softway.com • WWW: <http://www.softway.com/OPENNT>

Softway
Systems

OPENNT is a trademark of Software Systems, Inc. This product includes software developed by the University of California, Berkeley and its contributors. All other registered trademarks and trademarks are the property of their respective owners.

Now you can have the advantages of a UNIX system while running Microsoft's most robust Windows operating system – truly the best of both worlds!



Take advantage of our special offer. Buy any OPENNT product and get one year of product updates for free. Add to this our 30-day "no questions asked" money-back guarantee, low price and free technical support and you have a deal that can't be beat.

For the latest info on OPENNT visit our web site at:
<http://www.softway.com/OPENNT> or call 1-800-GET-UNIX!

- **OPENNT Commands & Utilities** \$199
UNIX-style shell and utilities. All your favorite tools including ksh, awk, grep, sed, vi and more!
- **OPENNT Software Development Kit** only \$99
Development system for porting & developing POSIX and UNIX applications to Windows NT
- **OPENNT X11 Server** \$199
Competitively-priced, high performance X11R6 display server for Windows NT and Windows 95
- **OPENNT Telnet Server** from \$99
Multiuser telnet daemon service for Windows NT.

Lose 500 pounds in 10 minutes



with a Rose keyboard monitor switch



Call today for free catalog

- ◆ Print servers
- ◆ Data switches
- ◆ Keyboard/video control

800-333-9343

P.O. Box 742571 ♦ HOUSTON, TEXAS 77274
TEL 713/933-7673 ♦ FAX 713/933-0044

Streamline your computer room by reducing excess equipment. Access up to 256 CPU's from a single keyboard, monitor, and mouse. ServeView is our best-selling switch, has every feature you can imagine, and installs in minutes. Compare price, features, performance, quality, and support and you'll find Rose can't be beat. Call us to discuss your application or to receive your free information kit.

Come See Us at
Strictly Business, Oct. 16-17
Houston, TX, Booth #116 and
Tech & Learning, Oct. 23-25
Dallas, TX, Booth #802 and
Networks Expo, Oct. 29-31
Dallas, TX, Booth #1579

ROSE
ELECTRONICS


Add Four Comm Ports To Your Laptop



With One Small Card

An expanding new world of communication for laptop and portable computing can be found through a new and innovative PC-card from Quatech. The QSP-100 has four RS-232 asynchronous communication channels accessed via four separate D-9 connectors.

Ideal for multi-tasking environments, the QSP-100 is powered by 16550 UARTs allowing for a maximum baud rate of 120K. In order to minimize resources while communicating to multiple devices the QSP-100 requires only one hardware interrupt. For information on this card and other innovative PC-card products please call 800/553-1170 for a free catalog.



Circle 63 on Inquiry Card (RESELLERS: 64).

Yes. We Build Multiport Serial Solutions.



Intelligent Multiport Controller

- 8 to 128 serial ports per system
- Speed up to 460.8K bps
- High performance dual RISC CPUs
- Full modem status display each port
- Multiport module rack mountable
- Multiport module can be 100M away
- Supports Windows NT, 95, 3.x, OS/2, NetWare, UNIX and many others

800-699-MOXA



524 Weddell Drive, Suite 1
Sunnyvale, CA 94089
Tel.: (408)734-2224
Fax: (408)734-4442
Email: info@moxa.com WWW: http://www.moxa.com

Circle 65 on Inquiry Card.

RS-232/RS-422/RS-485/Current Loop Serial Interface – Yes, Single Card Does It All!

- Uses standard RS-232 commands – no special drivers needed
- Automatic data flow control
- 16C550 UART with 16-byte FIFO buffer
- Transmission speeds up to 115K bps
- Complete RS-232 modem control signals
- Supports 2-wire or 4-wire operation for RS-422/485
- Both DB-9 and DB-25 connectors included
- PC-ComLIB software included, but not necessary
- Multi-port cards also available

Part # PCL-740



750 East Arques Ave., Sunnyvale, CA 94086
Tel. 408-245-6678 • Fax. 408-245-8268
Home page: http://www.advantech.com • e-mail: info@advantech.com

Circle 67 on Inquiry Card.

Celebrating... LaserLite™ & DuraTrax™



The Next Generation

Get tough... Get metal!

Join the party as we celebrate two hot new products!
LaserLite—the smallest portable laser bar code reader on the market!
And DuraTrax—the first portable reader to fully integrate
Touch Memory® and bar code technology.
Call for your free information kit!



1105 N.E. Circle Blvd., Corvallis, OR 97330
541-758-0521 • Fax 541-752-5285 • <http://www.videx.com>

CCOM

Circle 66 on Inquiry Card.

LET YOUR COMPUTER DO THE TALKING!

Voice Express Voice/Fax Mail

integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Supports up to 32 voice lines and up to 8 fax lines. Works with most business phone systems, Centrex, DID service, T-1 lines. Call now. Software+hardware kits **\$595**
2 voice lines kit starts at
Fax on demand: (805) 532-1329, Doc. # 1004
Web Page: <http://www.centraltech.com>

CENTRAL
TECHNOLOGIES

Serving Computer Users Since 1982

Voice Mail

- Fax on Demand
- Int'l Call Back
- Auto Attendant
- Talking Yellow Pages
- Fax Broadcasting
- Fax Mail
- Telemarketing
- Date/Party Lines

1-800-532-8054

FAX (805) 532-9174 • e-mail: sales@centraltech.com
11988 Challenger Ct., Moorpark, CA 93021

Circle 73 on Inquiry Card.

From \$259
MONEY BACK GUARANTEE

Mouse
Keyboard
VDT

Starview
Servers

| Model | Connectors | Ports | Price |
|-------|------------|-------|-------|
| SV421 | 4 | 8 | \$259 |
| SV422 | 4 | 8 | \$269 |
| SV423 | 4 | 8 | \$279 |

USA/Canada: 800-265-1844 (ext. 231)
Fax: (519) 455-9425 / Internet E-Mail: starview.computer@onlineusa.com
<http://www.starviewcomp.com>
See us at COMDEX Fall '96, Las Vegas, Booth 57258

StarTech
COMPUTER PRODUCTS
USA • Canada • UK • France
Netherlands • Hong Kong

European/International Distribution
use Fax or Internet
or Call: (519) 455-9675 (ext. 231)
Visa/Mastercard/American Express

STARVIEW PS/2 Model SV421

Control up to 216 Servers
with just 1 Monitor, Keyboard, and Mouse

- Supports SVGA, VGA, and Multisync Monitors
- Keyboard or pushbutton CPU selection
- Autoboosts Keyboards and mice (SV421)
- Cascadable

Rack Mount Available

Circle 72 on Inquiry Card.

Communications/Networking

Supervisor Matrix

Ask for our
Dealer Program!

Simultaneously manage up to 8 computers from up to 16 locations!



- Control with keyboard and control panel
- Scanning function
- Lock access to a CPU
- File transfer function as option
- Automatic booting of keyboard and mouse
- Supporting high-resolution monitors
- Customization always available
- Rack mountable
- 1 year warranty

Variable configurations available: any combination from 1 user to 2 computers up to 16 users to 8 computers

Minicom - CONNECTIVITY SOLUTIONS

Advanced Systems Ltd.

International Headquarters:

11 Beit Hadfus St.

95483 Jerusalem, Israel

Phone: +972 2 651 85 93

Fax: +972 2 651 89 71

Email: rguggenb@minicom.co.il

Visit our Home Page!

<http://www.minicom.netmedia.co.il>

Circle 69 on Inquiry Card.

Communications/Networking • Computer Systems

DON'T GET MAD!

GET YOUR MESSAGES!

TTI's New 4-PLAY
Voice Processing Card &
Voice Window Application Software

PEACE OF MIND FOR UNDER A THOUSAND DOLLARS

1-800-945-4884

MC/VISA/AMEX
Developers/OLM Packages Available
Specialist in International Sales and Support



Talking Technology, Inc. 1125 Atlantic Ave. Alameda, CA 94601 USA

Phone: 510 522-3800 Fax: 510 522-5556 Email: sales@tti.net Web: <http://www.tti.net>

Circle 68 on Inquiry Card.

Industrial Rackmount Computers



Low Profile 3.5" Rack chassis
PCI/ISA Backplane

- 19" Rackmount chassis (3-20 slots)
- All-in-one 80486 to PENTIUM CPU cards
- 3-20 slot ISA/PCI Backplanes
- 200-350W, 85-265 VAC Power Supplies, 48VDC, 24VDC, 12 VDC Version Available
- NEMA 4/12 Industrial Workstations
- Panel Display PCs




Western Region: 1-800-983-1177
Eastern Region: 1-800-886-2243

Circle 82 on Inquiry Card (RESELLERS: 83).

TAKE CONTROL of 2 to 64 SERVERS FROM ONE KEYBOARD, MONITOR AND MOUSE

- Any mix of PCs, Mac, and Sun
- Keyboard/mouse emulation
- AUTOSCAN
- Front panel & Hot key operation
- Remote access to 150'
- Desktop or rack mount
- Over 50,000 in operation



MasterConsole®
Rock solid, reliable control



CALL TODAY! 800-RCI-8090 X 71

DISTRIBUTORS LOCATED WORLDWIDE

RCI Europe (31)-10-458-6673
fax (31)-10-451-9610

RCI Taiwan (886) 2-218-1117
fax (886)-2-218-1221



Raritan Computer, Inc. 908.874.4072 fax 908.874.5274
10-1 Ilene Court, Belle Mead, NJ 08502 ■ sales@raritan.com ■ <http://www.raritan.com>

30 DAY MONEY-BACK GUARANTEE FULL 1-YEAR WARRANTY

Circle 70 on Inquiry Card
(RESELLERS: 71).

Industrial Strength PC Solutions



20 Slot Hot Swap Redundant PS

800-927-5464

408-452-9200 • 408-452-9210 FAX

In-House Design & Manufacturing



Call or Fax for Full Catalog
2032 Bering Dr. • San Jose, CA 95131

Rack Mount Products

- Rack mount Systems - 386 to Dual Pentiums
- Rack mount Chassis - Up to 20 Slots
- Custom Design & Modifications available
- Rack mount Monitor - Up to 20"
- Rack mount Cherry 101 Keyboard
- HDD / CD-ROM Enclosure - Hot Swappable
- NEMA 4/12 Workstation

Single Board Computers

- 386/486/Pentium - ISA / EIAS / VESA / PCI
- Passive Backplanes - from 3 slots to 20 slots
- Segmented Backplane Available

24/7 and World Wide Web

<http://www.appro.com>

E-Mail: appro@appro.com

Circle 79 on Inquiry Card (RESELLERS: 80).

Industrial PC Power Supply

- 85-265VAC, -48VDC, +24VDC, +12VDC Input
- 70W-350W output
- 60KHz PWM control IC
- 0-55°C operating
- MTBF > 20 years



ICP ACQUIRE INC.

CALL: 1-888-618-6188

FAX: 415-428-1172



5.5"x5.9"x3.4"

Circle 86 on Inquiry Card (RESELLERS: 87).

All-in-one Flat-Panel Rack-Mount Systems

For Your PC-based Control Application

CERTIFIED
ISO
9001

\$1400

- TFT, EL or Mono flat-panel display
- 14-slot backplane
- 386/486/Pentium® with PCI Bus.
- 250 power supply
- Disk bay space: 5.25" x 1, 3.5" x 2

AXIOM
MEASUREMENT & CONTROL

Tel: 909-464-1881
Fax: 909-464-1882
E-mail: sales@axiomtek.com

Circle 84 on Inquiry Card (RESELLERS: 85).

PC-IN-A-BOX

Run DOS applications in ROM on portable systems. Complete with CPU, LCD, memory, peripherals, keypad, supply, support. \$299* up.

CPU CARDS

With Rom, Ram, Flash, Pemcia

KS-7 All in one 486 SLC - \$299*

VGA, Ethernet, 4 Srl, 2 Par, Ide, Flop, Keybd, sound, 8M Ram/Flash.

KS-8 Portable Elan 386 - \$399*

5M mem, 3 Srl, 2 Par, CGA, batt. op.

KS-1 Low Cost Nec V40 - \$129*

3 Srl, 2 Par, 10 bit A/D, Modem.

*q 100, oem version see fine print for details

800-505-6749 • Fax 303-786-9983

KILA

Circle 75 on Inquiry Card.

Rackmount



- ENCLOSURES for 386, 486 & Pentium® Processors
- KEYBOARDS
- MONITORS
- DRIVE ENCLOSURES

PC Enclosures
from \$300

Monitor:
10" Super VGA
Color from \$650

Keyboards:
Drawer, Shelf &
Panel from \$85

- Excellent Air Flow & Cooling
- Accepts Most ISA, EISA, VESA, PCI Motherboards & Passive Backplanes
- Rack & Desk Models • Up to 20 Slots • Rugged, Modular Construction
- 200, 300 & 400 Watt Supplies, UL, CSA, TUV • Made in U.S.A.

Call or write for descriptive brochures, prices or applications assistance:

INTEGRAND
RESEARCH CORP.

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203 FAX 209/651-1353

Web site: <http://www.IntegrandResearch.com>
Email: sales@IntegrandResearch.com

PC™ IBM® Pentium® is a registered trademark of Intel Corp. Drives and computerboards not included.

Circle 74 on Inquiry Card.

RACKMASTER™
Fault Resilient System

RACKMASTER Systems, Inc.
P.O. Box 10000
10060 Lyndale Avenue South
Bloomington, MN 55420

Hot Swap 300W AC Power Supply
48V DC Power Supplies Optional
8, 11 Or 20 Expansion Slots
ISA/EISA/PCI Bus Architectures
ATX Form Factor Available
Rigid Backplane Systems Available
Card Cage Cooling Fans
Diskays, Tower Or Rackmount
3 Exposed 5.25" Drive Bays
Up To 4 Internal 3.5" Drive Bays
Locking Door With Removable Filter
Made In U.S.A.
OEMs And VARs Welcome

Circle 88 on Inquiry Card.

SiliconRax
INDUSTRIAL Computer Systems

SAPC-20
19" Rackmount System

386 to Pentium CPU Cards
ISA/ EISA/ VESA/ PCI

SR-420
Hot Swap Redundant PS
Avail. in 8/14 or 20 Slots

- Completely Configured Systems
- Rackmount System Enclosures
- NORM 4/12 Industrial Workstations
- Monitors • Monitor Enclosures
- Keyboards • Keyboard Enclosures
- Single Board Computers
- 8 To 20 Slot Passive Backplanes

For more information
800-700-8560
<http://www.siliconrax.com>
E-mail: siliconrax@info.com
Tel. 408-720-1090 Fax 408-245-2570

Circle 81 on Inquiry Card.

Computer Systems • Data Acquisition

Single Board Computers



A large variety of SBCs in stock for fast delivery

- 486 AND PENTIUM CPUs
- UP TO 200MHZ SPEEDS
- PCI SCSI INTERFACE
- E-IDE INTERFACE
- SVGA VIDEO OUTPUT
- DUAL SERIAL PORTS
- ISA & PCI BACKPLANES

CALL TOLL FREE

1-888-RECORTEC

Tel: 1-408-734-1290

Fax: 1-408-734-2140

e-mail: info@recortec.com

<http://www.recortec.com>

RECORTEC

1290 Lawrence Station Road
Sunnyvale, CA 94089

Circle 77 on Inquiry Card.

Rack Mount Computers



Request our free Product Catalog

- COMPUTERS
- ENCLOSURES
- KEYBOARDS
- MONITORS
- PRINTERS
- CUSTOM DESIGNS

CALL TOLL FREE

1-888-RECORTEC

Tel: 1-408-734-1290

Fax: 1-408-734-2140

e-mail: info@recortec.com

<http://www.recortec.com>

RECORTEC

1290 Lawrence Station Road
Sunnyvale, CA 94089

Circle 78 on Inquiry Card.

Data Acquisition

Industrial PC Solutions



Rackmount PCs

Industrial PC Chassis

Industrial Workstations


Panel Display PCs

Pentium/486/386 CPU Cards

RS-232/422/485 Interface

Analog and digital I/Os

Data Acquisition



Call **800-800-6889** to receive a **FREE** 100-page Solution Guide for your OEM or system integration needs.

ADVANTECH.

750 E. Arques Ave.
Sunnyvale, CA 94086
408-245-6678, Fax 408-245-8268

Circle 105 on Inquiry Card.

U.S.A. Made Rackmount Solutions from THE

Over 40 models, sized from 1U through 6U, 17" to 24" deep, plus rackmount switches, monitors up to 20", & keyboards with or without trackballs.

QTY. PRICING FROM \$138.

- 5 to 20 slot segmented or unsegmented passive backplanes w/ or w/o PCI slots.
- Complete line of 486 & Pentium slot boards & motherboards up to 200 MHz, including Intel's full line.

A.C. OR 48V
HOT SWAPS
UP TO 800W

Customized Colors Available

TRI VALLEY TECHNOLOGY, INC.

4569-A Las Positas Road, Livermore, CA 94550

VOC: 510 447-2030 • FAX: 510 447-4559 • www.rackco.com



VISA
& M/C
accepted

Circle 76 on Inquiry Card.

Expandable Data Acquisition

Our 12- and 16-bit, 100 kHz plug-in DagBoards™ offer you high-speed, expandable PC-based data acquisition that grows with your application. Expand up to 256 channels with signal conditioning options for temperature, strain, pressure, accelerometer, isolation, high-voltage, frequency, and more. Extensive icon-driven software support available.



216-439-4091

Fax: 216-439-4093

<http://www.iotech.com>

Circle 106 on Inquiry Card.

BYTE

BYTE Customer Service/
Ordering Information

| | Customer Service | Orders |
|------------------|------------------|----------------|
| Belgium | 0800 71260 | 0800 71635 |
| Denmark | 8001 8934 | 8001 7728 |
| Germany | 0130 829 448 | 0130 826 112 |
| Netherlands | 06022 4959 | 06022 2146 |
| United Kingdom | 0800 973 195 | 0800 973 017 |
| Italy | 1678 79415 | 1678 76155 |
| Spain | 900 943539 | 900 933539 |
| Sweden | 020 793386 | 020 791136 |
| Switzerland | 155 24 18 | 155 72 57 |
| France | 0591 6068 | 0591 6088 |
| Other Intl | +353 91 752792 | +353 91 771385 |
| US | 1-800-232-2983 | 1-800-257-9402 |
| US/Canada/Mexico | 609-426-7676 | 609-426-5526 |
| Fax: | | |
| International | +353 91 752793 | 609-426-5434 |
| US | 609-426-7087 | 609-426-5434 |

e-mail:

new orders
customer service
address change

mporders@mcgraw-hill.com
mpcstsvc@mcgraw-hill.com
mpaddehg@mcgraw-hill.com

McGraw-Hill web: <http://www.mcgraw-hill.com/multipub>

Mail:

BYTE
PO Box 555
Hightstown NJ 08520, USA

Galway, Ireland

A Division of The McGraw-Hill Companies



FREE Instrumentation Software Demos

Software Showcase is a multimedia CD-ROM that gives you an interactive overview of the leading instrumentation software packages from National Instruments. Demonstration versions are included.

Software featured includes:

- LabVIEW graphical instrumentation software
- LabWindows/CVI visual development software
- ComponentWorks software for Visual Basic Measure software for Microsoft Excel
- VirtualBench turnkey virtual instruments

Software Showcase runs on Windows 3.1/95, Macintosh and Power Macintosh.

Call for a FREE Software Showcase

(800) 433-3488 Fax: (512) 794-8411 E-mail: Info@natinst.com

WWW: <http://www.natinst.com>
National Instruments

Circle 107 on Inquiry Card.

Custom Fast 20 SCSI Tools

SCSIVue™ Active Terminator

- Benefits:**
- Improves SCSI Bus Performance
 - Less Errors; More Reliable Data Transfer
 - Diagnoses Problems • Analyzes Signal Quality
- Features:**
- Active Regulation • Supports 68 Pin, 50 Pin
 - Status Indicators • Gold Contacts



SCSIVue™ Gold Diagnostic Cables

- Benefits:**
- No Loss Of Important Data
 - Faster Performance • Test Cable Integrity
- Features:**
- Diagnostic Indicators • Large Ferrite Filters
 - Triple Shielding (Unique Cable Design)
 - Double Gold 20u" Plated Connectors
 - Extra Heavy 26 Gauge Wire, 50 & 68 Pin

Over 40 Cable Styles In Stock

SCSIVue™ Teflon Custom Internal Cables

- Benefits:**
- Less Errors, Ultimate Performance
 - Silver Wire Improves Signal Quality
- Features:**
- Perfect 90 Ohm Impedance Match
 - Triple Pronged Connector With Gold contacts



Granite D+G+T+A SCSIVue™ Active Digital Switch

<http://www.scsipro.com>
3101 Whipple Rd. • Union City, Ca. 94587 • Ph: 510-471-6442 • Fax 510-471-6267

Circle 89 on Inquiry Card (RESELLERS: 90).

Worlds Smallest with Power Supply Inside Win 95 Plug n' Play

Portable Multi I/O Drives

Parallel SCSI PCMCIA 1 Gig \$499

To Computer Parallel Port Now 30% Faster

SCSI Connection or \$100 PC Card (PCMCIA)

To Printer

To Computer Parallel Port Now 30% Faster

JAZZ in 40% the size

1 Gig JAZZ • 640MB Optical

Fits in suit coat pocket.

\$100 PC Card (PCMCIA)

9 Gig Hard Drive

Internal UPS Battery Option! with All drives up to 4 Gig

4x to 8x multi I/O CD-ROM/CDR 2.6 to 4.8 Gig multi I/O Optical 4-16 Gig DAT multi I/O

Internal Power Supply

ph: (408) 983-1127
<http://www.libertyinc.com>
FAX (408) 243-2885 Leave Email address

Circle 91 on Inquiry Card.

SMART FAX MODEM?

Yes, a fax modem that works with your PC off!!

Introducing The Fax Modem That Stands Alone...

The FutureFax 144

ADVANCED MULTI-FUNCTION FAX SYSTEM
FOR DOS, WINDOWS & NETWORKS



- ✓ Send/Receive Faxes With Your PC Turned Off!
- ✓ Print Plain Paper Faxes Directly To Your Printer and save hundreds of \$ on thermal paper.

- ✓ STORES FAXES IN MEMORY
- ✓ VIEW FAXES BEFORE PRINTING
- ✓ FORWARD TO REMOTE LOCATION
- ✓ COMES WITH FREE SOFTWARE
- ✓ SUPPORTS CAS APPLICATIONS
- ✓ SEND FAXES WITH ANY SCANNER
- ✓ V.42, MNP DATA MODEM
- ✓ UP TO 32MB OF MEMORY
- ✓ AC OR BATTERY OPERATION
- ✓ AND MUCH, MUCH MORE!!

Call our 24 Hour
Fax-On-Demand System
for FREE Information.

1-888-GET-FAX4

ADVANCED IMAGE COMMUNICATIONS
3343 VINCENT RD, #D PLEASANT HILL, CA 94523 FAX 1-510-947-1900

Circle 92 on Inquiry Card.

Let your "true colors shine through"
when you advertise your
computer products in the

BYTE

HARDWARE/SOFTWARE SHOWCASE
our popular, affordable,
4-color advertising section!

For more information call your BYTE sales
representative (see listing,
page 201) or fax 603-924-2683

Laptops & Notebooks • Memory/Chips/Upgrades • Misc. H/W

166Mhz PENTIUM PROCESSOR POWER

BYTE MAGAZINE RECOMMENDED!

1995 BEST LOW COST

- 11.3" 800x600 Dual-scan Color screen. 2MB DRAM. Optional 12.1" or 10.4" TFT Active Matrix.
- Built-in 6x CD-ROM drive, 16-bit stereo sound, 2 speakers, & mic.
- Two type II PCMCIA slots, serial, parallel, MIDI, PS/2, & Infrared ports.
- Windows 95 or DOS / Windows.
- 1GB removable PCI EIDE HD (up to 2.1GB available).
- 16mb RAM (maximum 32mb) and 256K level 2 cache.
- 1 year parts and labor warranty. Extended warranties available.
- PS/2 Glide Point & Joystick.
- 3.5" removable floppy drive.



Please visit our web page for the latest specs and prices!

Micro International, Inc. 10850 Seaboard Loop, Houston, Texas 77099. Top quality merchandise with excellent service and support since 1984! Houston: (713) 495-9096, Fax (713) 495-7791. Hours: 8-6 Monday-Friday.

*Pentium is a registered trademark of Intel Corporation.

1-800-967-5667
Internet: <http://www.pcmint.com>

Misc. H/W • Multimedia • Programmable H/W

American Made Chassis



- Complete line of models & sizes in stock
- Computer Chassis
- CD-ROM Enclosures
- RAID Enclosures
- 19" Rack Cabinets
- Hot Swappable Power Supplies
- Removable Disk Drive Modules
- NEW! ATX-style chassis
- Designed for FCC certification
- Competitive prices
- Custom colors & designs available

Call NOW for information and catalog

CALIFORNIA
PC PRODUCTS

1-800-394-4122

VISA & MasterCard accepted - Same day shipment!
408-638-9460 - 205 Apollo Way - Hollister, CA 95023

Circle 95 on Inquiry Card (RESELLERS: 96).

HeatSentry™

The only way to make sure your super-powered PC is properly cooled!



- Make sure your system and CPU are operating at proper temperature.
- Know the exact temperature of your system and CPU at all times.
- Prevent heat-related system crashes.
- Protect your data.
- Prolong your PC's life.
- Be notified automatically of overheating conditions.
- Windows 3.11/95 / NT, Novell versions available.




1-888-848-4321
<http://www.camusa.com>

816 Charcot Ave., San Jose, CA 95131 Tel: 1-408-321-9880 Fax: 1-408-321-9885

Circle 93 on Inquiry Card (RESELLERS: 94).

Design, Print and Apply CD Labels for \$79⁹⁵

That's NEATO!



NEATO™ CD LABELER KIT™

- 1 Create your own artwork On Your Computer with easy-to-use NEATO Templates.
- 2 Print on Any Laser Printer using NEATO pressure sensitive die-cut labels.
- 3 Using the NEATO Label Device, apply labels... PERFECTLY EVERY TIME!

KIT INCLUDES

- Label Design Templates (PC & Mac)
- The Amazing Neato Labeler
- Complete Instruction Guide

ORDER NOW!
FREE 100 LABELS

800-984-9800

MicroPatent® 250 Dodge Ave • East Haven, CT 06512
203-466-5170 • Fax 203-466-5178
In Europe: +44 (0)990 561571 • Fax +44 (0)181 932 6480
See us at: <http://www.neato.com>

Circle 99 on Inquiry Card.

Sliger

is a vertically integrated design and manufacturing company specializing in computer enclosures, disk subsystem enclosures and fully integrated systems.

Engineering • Design • Fabrication

Industrial PC Enclosures
Tower PC Enclosures
Tower Drive Enclosures
Rack Systems
Rackmount Accessories
CPU Cards and Backplanes
Rackmount Drive and PC Enclosures
Industrial PS2 Power Supplies
Redundant N+1 Load Sharing Power Supplies

Now Supporting
ATX



Phone: 1-702-356-5595 Fax: 1-702-356-6361 Email: info@sliger.com
Internet: <http://www.sliger.com> Postal: 1385 Greg St. Suite 101 Sparks, NV 89431

Circle 97 on Inquiry Card (RESELLERS: 98).

Flashlite™

- 8 Mhz V-25 + Processor
- 512 KB RAM
- 256 KB Flash
- 2 Serial Ports

EDN 100 Hot New Products of 1995



Single Board Computer with DOS and Utilities \$195

Embedded controller applications:

- 2 fast DMA channels
- 8 analog inputs with programmable comparator levels
- priority interrupt controller with vector or register bank switching.

Simple software development:

- Create on a PC compatible computer.
- Download in .exe or .com format to flash disk.
- Test and debug through the console serial port.
- Modify the startup batch file to load and execute the application on reset or powerup.

JK microsystems

1275 Yuba Ave., San Pablo, CA 94806

510 236-1151 fax 510 236-2999

<http://www.dsp.com/jkmicro>



Circle 103 on Inquiry Card.

Low Cost 16-bit Controllers


Easy to program in Borland/Microsoft C/C++.

V104™ Prices start at \$149 Qty 1, \$59 OEM

- 4.0x3.5", 32+24 I/O, LCD, PC/104 Interface
- 3 UARTs, 3 timers/counters, RTC, watchdog
- 11 12-bit ADC, 4 12-bit DAC, Networking
- C library, Development kits



TERN INC.
216 FSt. #104, Davis CA 95616 USA
Tel: 916-758-0180 Fax: 916-758-0181
Internet Email: tern@netcom.com
http://ftp.netcom.com/pub/tern



Circle 102 on Inquiry Card.

Embedded Controller Kit A Complete Software and Hardware Solution

Z-World's EasyStart Kit™ provides everything you need to begin embedded systems development. The kit contains our Micro-G controller (smaller than a credit card with 14 I/O lines, RS232, 128K flash EPROM, 32K RAM and ADC), Dynamic C™ EasyStart (a simplified C development system), sample circuit/prototyping board, power supply, documentation and all the cables necessary to start development immediately.

Only \$279!



1724 Picasso Ave.
Davis, CA 95616
916.757.3737
916.753.5141 FAX

For quick info, call our AutoFax
916.753.0618 from your FAX. Request
data sheet #35. Or visit our web site at
http://www.zworld.com.

Circle 100 on Inquiry Card.

C-Programmable Controllers

The Miniature Controller Specialist since 1983

Z-World provides a complete software and hardware solution for embedded systems and control applications. Our low cost miniature controllers provide a variety of digital I/O, ADC, DAC, and RS232/RS485 communications. For only \$195, our Dynamic C™ integrated C development system allows you to create real-time multi-tasking programs up to 512K (approx. 20,000 lines of C code).

Controller pricing from \$79. Quantity discounts start at 5 units.

1724 Picasso Ave. For quick info, call our AutoFax
Davis, CA 95616 916.753.0618 from your FAX. Ask
916.757.3737 for catalog #18. Or visit our
916.753.5141 FAX web site at http://www.zworld.com.



Circle 101 on Inquiry Card.

Tape Solutions

...The Tape Experts



- 9 TRACK
- 3480 • 3490 • 3490E
- LIBRARIES

Qualstar Corporation
6709 Independence Avenue
Canoga Park, CA 91303

FAX (818) 592-0116 TEL (818) 592-0061
(800) 468-0680

Circle 104 on Inquiry Card.

All steel construction Server & RAID chassis
Front access with 14 5 1/4" exposed drive bays
Lockable front and side doors
8 hot-swapping cooling fans pre-installed
8 hot-swappable power supply options
ATX & heavy duty power supply options
Also available with Server & RAID Chassis

ATX!

Non-Stop Server Chassis

- Front access 10 "5 1/4" exposed drive bays
- Lockable front door, openable side doors
- w/300W AT UL P/S.....\$178
- w/2x300W R.P.M.....\$399

\$178



Slide-in M/B Drawer

- M/B: ATX, Baby AT, Full Size AT
- Drive Bays: 5.25"x3, 3.25"x2, 3.25"x2 (Internal)
- FCC class B, CE

ATX!

Removable Hard Drive Modules

- Wide SCSI, SCSI or IDE
- Available, Patent protected
- Perfect for RAID & removable storage application



ATX! Senstron

Heavy Duty Power Supply

- EIA-4400 400 watt AT.....\$221
- F18-4500 600 watt AT.....\$145
- EIA-4000 400 watt AT.....\$144
- APA-4800-RV 400watt AT ATX.....\$195
- SP2-4800 400 watt PS2.....\$121
- SP2-4200 300 watt PS2.....\$ 61
- AP2-3400-RV 400 watt PS2 ATX.....\$155

Also available other power supplies 3.3V output optional.

Non-Stop Redundant Power Supply

- Balance Load-Sharing Design
- Power Fault Alarm/LED/Signal



AEH CORP.
254 S. 5th Ave., La Puente, CA 91746
Tel: (818) 369-2608 • Fax: (818) 961-0468
Central, TX, 800-454-9999 • M.T.C., NY, 800-366-4860

Circle 109 on Inquiry Card (RESELLERS: 110).

We make software protection easier to handle.



Software Security's new UniKey® technology could change the way you think about software protection forever.

Even though our new hardware keys are small, they still offer the most powerful and reliable barrier against software piracy ever developed.

And with competitive pricing, they won't squeeze your margins either.

- Secure protection for multiple applications/versions
- The industry's only patented protection technology
- Protects applications quickly, without programming
- Remote update capabilities
- DOS/Windows/95/NT/Unix/NetWare support
- Time/date-based execution control
- Made in U.S.A.

UniKey makes software protection easier on your customers, your developers, and your budget... but harder than ever on pirates.

Call 1-800-841-1316 for more information, or to order our Developer's Kit, with everything you need to try UniKey protection on your application.



A new slant on software protection
6 Thorndal Circle, Darien, CT 06820-5421
(203) 656-3000 • Fax: (203) 656-3932
http://www.softsec.com



Circle 108 on Inquiry Card.

NT MAIL™ NT LIST™ NT DOMAIN™

*the backbone
mail system
for Windows NT™ &
Windows95™*

- ◆ full featured SMTP, POP and FINGER server
- ◆ highly configurable, secure list server
- ◆ multiple independent mail domains on a single machine
- ◆ graphical installation and configuration

FROM ONLY \$49

A FREE FULLY FUNCTIONAL
TIME LIMITED EVALUATION COPY
IS AVAILABLE ON OUR WEB SITE

Exit Cancel Help

all trademarks are acknowledged and are the property of their respective owners

Internet Shopper Limited - PO Box 6064 - London - SW12 9XG - ENGLAND
http://www.net-shopper.co.uk ☎ 011 44 181 673 7422

Circle 111 on Inquiry Card (RESELLERS: 112).

Put Your Company on the World Wide Web!

INTERNET

VIRTUAL
WEB
HOSTING

\$24.95
per month*

Place your order directly
into our automated
online system at:
<http://www.hway.net/home.html>

- Domain name registration provided (http://your_name)
- Unlimited updates via your own FTP account
- Complete domain mail processing (Multiple POP3, forwarding, autoresponders)
- 500 MB of data transfer per month (10.12 per MB over 500 MB)
- 20 MB of disk space for your html documents & graphics (11 per MB over 20 MB)
- T3 Connectivity to the Internet
- Unlimited e-mail address forwarding
- Microsoft Front Page® support
- CGI Scripting (Now includes shopping cart)
- Cybercash support
- Detailed web usage statistics & access to raw log files
- Controlled anonymous FTP
- TrueSpeech® server support included (real-time audio)

Also Available:
Real Audio™ 2.0
SSL Secure Processing
MySQL Database Tools

Hiway Technologies
THE WORLDWIDE LEADER IN WEB HOSTING

<http://www.hway.net> 1 800 330-HWAY sales@hway.net (407) 989-9574

Circle 114 on Inquiry Card
(RESELLERS: 115).

FREE ENGINEERING SOFTWARE CATALOG



Engineering Software Direct is your #1 source for engineering software! The more than 1,000 products listed in this catalog were developed by companies and practicing engineers and represent a vast resource of tools that can help you get your job done better, more accurately, and more quickly.

1-800-898-9044

SciTech

SciTech International 2525 N. Elston Ave., Chicago, IL 60647 • Tel 773.486.9191
Fax 773.486.9234 • e-mail info@scitechint.com • URL <http://www.scitechint.com>

Circle 113 on Inquiry Card.

Lahey
Computer Systems, Inc.

Fortran is our forte

Specializing in Fortran
Language Systems Since 1967

The Lahey Advantage

FREE, unlimited,
expert technical support.

Guaranteed bug fixes or
workarounds within
60 days.

30-day
money-back
guarantee.

FREE
product patches
on the Web at
<http://www.lahey.com>.

800-548-4778
or
702-831-2500

Fax: 702-831-8123
sales@lahey.com
<http://www.lahey.com>

LF90 Delivers!

*Speed. Dependability.
Great Tech Support.*

Create Fortran programs or port
legacy code to the PC with the
most-productive, best-supported
Fortran 90 language system.

Lahey Fortran 90

- Fortran-smart Windows Development Environment.
- DOS, Windows 3.1x, Windows 95 and NT Support.
- DLL interfaces to VB, VC++, and Borland C++.
- State-of-the-Art Intel Pentium and Pentium Pro Optimizations.

US\$895
Educational, multiple-copy, and
site-license pricing available.

Lahey Computer Systems, Inc.

865 Tahoe Blvd., P.O. Box 6091
Incline Village, NV 89450 U.S.A.

Circle 116 on Inquiry Card (RESELLERS: 117).



Word Processor Drawing Editor Widget Set
Application Builder Scripting Language Coding Tool
Mail Reader, Writer, Manager
Compound Document Architecture
Objected-Oriented, C++, UNIX, X11

The Andrew User Interface System has been a part of
the campus computing environment of Carnegie Mellon
University since 1986 and has continuously evolved to remain
at the forefront of multimedia information technology.

Just Released! Andrew 7.4 Binaries in C++

Andrew Consortium, Carnegie Mellon University, 5000 Forbes Avenue, Pittsburgh, PA 15213
Web: <http://www.cs.cmu.edu/~AUIS> Tel: (412) 263-6710

Circle 119 on Inquiry Card (RESELLERS: 120).

"Run Client/Server Applications Securely over the Internet"



- Use the Internet as a secure virtual Wide Area Network
- Develop powerful Internet applications using 4GL tools
- Use SQLWindows, Visual Basic, Powerbuilder, Delphi, C++...
- Provides automatic data-stream encryption for all SQL data
- Uses RSA security and Netscape's secure socket references
- Includes a complete enhanced version of SQLBase v6.1
- Transparent to users, developers and administrators

Use the Internet to securely access your client/server applications

Use Client/Server tools for remote access solutions!

Pricing starts at \$1,595 for a 5-user version

Call 1-800-486-DUNN ext. 405

<http://www.dunnsys.com>



DUNN
systems, inc.

Circle 118 on Inquiry Card.

VIRTUAL REALITY

FIVE GREAT PUBLICATIONS!
ONE LOW PRICE!

Virtual Reality an Exploding Technology is an exclusive report on the explosion of VR in medical, amusement, consumer and other arenas. Plus news blurbs on market entry by heavyweights & Fortune 500's.

VR Resource Directory is your guide to hundreds of companies involved in VR products, books, software, professional trade organizations, clubs, more!

VRML Primer explains VRML, building virtual worlds on the internet, great VR worlds to visit on the internet, ABCs of setting up your own internet home page, more!

Desktop VR contains a complete primer on using VR on your PC, plus, where to get low cost HMDs (head mounted displays) & other equipment, the famous Mattel Powerglove hack (converting a \$69 Powerglove for use with VR), Powerglove sources, listing of virtual world building software, comprehensive listing of HMD compatibility with popular games & software, more!

VR InfoMania contains great listings of internet websites devoted to VR, VR books, VR magazine articles & research papers, internet FTP download sites & VR-related newsgroups, article listings from back issues of VR magazines, where to go to experience real VR, reviews of popular VR books, glossary of VR terms, great VR applications, the future of virtual sex, more!

FREE BONUS!

The first 1,000 orders will receive the publication *VR Cartoons* featuring dozens of funny cartoons about VR! Yours absolutely FREE! This is a limited printing, so don't miss out! Order today!



24 HOUR
TOLL FREE
ORDER LINE

1-800-951-7100
FAX ORDERS 619-485-8968



Send Check or Money Order to: Virtual Reality Publishing
16486 Bernardo Center Drive, Suite 378, San Diego CA 92128

*Same day shipping on FedEx orders received before 4 pm EST. Personal check orders held 2 weeks for check to clear. No COD orders. International orders must be paid in US funds. Call for International S&H charges. We participate in the BBB Card Program through the Better Business Bureau of San Diego.

ORDER TODAY... HAVE IT TOMORROW!*
Circle 61 on Inquiry Card (RESELLERS: 62).

VR InfoSource



"Incredible Value!"

-Pam Elfert

"Bursting with info"

-Pat Holt

"A VR smorgasbord!"

-Sid Mirzad

FIVE GREAT PUBLICATIONS! ONE LOW PRICE!

FIVE PUBLICATION SET!
Plus FREE BONUS "VR Cartoons"

Five Great Publications! One Low Price!

ONLY \$49!*

Plus \$3 S&H
Calif. residents add sales tax

2-3 Day Delivery 17%
Fedex Overnight Air 14%

ORDER TODAY... HAVE IT TOMORROW!*

Same Day Shipping on All Orders Received Before 4 pm EST

SOFTWARE PIRATES:
(AND YOU KNOW WHO YOU ARE)
**WE'RE PUBLISHING THIS
NUMBER SO THAT YOU
WILL BE TURNED IN.**
1-800-388-7478

DON'T
COPY
THAT
FLOPPY.™

**SOFTWARE
PUBLISHERS
ASSOCIATION**

©1994 Software Publisher Association

THE BUYER'S MART

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by **BYTE**. Do NOT send logos or camera-ready artwork. Advertisers should furnish

typewritten copy. **2"x1 1/8"** ad can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, telephone and fax number. **2"x2 5/8"** ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due

approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to:

THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information please call Vivian Bernier in **BYTE** sales at 603-924-2521 or FAX: 603-924-2683.

RATES (Jan. 1996)

| | 3-5 ISSUES | 6-11 ISSUES | 12 ISSUES |
|-------------|---------------|----------------|--------------|
| 1 ad | \$790 | \$760 | \$665 |
| 2 ads/issue | - | - | 635 |
| 3 ads/issue | - | - | 600 |
| 1 ad | \$1,580 | \$1,515 | \$1,330 |
| 2 ads/issue | - | - | 1265 |
| 3 ads/issue | - | - | 1200 |

*****COLOR - Add \$100*****

ACCESSORIES

SVGA Splitters

Monitor, Keyboard and Mouse splitters, multiplexers and high quality cables to 250 feet.

- Connect 2 or more monitors to your PC
- Support to 1600x1200 - **MADE IN USA**
- Access 1 PC from several keyboards or vice versa
- SVGA < > TV Converters

HALL RESEARCH <http://www.hallresearch.com>

Santa Ana, CA (714) 641-6607

800-959-6439

BAR CODE

Labeling Software

For DOS and Windows with dot-matrix, LaserJet or DeskJet. Easy WYSIWYG design. Any format/size. Mix big text, bar codes, and PCX graphics. Formats for AIAG, KMart, Sears, MIL-STD, Penneys, WalMart. File Input. LabelRIGHT for DOS-\$279. LabelRIGHT for Windows-\$295.

30 Day Money Back Guarantee

Worthington Data Solutions

(408) 458-9938

800-345-4220

BAR CODE

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Barcode, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day \$\$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner - \$645
- Complete Unit with CCD Scanner - \$299
- Complete Unit with WAND Scanner - \$299

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

www.amltd.com

BAR CODE

Portable Reader

- ★ AA Battery Operated, 64K or 256K
- ★ Display messages and optional voice messages tell operator what to do. Messages are easily recorded (like answering machine) in any language. This unit is EASY!
- ★ Double duty as Non-portable Reader
- ★ 4x20 Supertwist LCD Display, 35 Rubber Keys
- ★ 2 Built-In Inventory Programs or create custom
- ★ Download tables and Pick Lists
- ★ Wand, CCD, or Laser Scanner Input
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ 2 year Warranty on Reader & Wand
- ★ 30 Day Money Back Guarantee
- ★ 64K Complete with Integrated Laser - \$1299
- ★ 64K Complete with Steel Wand - \$799
- ★ Small Size and very long battery life

<http://www.cruzio.com/~wds>

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938 • FAX 408-458-9964 800-345-4220

RF Terminal

Communicates 2 way to Serial Base Station from 400-1000 ft. Easily covers 1,000,000 square feet. 1-16 terminals per base station. Keyboard, wand, CCD or laser scanner input. 16 Selectable frequencies. Small size and low weight - 14 oz. with batteries. Base Station - \$845 Terminal - \$1095.

<http://www.cruzio.com/~wds>

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938 • FAX 408-458-9964 800-345-4220

Windows Bar Code Fonts

Add bar codes to any font based Windows program. Fonts designed for dot matrix, DeskJet and LaserJet. Print Codabar, 2 of 5, Code 128, UPC/EAN and Code 39 inside your Windows program. TrueType fonts, bitmaps and metafile support included. Only \$199.

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

Bar Code Printing Software LabelWorks for Windows

- Prints all Popular Bar Code Types (19 Types)
- Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- Rotates Text, Bar Codes, and Graphics
- Supports Windows Compatible Fonts
- Choose From Over One Hundred Popular Label Formats or Design Your Own
- Rich Text Support: Mix Styles, Types, & Sizes
- Automatically Prints Serial Numbers
- Imports & Exports Graphic Files: TIFF, GIF, BMP, PCX, WPG, WMF, TARGA
- Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- 30-day Money-Back Guarantee, \$295

*** CALL FOR FREE DEMO SOFTWARE ***

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

www.amltd.com

Bar Code Readers

for PC, XT, AT, PS/2, Macintosh and Serial Terminals

- ★ Attaches as 2nd Keyboard, no software changes
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or Internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Supports DOS, Novell, UNIX, Mac OS, etc.
- ★ 100+ Configurable Options
- ★ Supports USA and International Keyboards
- ★ 2 Year Warranty, 30 Day \$ Back Guarantee
- ★ Direct From Manufacturer
- ★ Top Rated by Independent Review
- ★ Complete with CCD Scanner - \$399
- ★ Complete with Laser Scanner - \$655
- ★ Complete Wand only Reader - \$299

<http://www.cruzio.com/~wds>

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938 • FAX 408-458-9964 800-345-4220

Portable Bar Code Reader

- Use as a PORTABLE, WEDGE, or SERIAL
- 9V Battery Operation with Lithium Backup
- 2x16 Supertwist LCD Display
- 54 Key Keyboard with Separate Numeric Keys
- Real-time Clock Supports Date & Time Stamps
- Reads all Popular Bar Codes (16 types)
- Wand, CCD, Laser, or Serial Input Devices
- Built-In Program Generator
- Create Your Own Custom Programs
- 6 Built-In Inventory Programs
- Up to 250 Programs Can Reside in Memory
- Create up to 250 Data Files per Program
- Up to 250 Look-Up Files in Memory
- Built-In Calculator
- Supports Hayes Compatible Modems
- 64K Memory with Data Compression
- 30-day \$\$ Back Guarantee - 1 Year Warranty
- Complete Unit with WAND Scanner - \$795

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

www.amltd.com

Bar Code Library DLL

Bar Code Library sends bar codes to the display, Windows clipboard, bitmap file, or printer. Bar Code Library supports most applications with a built-in programming language that can call a DLL. \$329. 32 Bit version \$649.

StrandWare, Inc.

715-833-2331 Fax: 715-833-1995

800-552-2331 (In US)

Inquiry 451.

BAR CODE

WINDOWS™ LABEL PRINTER

GEMINI is the ADC industry's first Windows-only label printer. Impeccable print quality, rugged all-metal construction, many bonus features standard; allows you to print labels and bar codes from the Windows applications you already use, without special labeling software or programming. Reseller inquiries welcome.

THARO SYSTEMS, INC.

P.O. Box 798, Brunswick, OH 44212-0798
http://www.tharo.com/tharo/ Internet e-mail: tharo@tharo.com
330-273-4408 Fax: 330-225-0099

Inquiry 452.

BOOKS

12,000 COMPUTER TITLES

Easy browsing & ordering in our online stores. Computer books from 450 publishers. Web URL <http://www.compubooks.com>. Excellent customer service & technical assistance. Worldwide FedEx & USMail shipping. MC/Visa/AmEx/Novus/JCB cards. **CompuBooks® Online Bookstores**
512-321-9652 Fax 512-321-4525 800-880-6818

BUSINESS SOFTWARE

Accounting Software

<http://www.capitalsoft.fi>

100% C++/MFC Source Available

Oy Capital Soft Ltd

Tekniikantie 12, FIN-02150 Espoo, Finland
Phone: +358-9-4354 2450 Fax: +358-9-455 8508

Inquiry 453.

CAD

Circuit Design Software for Windows
Easy-to-use schematic entry, PCB design, and simulation software, starting at \$149 each. Complete PCB package with schematics, autorouter, and layout for 2-layer circuit boards, \$399. Enhanced version with autoplacement, more symbol libraries, and up to 16 layers, \$649. CAM file outputs.

Mental Automation, Inc.

5415 136th Place, SE-Bellview WA 98006
(206) 641-2141 FAX (206) 649-0767 BBS (206) 641-2846
<http://www.mental.com/>

Inquiry 454.

CAD/CAM

CONTOURING MOTION CONTROL FROM A PRINTER PORT!

Indexer LPT™ software

VERSION 3

\$249

VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Rosllyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815
<http://www.abilitysystems.com>

Inquiry 455.

CAD Solutions Software TG-CAD Professional v.6.0

A 16 & 32 bit C/C++ Windows 95, Win NT & Win 3.1 CAD Developers Kit. The best in CAD/CAM software kits. Free Demo and Technical Paper.
1-800-635-7760

Fax: 214-423-7288 BBS: 214-891-9322

Disk Software, Inc. P.O. Box 941152, Plano, TX 75094

E-Mail: disksoft@ix.netcom.com

Inquiry 456.

CD-ROM

Consolidated CDROM, Inc

Worldwide suppliers of CD-ROM software. We do import, export, publishing & distribution. We also buy & sell all types of memory chips. Dealers Wanted!

102 Greenwood Ave Wyncote PA 19095 USA

800-8CD-ROMS 215-572-9831/215-572-9832 fax

Email: cdrom@consolidcdrom.com / www.consolidcdrom.com

Inquiry 457.

CD-ROMS

| | |
|--|---------|
| JAVA - Dev Kit..... | \$25.00 |
| HotJava browser, demo applets, on-line docs | |
| WINDOWS 95.COM...32-bit Shareware Collection..... | \$30.00 |
| WINSTE..... | \$35.00 |
| Utilities for Windows 3.1, NT, Windows 95, more! | |
| HOBBS OS/2..... | \$35.00 |
| Software, games, utilities, fixes, updates | |
| BSDISC - NetBSD, FreeBSD, XFree86 & X11R6..... | \$35.00 |
| INTERNET TOOLS..... | \$30.00 |
| Networking tools & utilities SLIP & PPP | |
| LINUX Developer's Resource..... | \$25.00 |
| Slackware, Red Hat, more! | |
| LINUX Installation & Getting Started Guide..... | \$7.50 |
| 245 pg manual | |
| LINUX TOOLBOX..... | \$45.00 |
| CD Set & Install Guide For beginners! | |
| MOO-TIFF for LINUX - 100% Motif compatible GUI..... | \$99.00 |
| MOO-TIFF for FreeBSD - 100% Motif compatible GUI..... | \$99.00 |
| MOTHER OF PERL..... | \$35.00 |
| Source & binaries for UNIX, DOS, NT, MAC | |
| RUNNING LINUX..... | \$19.95 |
| 576 pg manual for everything about Linux | |
| SOURCE CODE - 4.4 BSD-Linux, GNU, InterViews, more..... | \$30.00 |
| STANDARDS - RFCs, IENs, ITU/CITT BlueBook..... | \$30.00 |
| TCL/TK - software to develop X-Windows apps..... | \$35.00 |
| TeX - typesetting tools for mathematical & scientific docs..... | \$35.00 |
| WORLD WIDE Catalog..... | \$30.00 |
| See the WWW without being on-line! | |
| X-FILES - Complete sources for X11R6 & XFree86..... | \$35.00 |
| Phone Orders: 1-800-800-6613 | |
| Fax Orders: +1-520-526-6573 | |
| Int'l Phone: +1-520-526-9565 | |
| Web Orders: www.infomagic.com | |
| E-mail: orders@infomagic.com | |
| We accept MC, VISA & AMEX | |
| InfoMagic 11950 N. Hwy 89, Flagstaff, AZ 86004 | |

Inquiry 458.

CD ROM TOWERS & JUKEBOX SERVERS FOR ALL OPERATING SYSTEMS! RAID NOW AVAILABLE

No Device Drivers/ MSCDEX needed, Complete Kit Networks CD Roms, unlimited user license, DISCPORT.

"JES, NONE BETTER AT ANY PRICE"

Call NOW: 1 (800) 482-1866 305-597-3980

<http://www.jescdrom.com>

Inquiry 459.

WALNUT CREEK CDROM

| | |
|--|---------|
| FreeBSD: 2.1 Rock solid Berkeley Unix for PC w/src..... | \$39.95 |
| 2 disc set, easy install, 6 mo updates..... | |
| Slackware Linux: 2 disc "OFFICIAL" Slackware 3.0..... | \$39.95 |
| Internet's favorite. Quarterly updates..... | |
| Cica MS Windows: 4000+ Windows programs, games, drivers, fonts, shells, src. Indexes in German/ Spanish/ Italian/French/English/Japanese. Quar. updates..... | \$29.95 |
| Hobbes OS/2: 1000 MB Free/Shareware drivers, app's, etc. OS/2 Mag's product of the year! 6 mo updates..... | \$29.95 |
| Sintel MSDOS: 2 discs, premier internet technical, programming Free/Shareware..... | \$29.95 |
| Black Hawk: New Win. 95 shareware collection..... | \$29.95 |
| Internet Info: 17,000 doc's. FAQs, FRCS, & IENs..... | \$39.95 |
| Music Workshop: 2 Music prog. midi, demos, etc..... | \$39.95 |
| Project Gutenberg: 350+ Copyright free books..... | \$39.95 |
| Scientific Library: Technical shareware. DOS/Win..... | \$39.95 |
| POV-Ray: Ray-tracing images, src, documentation..... | \$39.95 |
| 60+ titles about Windows 95 & NT, games, Tcl, perl, QRZ! Ham Radio, Music, Fonts, Royalty-free images | |
| Call for your FREE catalog today! | |
| All our products are unconditionally guaranteed! | |
| 1-800-786-9907 | |
| 4041 Pike Lane, Ste D-214, Concord, CA 94520 | |
| +1-510-674-0783 Visa/MC/AMEX, Fax: +1-510-674-0821 | |
| orders@cdrom.com http://www.cdrom.com/ | |

Inquiry 460.

DATA ENTRY SOFTWARE

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, output record reformat, operator statistics, key from images (NEW!), free tech support. For PC, PC LAN, S/36, AS/400.

FREE 30 day trial.

Computer Keyes Tel: 206-776-6443
21929 Mahak Rd., Fax: 206-776-7210
Woodway, WA 98020 USA: 800-356-0203

Inquiry 461.

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices
Proprietary techniques so advanced we rescue data others simply abandon.

DRIVE SAVERS

Restoring data since 1985

1-800-440-1904

415-883-4232

Inquiry 461.

The Leader in Data Recovery

- Expertise in virtually every operating system & media storage device.
- 24-Hour support & emergency services available.
- Call for a FREE consultation!

ONTRACK DATA RECOVERY

MN: 1-800-872-2599 • CA: 1-800-752-7557

DC: 1-800-650-2410 • Europe: +44 1372 741999

Inquiry 462.

DATA RECOVERY when I.T. Matters

- Tape, Optical or C.D. Media
- Accidental Overwrites
- Hardware or Software Failure

VOGON

| | |
|---------|----------------------------|
| Europe | Tel +44 (0) 118-989-0042 |
| | Fax +44 (0) 118-989-0040 |
| USA | Tel 405-321-2585 Fax 8242 |
| Germany | Tel +49 (0) 180-522-15-42 |
| | Fax +49 (0) 89-69-37-00-55 |

Inquiry 463.

DATA/DISK CONVERSION

CONVERSION/DUPPLICATION

Tape: 4MM, QIC, 8MM, DLT, 9-trk, 3480/90/90E

Disk: 3", 3 1/2", 5 1/4", 8" CD-ROM

1-800-357-6250

Shaffstall Corporation 317-842-2077
7901 East 88th Street Fax 317-842-8294
Indianapolis IN 46256 sales@shaffstall.com
Since 1973 <http://www.shaffstall.com>

Inquiry 464.

EDUCATION

B.S. & M.S. in COMPUTER SCIENCE

The American Institute For Computer Sciences offers an in-depth home study program to earn your Bachelor of Science or Master of Science in Computer Science. Subjects covered are: MS/DOS, BASIC, PASCAL, C, C++, Data File Processing, Data Structures & Operating Systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence. Ada and Using Windows courses also available. Accredited Member: World Association of Universities and Colleges.

AMERICAN INST. for COMPUTER SCIENCES

2101-BY Magnolia Ave., Suite 200, Birmingham, AL 35205

1-800-767-2427 • 1-205-323-6191

ENGINEERING SOFTWARE

ENTERPRISE WIDE VIEWING AND MARKUP

Use AutoVue Professional to view and mark up documents. Gain access to over 160 file formats from engineering, vector, raster, hybrid, wordprocessor, spreadsheet, database, fax, and more. Supported formats include AutoCAD DWG, MicroStation DGN, TIFF, Word, WordPerfect, Excel, and more. Available for Windows, DOS, and UNIX.

Cimmetry Systems Inc.

(800) 361-1904 Tel: 514-735-3219 Fax: 514-735-6440

Inquiry 465.

SCIENTIST®

FITS EQUATIONS TO DATA

FREE 30-day version available on the Web at <http://www.micromath.com>

MicroMath Scientific Software
1-800-942-6284 Fax (801) 943-0299

Inquiry 466.

FOREIGN LANGUAGES

WORLD'S LANGUAGE CENTER

Automatic Translation with a push of the button Chinese, Japanese, Russian, 150 languages
Dictionaries - Fonts - Learning - OCR etc.
Best Prices • Best Service
FREE CATALOG

TransLanguage Inc.

800-308-8883 Fax 714-279-9368
PO Box 18024, Anaheim Hills, CA 92807

Inquiry 467.

HARDWARE

Pre-Owned Electronics, Inc.™

THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985.

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... 800-274-5343
Office: 617-778-4600 • FAX: 617-778-4848
125 MIDDLESEX TURNPIKE • BEDFORD, MA 01730

Inquiry 468.

HEWLETT-PACKARD

Buy - Sell - Trade

| | |
|------------------------|-------------|
| LaserJet | ColorPro |
| DeskJet | DraftPro |
| RuggedWriter | DraftMaster |
| Electrostatic Plotters | DesignJet |

HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates

Your Hewlett Packard Remarketing Specialist
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833 E-mail: sales@dasher.com

Inquiry 469.

HELP WANTED

* \$200 - \$500 WEEKLY *

Mailing travel brochures. No experience necessary. For information send a self-addressed stamped envelope to:

Internet Travel

P.O. Box 680610, Miami, FL 33268

Inquiry 470.

INTERNET

GAMELON® INTERNET FILES

<http://www.menai.com>

Build powerful, sophisticated programs with a fast OO persistent data software library that fits the architecture of the Internet. Gather lumpy Internet data or use the Internet for program-to-program data exchange. Object nesting, hyperlinking, indexing, transaction management, and more.

- Solans, Windows 3.1, Windows 95/NT, OS/2 (ask for Mac, Linux)
- APIs for C++, C, Visual Basic & Delphi (ask for JAVA)

Menai Corporation

1010 El Camino Real, Suite 370, Menlo Park, California 94025
(800) 426-3566 (U.S.) or (415) 853-6450
FAX (415) 853-6455 E-mail: info@menai.com

Inquiry 471.

LANs

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
- \$75 total software cost, not per node!
- Link via serial, parallel, or Modems
- Also via Ethernet or Arcnet, or mix!
- Typically only 40k of RAM

Information Modes

817-387-3339 / P.O. Drawer F, Denton TX 76202
Fax 817-382-7407 Orders 800-628-7992

Inquiry 472.

PRINTING UTILITIES

DO YOU USE A XEROX LASER?

Do you want to print any Windows application on your Xerox 4135, 4890, 4090 etc? **If so then you need:-**
WinForm - Allows production of forms and multiple page documents from any Windows application - \$1480
WinFont - Produces a Xerox font to match any True Type font - \$1480

A z i o n

For details on these and our other products
Call +44 1799 531179 Fax +44 1799 530485

Inquiry 473.

PROGRAMMERS TOOLS

High-Speed xBASE Engine for Java...

C, C++, Visual Basic and Delphi programmers. Get multi-user compatibility with FoxPro, Clipper and dBASE files. CodeBase is portable between DOS, Windows and UNIX! Includes client/server option as well as data-aware custom controls and a visual report writer!

FREE 30 day test drive!

Call Sequiter Software Inc. for details.
Phone 403 437-2410 FAX 403 436-2999

Inquiry 474.

SECURITY

Az-Tech Software, Inc.

Leaders in Software Security

EVERLOCK Safe-D EVERKEY

Phone: (816) 776-2700 x310
Fax: (816) 776-8398 * Dept: SMG-310
Internet: www.az-tech.com
E-Mail: sales@az-tech.com

Inquiry 475.

SECURITY

CRYPTKEY SOFTWARE LICENSING SYSTEM

Software Protection with NO hardware lock and NO disk key

CrypKey is software copy protection that is:

- completely secure from any disk copy program
- perfect for CD-ROM or INTERNET distribution!
- cost effective, user friendly, and 100% guaranteed to satisfy!

CrypKey can increase your software sales:

- upsell options and levels of your software
- lease or demo your software by runs or time
- enable or upgrade your customers instantly by phone, fax or email!

New! unique Ready-To-Try feature upon install allows 1 trial period only per customer. New! unique Add-On feature - add more options, levels, runs or time to existing licenses. New! CrypKey Instant-protects in just 5 minutes with no source code changes.

CrypKey is completely compatible with MS-DOS, MS-Windows 3.x, Win32s, Win95, Win NT, and manages network licenses on all Novell and Microsoft operating system based networks. CrypKey is produced by Kenonic Controls Ltd. - software and engineering since 1972.

Kenonic Controls Limited

7175-12th Street South East
Calgary, Alberta, Canada T2H 2S6
(403) 258-6200 • fax: (403) 258-6201
INTERNET: crypkey@kenonic.com
WEB: <http://www.kenonic.com/crypkey.htm>

Inquiry 477.

Cop's CopyLock II

Professional software protection.

DOS, OS2, Win 3.1, Win 95, NT, Networks.

CD-ROM and Internet Security.

Known and used world-wide since 1984.

www.linkdata.com

LINK Data Security

Int'l: + 45 3123-2350 Fax: + 45 3123-8448

Inquiry 478.

CRYPTO-BOX™ locks in your profits!

The Marx CRYPTO-BOX is the result of 10 years

experience in effective software protection.

- microprocessor controls ID codes, memory, dynamic algorithm and high speed data encryption
- remote access to passwords and counters
- license metering in networks: single key per LAN

MARX International, Inc.

See us at COMDEX in Las Vegas Microsoft Partner Pavilion #806
404-321-3020 1-800-MARX-INT fax: 404-321-0760
Visit our Home Page: <http://www.marx.com>

Inquiry 479.

KEY-LOK II™ SECURITY

Software Piracy Prevention - Survival 14 years proves effectiveness. Active algorithm, programmable memory, counters, date control, remote update. No ID on device. Low pricing (e.g. \$16.50 each for 5).

No startup costs.

Also, ACCESS CONTROL systems and disk drive/system LOCKS

MICROCOMPUTER APPLICATIONS, INC.

3167 E. Otero Circle, Littleton, CO 80122

<http://www.csn.net/keylok>

1-800-453-9565 (303) 770-1917 FAX: (303) 770-1863

Inquiry 479.

SECURE!

- Your Software Security & Information
- Your Hardware - Inside & Out

Buy the Best PC Hardware "Rail Lock".

Lock PC Anywhere (can be used to hang the PC to wall/side/under table top)

FAX: USA (816) 592-0367 UK (171) 734-6396
ISRAEL (71) 6899 843

noble@netvision.net.il <http://www.noble.co.il>

Inquiry 480.

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows (3.x, 95, NT), Mac, OS/2, support
- Machine Tie, Internet Protection, CD-ROM Protection, Serialization, Date & Execution Limitation, Registration, Remote Authentication, Concurrent User Limitation
- Our products destroy ALL of our competition

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906
800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX: 301/460-7545
E-mail: bbi@bbi.com • Web: <http://www.bbi.com>

Inquiry 476.

SOFTWARE/DEVELOPMENT

ADVANCED DEVELOPMENT TOOLKITS

EDAT

Cimmetry System's Engineering Data Access Technology (EDAT) provides programmers with complete access to CAD drawing information. Use EDAT to read, query, write and modify AutoCAD DWG, DXF, and MicroStation DGN formats. EDAT is available on Windows, Win 32s, UNIX and DOS.

VCET

View enable your application with VCET (Viewing and Conversion Enabling Technology), the most extensive viewing libraries. Add viewing capabilities for over 160 file formats within your Windows application in a matter of hours. The same technology used in AutoVue and other leading viewing and document management software.

Cimmetry Systems Inc.

(800) 361-1904 Tel: 514-735-3219 Fax: 514-735-6440

Inquiry 481.

SOFTWARE/ENGINEERING

Analog/Digital Simulation!!

- Windows, NT, DOS
 - Power Mac, Macintosh
 - IsSpice4 Real Time SPICE
 - Mixed Mode Simulation
 - Schematic Entry
 - New AHDL Modeling Kit!!
 - Model Libraries, RF, Power
 - More Than 5000 parts
 - Waveform Analysis
 - Full SPICE programs starting at \$95. Complete systems, \$595-\$2595
- P.O. Box 710 San Pedro, CA 90733-0710
(310)833-0710, FAX (310)833-9658 **intusoft**
Call for your Free Demo and Information kit.

Inquiry 482.

Super FILTER

Active + Passive + Digital + Switched Cap

- LP, HP, BP, All pass and Notch • 175+ Topologies
- All conventional types • Cascade up to 5 unique types
- Component & Non-Ideal OpAmp parameters specified
- Plots of Group Delay, Gain, Phase, in Frequency or Time Domain
- Best fit of unknown w/filter recognizer • Monte Carlo/Sensitivity analysis • \$498

Tatum Labs, Inc.

1287 N. Silo Ridge Drive, Ann Arbor, MI 48108
313-663-8810 FAX 313-663-3640

Inquiry 483.

SOFTWARE/GRAPHICS

The Next Generation of Imaging Tools™

ImageGear™ 6.0

AccuSoft announces the new standard in imaging toolkits, ImageGear™ 6.0, the successor to the top-selling AccuSoft Image Format Library™.

New Features include:

- Over 45 Raster Image Formats!
- Fastest JPEG, Group 3/Group 4
- Over 100 new API functions
- Available for all platforms
- New GUI functions
- Faster image display & transparency
- Display with sub-pixel accuracy
- Advanced image processing
- Faster image compression
- New display features, effects, and more!

AccuSoft Corporation

Call (800) 525-3577

www.accusoft.com

TEL (508) 898-2770 / FAX (508) 898-9662 Dept. BM4
2 Westborough Business Park Westborough, MA 01581 USA

Inquiry 484.

International Marketers: CAPTURE YOUR SHARE OF THE WORLDWIDE IT MARKET!

Now you can reach millions of buyers for your products through the Global Ad Network of 38 leading computer publications across the globe!

Call

Global Ad-Net

603-876-4311

Fax: **603-876-4196**

Inquiry 485.

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software!! From manuals and binders to mailers and shippers.

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... free samples

...FREE CATALOG...

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069

Phone/Fax: 513-779-7977

Inquiry 486.

WINDOWS

FREE INTERNET

Free PPP, Get On-Line Immediately, Telnet to other BBS's, Surf the World Wide Web, 28.8k modems

1-409-633-6000

All You Pay For Is The Call

Inquiry 487.

YOUR AD HERE

ADD IMPACT WITH COLOR IN THE BUYER'S MART!!

Attract the attention of your customers with the addition of color to your ad.

Call

**Vivian Bernier today
at 603-924-2521**

for rates and details

to start or upgrade
your advertising today!

OR FAX 603-924-2683

There Are 275,000 Good Reasons to Advertise in the BYTE Deck!

The BYTE Deck mails to a select group of **275,000 BYTE subscribers** who are proven direct market buyers.

In fact, BYTE subscriber surveys show that many readers prefer to buy through the mail order/direct channel:

Direct Channel Preference for Purchases of:

Peripherals 83%

Computer Systems 81%

Software 79%

Networking 65%

Source: 1995-1996 Subscriber Study

The average BYTE reader influences the purchase decisions of **107 others**, works in a company with more than **1,000 employees**, and influences **more computer product purchases** than any other person in his/her organization. The BYTE readership provides quality leads. **Why settle for anything less?**

**Call Brian Higgins today at
(603) 924-2596 or
fax your order to
(603) 924-2683.**

BYTE DECK

Circle 488 on Inquiry Card.

ADVERTISER CONTACT INFORMATION

To order products or request free information, call advertisers directly or send in the Direct Link Card by mail or fax! Let them know you saw it in BYTE!

| INQUIRY NO. | PAGE NO. | PHONE NO. | INQUIRY NO. | PAGE NO. | PHONE NO. | INQUIRY NO. | PAGE NO. | PHONE NO. |
|-------------|-------------------------------|---|-------------|-----------------------------|---------------------------|-------------|---------------------------|---------------------------|
| A | | | D | | | M | | |
| 82-83 | ACI | 188 888-618-6188 | 607-608 | DARIM | 88NA 2 213-637-1700 | 116-117 | LAHEY COMPUTER SYSTEMS | 194 800-548-4778 |
| 92 | ADVANCED IMAGE COMMUNICATIONS | 191 510-947-1000 | * | DATA COMMUNICATIONS | 46-47 | 91 | LIBERTY SYSTEM INC | 191 408-983-1127 |
| 109-110 | AE HOME CORPORATION | 193 818-961-2499 | * | DATA COMMUNICATIONS | 180 | 609-610 | LOTUS INTERNOTES | 135 800-828-7086 ext C177 |
| 121-122 | ALADDIN SOFTWARE SECURITY INC | 70 800-223-4277 | * | DELL COMPUTER CORP | 87 800-241-5857 | 602-603 | LOTUS NOTES COMPONENT | 85 800-828-7086 ext C199 |
| 208 | ALLMICRO INC | 183 800-653-4933 | * | DELL COMPUTER CORP | 88NA 6-7 800-241-5856 | | | |
| 196 | ALTEX COMPUTERS & ELECTRONICS | 176 800-531-5389 | * | DELL COMPUTER CORP | 97 800-374-7750 | 207 | MICRO 2000 | 174-175 800-864-8008 |
| * | AMERICA ONLINE | ONSERT | * | DELL COMPUTER CORP | CV-CVI 800-241-5853 | * | MICROGRAFX | 61 800-877-3040 |
| 67 | AMERICAN ADVANTECH | 187 800-800-8889 | * | DELL COMPUTER CORP (F1000) | CV-CVI 800-727-4281 | * | MICRO-INTERNATIONAL INC | 192 800-967-5687 |
| 105 | AMERICAN ADVANTECH | 190 800-800-8889 | * | DELL COMPUTER CORP | CVII 800-847-4087 | 228 | MICRON ELECTRONICS | CII-1 800-362-7306 |
| * | AMERICAN POWER CONVERSION | 32A-B 800-800-4APC DPTA2 | * | DELL COMPUTER CORP (F1000) | CVII 800-433-3427 | 168 | MICRON ELECTRONICS | 40-41 800-486-2059 |
| 123 | AMERICAN POWER CONVERSION | 33 401-788-2797** | * | DELL COMPUTER CORP | CVIII 800-225-4898 | 169 | MICRON ELECTRONICS | 74-75 800-723-2988 |
| * | AMERICAN POWER CONVERSION | 72A-B 800-800-4APC DPTA2 | * | DELL COMPUTER CORP (F1000) | CVIII 800-433-2788 | 99 | MICROPATENT | 192 800-984-9800 |
| 124 | AMERICAN POWER CONVERSION | 73 401-788-2797** | 135-136 | DELTEC | 166 800-335-8321 | * | MICROSOFT CORPORATION | 2-3 |
| 165-166 | ANDATACO | 147 619-453-9191 ext 99 | 224-227 | DISTINCT CORPORATION | 104 408-366-8933 | * | MICROSOFT CORPORATION | 28-29 |
| 119-120 | ANDREW CONSORTIUM SCS | 194 412-268-6710 | 200 | DISTRIBUTED PROCESSING TECH | 172 407-830-5822 | * | MICROSOFT PRESS INC | 103 800-MSPRESS |
| * | ANTHRO CORP | 158 800-325-3841 | 137 | DOLCH COMPUTER SYSTEMS | 121 800-995-7580 | * | MICROWAY | 131 508-746-7341 |
| * | APPLE COMPUTER INC | 16-18 408-996-1010 | 118 | DUNN SYSTEMS | 195 800-486-DUNN ext 405 | 69 | MINICOM/CLASSNET VIDEO | 188 800-922-8020 |
| 79-80 | APPRO INTERNATIONAL INC | 188 800-927-5464 | F | | | * | MINITABING | 141 814-238-3280 |
| 180 | ARTECON | 106 800-872-2783 | 138 | FAIRCOM CORPORATION | 164 314-445-6833 | 213 | MIPS DATAUNE AMERICA INC | 184 619-879-4070 |
| * | AVIATION WEEK | 80-81 | 179 | FIELDWORKS | 160 612-947-0856 | 183-184 | MIRO COMPUTER PRODUCTS AG | 89 +49-531-2113-100 |
| 84-85 | AXIOM TECHNOLOGY | 189 909-464-1881 | 175-176 | FINSON | 151 +39-2-6698-7036 | 65 | MOXA TECH USA INC | 187 800-699-MOXA |
| B | | | 201-202 | FIRST SOURCE INTL | 181 714-448-7750 | 181-182 | MRT | 155 603-465-2830 |
| 125-126 | BEST POWER | 99 800-469-4842 ext 295 | G | | | N | | |
| 127-128 | BEST POWER | 105 800-469-4842 ext 296 | 187 | GEODESIC SYSTEMS | 22 800-360-8388 | 107 | NATIONAL INSTRUMENTS | 191 800-433-3488 |
| 129-130 | BEST POWER | 109 800-469-4842 ext 297 | 192 | GLOBETROTTER SOFTWARE INC | 92 408-370-2800 | * | NET2PHONE | 111 201-928-2960 |
| 450 | BIX | 214 800-695-4775 | 69-90 | GRANITE DIGITAL | 191 510-471-6442 | * | NETWORLD+INTEROP | 163 800-488-2883 |
| * | BYTE | 165 603-924-2663 | H | | | 605-606 | NEWCOM | 88NA 5 818-597-3200 |
| * | BYTE | 211 603-924-2663 | * | HEWLETT PACKARD | 51 800-322-HPPC ext 1577 | 193 | NRW | 23 +49-211-837-2751** |
| * | BYTE BACK ISSUES | 168 603-924-9281 | 114-115 | HIWAY TECHNOLOGIES | 194 800-339-HWAY | 148 | NSTL | 161 610-941-9600 |
| * | BYTE CUSTOMER SERVICE | 162 800-232-2963 | * | IBM AS 400 | 83 800-365-4426 ext 630 | 194-195 | NSTOR CORPORATION | 118 800-724-3511 |
| * | BYTE MOVING | 22 | I | | | O | | |
| * | BYTE ON CD ROM | 213 800-924-6621 | * | IBM CAPABILITIES | 37 800-IBM-7080 ext G121 | * | OSBORNE MCGRAW HILL | 52-53 800-822-8158 |
| * | BYTE SUBMESSAGE | 162 | * | IBM CAPABILITIES | 39 800-IBM-7080 ext G120 | P | | |
| * | BYTE WEB SITE | 205 http://www.byte.com/ | * | IBM OS/2 OPENS WINDOWS | 15 800-IBM-2468 ext EA130 | 149-150 | PINNACLE MICRO | 7 714-789-3000 |
| C | | | 66-67 | ICP ACQUIRE | 188 888-618-6188 | 151 | PKWARE INC | 45 414-354-8699 |
| 95-96 | CALIFORNIA PC PRODUCTS INC | 192 800-394-4122 | * | IDT INTERNET | 111 800-689-9438 | 203 | POLYWELL SYSTEMS | 179 800-300-7659 |
| 93-94 | CAMELEON TECHNOLOGY INC | 192 800-440-7466 | 230 | INNOVUS MULTIMEDIA | 148 | 164 | POWERSOFT | 31 800-265-4555 |
| 170 | CARDIFF SOFTWARE | 167 800-659-8755 | 74 | INTEGRAND RESEARCH | 189 209-851-1203 | 185-186 | PRINCETON GRAPHIC SYSTEMS | 54 800-747-6249 ext 165 |
| 167 | CENTRAL DATA | 143 800-482-0397 | 139 | INTEGRIX INC | 113 800-300-8288 | 223 | PROTEC MICROSYSTEMS INC | 156 514-630-5832 |
| 73 | CENTRAL TECHNOLOGIES | 187 800-532-8054 | 111-112 | INTERNET SHOPPER | 194 +44-(0)181-673-7422 | Q | | |
| * | COMPAQ | 24-25 800-392-8883 | 106 | IO TECH | 190 216-439-4091 | 153 | QNX EXPLR2 | 132 800-662-1883 |
| * | COMPUSERVE | 88A-B 800-805-9182 | 108 | IOMEGA | 69 888-2-IOMEGA ext 122 | 152 | QNX SOFTWARE SYSTEMS LTD | 117 800-656-0566 ext 1027 |
| 804 | COMPUSERVE | 88NA 1 800-805-9182 | 171-172 | IQ SOFTWARE | 12-13 800-458-0386 | 104 | QUALSTAR CORP | 193 800-468-0680 |
| 197 | COMPUTER DISCOUNT WAREHOUSE | 170-171 800-959-4CDW | J | | | 63-64 | QUATECH INC | 187 800-553-1170 |
| * | COMPUTER PROF'L'S BOOK SOC | 152 614-759-3749** | 103 | JK MICROSYSTEMS | 192 510-238-1151 | R | | |
| * | COMPUTER PROF'L'S BK SOC | 152A-B 614-759-3666 | K | | | 88 | RACKMASTER | 189 800-480-4384 |
| 229 | COMPUTERLANE UNLIMITED | 185 800-526-3482 | 75 | KILA | 189 800-505-8749 | 214-215 | RAIDTEC CORPORATION | 184 770-664-6066 |
| 206 | CONSAN INC | 178 800-221-6732 | 140-141 | KINGSTON CPU UPGRADE | 66 800-435-0056 | 154 | RAINBOW TECHNOLOGIES | 58 800-852-8569 |
| 132 | COREL | 138 613-728-0828 ext 3080 | 142-143 | KINGSTON STORAGE | 21 800-251-9059 | 70-71 | RCI | 188 800-RCI-8090 ext 71 |
| 133-134 | CYBEX COMPUTER PRODUCTS CORP | 100 205-430-4000 | L | | | 77-78 | RECORTEC INC | 190 889-RECORTEC |
| 198-199 | CYBEX COMPUTER PRODUCTS CORP | 173 205-430-4000 | 209-210 | LA TRADE | 177 800-433-3726 | 204-205 | ROSE ELECTRONICS | 186 800-333-9343 |
| | | | | | | 155-156 | ROSS TECHNOLOGY INC | 159 800-774-ROSS |
| | | | | | | S | | |
| | | | | | | 174 | SAG ELECTRONICS | 57 508-682-0055 |
| | | | | | | 113 | SCITECH INTERNATIONAL | 194 800-898-9044 |
| | | | | | | * | SFD INC | 8-9 415-827-7300 |

ADVERTISER CONTACT INFORMATION

| INQUIRY NO. | PAGE NO. | PHONE NO. | INQUIRY NO. | PAGE NO. | PHONE NO. | INQUIRY NO. | PAGE NO. | PHONE NO. | | | | |
|-------------|----------------------------|-----------|--------------------------|----------|---------------------------|-----------------|--------------|----------------------------|------------------------------|---------------------|--------------|--------------|
| 81 | SILICONRAX | 139 | 800-700-8560 | • | TELE.COM | 206-207 | 61-62 | VIRTUAL REALITY PUBLISHING | 195 | 800-951-7100 | | |
| 97-98 | SLUGER DESIGNS | 192 | 702-356-5595 | 102 | TERN INC | 193 | 916-758-0110 | W | | | | |
| 108 | SOFTWARE SECURITY | 193 | 203-658-3932** | • | TEXAS MICROSYSTEMS INC | 64A-B | 800-627-8700 | | | | | |
| 216-217 | SOFTWAY SYSTEMS | 186 | 415-896-0708 | 177-178 | TEXAS MICROSYSTEMS INC | 65 | 800-627-8700 | • | WALKER, RICHER & QUINN | 137 | 800-926-3896 | |
| 72 | STARTECH COMPUTER PRODUCTS | 187 | 800-265-1844 ext 231 | 159 | TOSHIBA AMERICA INC | 34-35 | 800-457-7777 | 211-212 | WIBU SYSTEMS AG | 182 | 800-986-6578 | |
| 157 | STATSOFT | 95 | 918-749-1119 | 160-161 | TRAVELING SOFTWARE | 122 | 800-224-7704 | 601 | WINBOOK COMPUTER CORPORATION | 11 | 800-468-0712 | |
| T | | | | 76 | TRI VALLEY TECHNOLOGY INC | 190 | 510-447-2030 | Z | | | | |
| | | | | | | | | | | | | |
| 68 | TALKING TECHNOLOGY INC | 188 | 800-685-4884 | V | 218-219 | VCOMMUNICATIONS | 182 | 800-648-8266 | 100 | Z-WORLD ENGINEERING | 193 | 916-757-3737 |
| 158 | TEKTRONIX | 43 | 800-835-6100 ext 1314 | | 66 | VIDEX INC | 187 | 541-758-0521 | 101 | Z-WORLD ENGINEERING | 193 | 916-757-3737 |
| | | | | | 162-163 | VIEWSONIC | 62 | 800-886-8583 | | | | |

BYTE ADVERTISING SALES STAFF

John M. Griffin, Vice President, Publisher, One Phoenix Mill Lane, Peterborough, NH 03458,
Tel: (603) 924-2635, Fax: (603) 924-2683, jgriffin@mcgraw-hill.com

NEW ENGLAND

CT, MA, ME, NH, NY, RI, VT,
Ontario, Canada, Eastern Canada
John Ferraro (617) 860-6221,
(212) 512-2555
jferraro@mcgraw-hill.com
Jeanne Beeson (617) 860-6349
jbeeson@mcgraw-hill.com
The McGraw-Hill Companies
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6307

NEW YORK

NY Metro, NJ
Michael Feinberg (212) 512-4811
feinberg@mcgraw-hill.com
Jill Pollak (212) 512-3585
jpollak@mcgraw-hill.com
The McGraw-Hill Companies
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHWEST, ROCKY MOUNTAIN

AL, AR, LA, MS, OK, TN, TX
Bert Pangniban (214) 688-5165
bertpang@mcgraw-hill.com
Brian Higgins (603) 924-2596
bhiggins@mcgraw-hill.com
The McGraw-Hill Companies
Mockingbird Towers
Ste. 1104E
1341 W. Mockingbird Lane
Dallas, TX 75247-4943
FAX: (214) 688-5167

MID ATLANTIC-SOUTHEAST NEW MEDIA/ONLINE PRODUCTS

DC, DE, FL, GA, KY, MD, NC, PA, SC, VA, WV
Neil Helms (770) 242-6298
nhelms@mcgraw-hill.com
Paul Franchak (614) 899-4912
franchak@mcgraw-hill.com
The McGraw-Hill Companies
6050 Peachtree Pkwy.
Suite 340-191
Norcross, GA 30092
FAX: (770) 409-9622

CENTRAL U.S.

IA, IL, IN, KS, MI, MN, MO, ND, NE, OH,
SD, WI
Lori Silverstein (614) 899-4908
lorisf@mcgraw-hill.com
Paul Franchak (614) 899-4912
franchak@mcgraw-hill.com
The McGraw-Hill Companies
921 Eastwind Drive, Suite 118
Westerville, OH 43081
FAX: (614) 899-4999

SOUTH PACIFIC

AZ, Southern CA, CO, NM, NV
Beth Dudas (714) 753-8140
bdudas@mcgraw-hill.com
Emily Ospenson (714) 753-8140
ospenson@mcgraw-hill.com
The McGraw-Hill Companies
15635 Alton Pkwy, Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

NORTH PACIFIC

AK, Northern CA, HI, ID, MT, OR, Silicon
Valley, UT, WA, WY,
Western Canada
Roy J. Kops (415) 513-6861
rkops@mcgraw-hill.com
Susan Rastellini (415) 513-6951
srastell@mcgraw-hill.com
Lisa Farrell (415) 513-6862
lfarrell@mcgraw-hill.com
The McGraw-Hill Companies
1900 O'Farrell Street, Suite 200
San Mateo, CA 94403
FAX: (415) 513-6867

PETERBOROUGH, NH OFFICE:

Sales FAX: 603-924-2683
Advertising FAX: 603-924-7507

BUYERS MART

Mark Stone (603) 924-2533
stonem@mcgraw-hill.com
BYTE
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck

Brian Higgins (603) 924-2596
bhiggins@mcgraw-hill.com
BYTE
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK

Mark Stone (603) 924-2533
stonem@mcgraw-hill.com
BYTE
One Phoenix Mill Lane
Peterborough, NH 03458

INTERNATIONAL ADVERTISING SALES STAFF

L. Bradley Browne, International Sales Director, One Phoenix Mill Lane, Peterborough, NH 03458,
Tel: (603) 924-2501, Fax: (603) 924-2602, lbrowne@mcgraw-hill.com

UNITED KINGDOM, BENELUX

Jonathan McGowan
jonmcgow@mcgraw-hill.com
The McGraw-Hill Companies
34 Dover St.
London W1X 4BR
England
Tel: +44 171 495 6781
FAX: +44 171 495 6734

GERMANY, SWITZERLAND,

AUSTRIA
Jürgen Heise
jheise@mcgraw-hill.com
The McGraw-Hill Companies
Emil von Behring Strasse 2
D-60439 Frankfurt
Germany
Tel: +49 69 5801 140
FAX: +49 69 5801 145

ITALY, FRANCE, SPAIN, PORTUGAL, SCANDINAVIA

Zena Coupé, Amanda Blaskett
101645.1710@compuserve.com
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 171 2843171
FAX: +44 171 2843174

ISRAEL

Dan Aronovic
rhodanny@actcom.co.il
DARA International
41 Ravutski
Ra'anana 43220
Israel
Tel: +972-9-7419544
FAX: +972-9-7481934

JAPAN

Hirokazu Morita
Japanese Advertising
Communications, Inc.
Three Star Building
3-10-3 Kanda Jimbocho
Chiyoda-ku, Tokyo 101 Japan
Tel: +81 3 3261 4591
FAX: +81 3 3261 6126

BYTE ASIA-PACIFIC

AUSTRALIA, HONG KONG, INDIA,
INDONESIA, KOREA, MALAYSIA,
PAKISTAN, PHILIPPINES, OTHER
ASIA AND PACIFIC COUNTRIES,
SINGAPORE, TAIWAN
Weiye In
weilin@mcgraw-hill.com
Jennifer Chen
jennchen@mcgraw-hill.com
#305 Nanking East Road, Section 3,
10th floor
Taipei, Taiwan, R.O.C.
Tel: +886-2-715-2205
FAX: +886-2-715-2342

Subscription Customer Service
U.S. 1-800-232-2983

Outside U.S. +1-609-426-7676

For a New Subscription

U.S. 1-800-257-9402

Outside U.S. +1-609-426-5526

INDEX TO ADVERTISED PRODUCTS

For free product information from individual advertisers, circle the corresponding inquiry numbers on the response card!

To receive information for an entire product category, circle the category number on the response card!

| CATEGORY NO. INQUIRY NO. | PAGE NO. | CATEGORY NO. INQUIRY NO. | PAGE NO. | CATEGORY NO. INQUIRY NO. | PAGE NO. |
|---|----------|---|----------|---|----------|
| HARDWARE | | | | | |
| 2 ADD-IN BOARDS | | 6 DATA ACQUISITION | | 14 MAIL ORDER | |
| 84-85 AXIOM TECHNOLOGY 189 | | 105 AMERICAN ADVANTECH 190 | | 196 ALTEX COMPUTERS & ELECTRONICS 176 | |
| 93-94 CAMELEON TECHNOLOGY INC 192 | | 84-85 AXIOM TECHNOLOGY 189 | | 197 COMPUTER DISCOUNT WAREHOUSE 170-171 | |
| 607-608 DARIM 88NA 2 | | 106 IO TECH 190 | | | |
| * MICROWAY 131 | | 107 NATIONAL INSTRUMENTS 191 | | 15 MEMORY/CHIPS/UPGRADES | |
| 65 MOXA TECH USA INC 187 | | 63-64 QUATECH INC 187 | | 753-754 AMD 37 | |
| 63-64 QUATECH INC 187 | | | | 93-94 CAMELEON TECHNOLOGY INC 192 | |
| 3 BAR CODING | | 53 DIAGNOSTIC EQUIPMENT | | 201-202 FIRST SOURCE INT'L 181 | |
| 66 VIDEX INC 187 | | 208 ALLMICRO INC 183 | | 140-141 KINGSTON CPU UPGRADE 66 | |
| 4 COMMUNICATIONS/ NETWORKING | | 207 MICRO 2000 174-175 | | 209-210 LA TRADE 177 | |
| 196 ALTEX COMPUTERS & ELECTRONICS 176 | | | | 155-156 ROSS TECHNOLOGY INC 159 | |
| 67 AMERICAN ADVANTECH 187 | | 7 DISK & OPTICAL DRIVES | | 16 MISCELLANEOUS HARDWARE | |
| 735-736 ATRIE 48IS 16 | | 165-166 ANDATACO 147 | | 109-110 AEHOME CORPORATION 193 | |
| 73 CENTRAL TECHNOLOGIES 187 | | 180 ARTECON 106 | | * ANTHRO CORP 158 | |
| 701-702 COMPEX INC 15 | | 206 CONSAN INC 178 | | 95-96 CALIFORNIA PC PRODUCTS INC 192 | |
| 229 COMPUTERLANE UNLIMITED 185 | | 725-726 DBTEL 48IS 12 | | 97-98 SLIGER DESIGNS 192 | |
| 139 INTEGRIX INC 113 | | 89-90 GRANITE DIGITAL 191 | | 17 MODEMS & MULTIPLEXORS | |
| 69 MINICOM/CLASSNET VIDEO 188 | | * IOMEGA 69 | | 735-736 ATRIE 48IS 16 | |
| 223 PROTEC MICROSYSTEMS INC 156 | | 142-143 KINGSTON STORAGE 21 | | 725-726 DBTEL 48IS 12 | |
| 714 RAD DATA COMMUNICATION LTD 83 | | 91 LIBERTY SYSTEM INC 191 | | 729-730 E-TECH 48IS 23 | |
| 70-71 RCI 188 | | 149-150 PINNACLE MICRO 7 | | 605-606 NEWCOM 88NA 5 | |
| 204-205 ROSE ELECTRONICS 186 | | | | 18 MONITORS & TERMINALS | |
| 72 STARTECH COMPUTER PRODUCTS 187 | | 9 FAX BOARDS/MACHINES | | 747-748 GVC 87 | |
| 745-746 TAINET COMMUNICATION SYSTEM 48IS 10 | | 92 ADVANCED IMAGE COMMUNICATIONS 191 | | 739-740 KUO FENG CORPORATION 48IS 18 | |
| 68 TALKING TECHNOLOGY INC 188 | | 605-606 NEWCOM 88NA 5 | | 733-734 MITAC 48IS 24 | |
| 5 COMPUTER SYSTEMS | | 12 LAN HARDWARE | | 731-732 MITAC 97 | |
| 82-83 ACI 188 | | 109-110 AEHOME CORPORATION 193 | | 185-186 PRINCETON GRAPHIC SYSTEMS 54 | |
| * APPLE COMPUTER INC 16-18 | | 704-705 CYBEX COMPUTER PRODUCTS CORP CVI | | 745-746 TAINET COMMUNICATION SYSTEM 48IS 10 | |
| 79-80 APPRO INTERNATIONAL INC 188 | | 133-134 CYBEX COMPUTER PRODUCTS CORP 100 | | 162-163 VIEWSONIC 62 | |
| 84-85 AXIOM TECHNOLOGY 189 | | 198-199 CYBEX COMPUTER PRODUCTS CORP 173 | | 19 MULTIMEDIA/CD-ROM | |
| * COMPAQ 24-25 | | 201-202 FIRST SOURCE INT'L 181 | | 206 CONSAN INC 178 | |
| * DELL COMPUTER CORP 88NA 6-7 | | 718 LANSOURCE TECHNOLOGY 48IS 11 | | 607-608 DARIM 88NA 2 | |
| * DELL COMPUTER CORP CV-CVI | | 174 SAGE ELECTRONICS 57 | | 725-726 DBTEL 48IS 12 | |
| * DELL COMPUTER CORP CVII-CVIII | | 721-722 SEH COMPUTERTECHNIK GMBH 48IS 31 | | 724 INFOCUS 11 | |
| * DELL COMPUTER CORP 87 | | 751-752 SEH COMPUTERTECHNIK GMBH 48IS 32 | | 99 MICROPATENT 192 | |
| * HEWLETT PACKARD 51 | | 727-728 TRIDAT 48IS 15 | | 183-184 MIRO COMPUTER PRODUCTS AG 89 | |
| * IBM AS 400 83 | | 13 LAPTOPS & NOTEBOOKS | | 181-182 MRT 155 | |
| 86-87 ICP ACQUIRE 188 | | 229 COMPUTERLANE UNLIMITED 185 | | 20 PRINTERS/PLOTTERS | |
| 74 INTEGRAND RESEARCH 189 | | * DELL COMPUTER CORP 97 | | 741-742 AVISION 39 | |
| 139 INTEGRIX INC 113 | | 137 DOLCH COMPUTER SYSTEMS 121 | | 229 COMPUTERLANE UNLIMITED 185 | |
| 75 KILA 189 | | 179 FIELDWORKS 160 | | 721-722 SEH COMPUTERTECHNIK GMBH 48IS 31 | |
| 228 MICRON ELECTRONICS CII-1 | | 737-738 FIRST INTERNATIONAL COMPUTER 48IS 2 | | 158 TEKTRONIX 43 | |
| 168 MICRON ELECTRONICS 40-41 | | 724 INFOCUS 11 | | 21 PROGRAMMABLE HARDWARE | |
| 169 MICRON ELECTRONICS 74-75 | | * MICRO-INTERNATIONAL, INC. 192 | | 103 JK MICROSYSTEMS 192 | |
| * MICROWAY 131 | | 733-734 MITAC 48IS 24 | | 102 TERN INC 193 | |
| 733-734 MITAC 48IS 24 | | | | | |
| 731-732 MITAC 97 | | | | | |
| 148 NSTL 161 | | | | | |

INDEX TO ADVERTISED PRODUCTS

CATEGORY NO.
INQUIRY NO.

PAGE NO.

CATEGORY NO.
INQUIRY NO.

PAGE NO.

CATEGORY NO.
INQUIRY NO.

PAGE NO.

100Z-WORLD ENGINEERING193

101Z-WORLD ENGINEERING193

56RAID DRIVE ARRAYS

109-110AEHOME CORPORATION193

165-166ANDATACO147

200DISTRIBUTED PROCESSING TECH172

139INTEGRIX INC113

194-195INSTOR CORPORATION118

214-215RAIDTEC CORPORATION184

174SAG ELECTRONICS57

52SECURITY

121-122ALADDIN SOFTWARE SECURITY70

154RAINBOW TECHNOLOGIES58

108SOFTWARE SECURITY193

211-212WIBU SYSTEMS AG182

23TAPE DRIVES

165-166ANDATACO147

741-742AVISION39

104QUALSTAR CORP193

24UPS/POWER MANAGEMENT

123AMERICAN POWER CONVERSION33

124AMERICAN POWER CONVERSION73

125-126BEST POWER99

127-128BEST POWER105

129-130BEST POWER109

135-136DELTEC166

749-750MAINPOWER ELECTRONICS4815 22

711-712MINUTEMAN4815 8

55VOICE TECHNOLOGY

73CENTRAL TECHNOLOGIES187

605-606NEWCOM88NA 5

SOFTWARE

25BUSINESS

170CARDIFF SOFTWARE167

175-176FINSON151

602-603LOTUS NOTES COMPONENT85

27COMMUNICATIONS/
NETWORKING

73CENTRAL TECHNOLOGIES187

224-227DISTINCT CORPORATION104

201-202FIRST SOURCE INT'L181

*IBM CAPABILITIES37

*IBM CAPABILITIES39

111-112INTERNET SHOPPER194

609-610LOTUS INTERNOTES135

713PERSOFT INC CV

160-161TRAVELING SOFTWARE122

*WALKER, RICHER & QUINN137

29DATABASE

138FAIRCOM CORPORATION164

719-720INNOVATIVE SOFTWARE4815 31

171-172IQ SOFTWARE12-13

709-710MAGIC/MSE4815 6

31ENGINEERING/SCIENTIFIC

717ON TIME MARKETING4815 20

113SCITECH INTERNATIONAL194

33GRAPHICS

132COREL138

*MICROGRAFX61

213MIPS DATALINE AMERICA INC184

35MAIL ORDER

197COMPUTER DISCOUNT WAREHOUSE170-171

703COMPUTER QUICK4815 21

708GREY MATTER LTD4815 27

36MATHEMATICAL/STATISTICAL

*MINITAB INC141

157STATSOFT95

37MISCELLANEOUS SOFTWARE

175-176FINSON151

38ON-LINE SERVICES

*AMERICA ONLINEONSET

450BIX214

604COMPUSERVE88NA 1

114-115HIWAY TECHNOLOGIES194

*IBM CAPABILITIES37

*IBM CAPABILITIES39

*IDT INTERNET111

*MICROSOFT CORPORATION28-29

*NET2PHONE111

39OPERATING SYSTEMS

*MICROSOFT CORPORATION2-3

153QNX EXPLR2132

152QNX SOFTWARE SYSTEMS LTD117

218-219VCOMMUNICATIONS182

54OS/2

*IBM OS/2 OPENS WINDOWS15

40PROGRAMMING
LANGUAGES/TOOLS

118DUNN SYSTEMS195

138FAIRCOM CORPORATION164

187GEODESIC SYSTEMS22

192GLOBETROTTER SOFTWARE INC92

708GREY MATTER LTD4815 27

719-720INNOVATIVE SOFTWARE4815 31

230INNOVUS MULTIMEDIA148

171-172IQ SOFTWARE12-13

116-117LAHEY COMPUTER SYSTEMS194

709-710MAGIC/MSE4815 6

717ON TIME MARKETING4815 20

164POWERSOFT31

715-716RAIMA CORP4815 17

*SFD INC8-9

*WALKER, RICHER & QUINN137

211-212WIBU SYSTEMS AG182

41SECURITY

121-122ALADDIN SOFTWARE SECURITY INC70

118DUNN SYSTEMS195

706-707EUTRON4815 9

*IBM CAPABILITIES37

*IBM CAPABILITIES39

154RAINBOW TECHNOLOGIES58

211-212WIBU SYSTEMS AG182

43SOFTWARE DUPLICATION

715-716RAIMA CORP4815 17

45UNIX

119-120ANDREW CONSORTIUM-SCS194

167CENTRAL DATA143

138FAIRCOM CORPORATION164

216-217SOFTWAY SYSTEMS186

*WALKER, RICHER & QUINN137

46UTILITIES

208ALLMICRO INC183

207MICRO 2000174-175

151PKWARE INC45

180-161TRAVELING SOFTWARE122

47WINDOWS

187GEODESIC SYSTEMS22

601WINBOOK COMPUTER CORPORATION11

GENERAL

49BOOKS/PUBLICATIONS

*BYTE ON CD ROM213

*COMPUTER PROFESSIONAL'S BK SOC152

*DATA COMMUNICATIONS180

*DATA COMMUNICATIONS46-47

*MCGRAW HILL BOOK COMPANY24-25

*MICROSOFT PRESS INC103

*OSBORNE MCGRAW-HILL52-53

*TELE.COM206-207

61-62VIRTUAL REALITY PUBLISHING195

51MISCELLANEOUS

*BYTE165

*BYTE211

*BYTEBACK ISSUES168

*BYTE BEST OF SYSTEMS 96 AWARDS4815 29

*BYTE CUSTOMER SERVICE162

*BYTE EURODECK85

*BYTE FIELD SALES4815 28

*BYTEMOVING4815 30

*BYTEREPRINTS135

*BYTE SUB MESSAGE162

*BYTE SUB PROBLEMS4815 32

*BYTEWEB SITE205

723MESSEMUENCHEN GMBH4815 5

*NETWORLD+INTEROP163

193NRW23

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on the response card. Each page number refers to the first page of the article or section in which the company name appears.

| INQUIRY NO. | PAGE NO. | INQUIRY NO. | PAGE NO. | INQUIRY NO. | PAGE NO. | INQUIRY NO. | PAGE NO. |
|-------------------|--------------------------------------|-------------|--|-------------|--|---------------------|---|
| A | | 979 | Diamond Flower 157 | | | S | |
| 3Dfx Interactive | 76 | 1068 | Digital Equipment 114 | 1030 | Matrox Graphics, 76, 208 | S3 | 76 |
| 3Dlabs | 76 | 1050 | Digital Semiconductor 58 | 1022 | McAfee 208 | Samsung Electronics | 48IS 19 |
| Accent | 48IS 7 | E | | 1019 | McGraw-Hill Professional Book Group 208 | 1009 | SBS Financial Systems 48IS 25 |
| Acer | 48IS 19 | 1008 | Easy 48IS 25 | 1073 | Micro-International 114 | 1076 | Sceptre Technologies 114 |
| 1051 | Acer America 208 | 1012 | Elonex 48IS 25 | 1024 | Micro Logic 208 | 1032 | Sega of America 208 |
| 990 | Active Imaging 48IS 25 | 1002 | Emulek 48IS 25 | | Microplex 26 | 1001 | Serverware Group 48IS 25 |
| 993 | Adder Technology 48IS 25 | | Epson 26 | 1081 | Microsoft 14, 26, 59, | | ServiceSoft 26 |
| 1034 | AdvanSys 208 | | EuroInternet 48IS 13 | 1013 | 21, 126, 208 | 986 | Siemens 48IS 25 |
| | Advantage kbs 26 | 1036 | Extended Systems 208 | | MicroTalk 59 | 983 | Siemens Nixdorf 149 |
| | Altermic 26 | F | | | MIL3 93 | 984, 996 | 48IS 25 |
| 1061 | Altura Computer Systems 114 | 995 | Fibronics 48IS 25 | 1020 | MindWorks 208 | | SoftArc 26 |
| | American Hytech 93 | 1043 | Fujitsu Computer Products of America 208 | N | | 1025 | SoftShell International 208 |
| 1031, 1040 | American Power Conversion 208 | 1046 | Fujitsu PC Corp. 208 | | NEC Corp 48IS 19 | | Sony DVD 139 |
| 1062 | AMS-Tech 114 | G | | 1074 | NEC Technologies 114 | 1048 | Stac Electronics 145 |
| | Artic Technologies 59 | | Ganymede Software 95 | 1078 | NetScene 48IS 25 | 977 | Strategic Studies Group 157 |
| 1042 | AST Research, Inc. 208 | 1069 | Gateway 2000 114 | | NetSuite 93 | | Sun 26 |
| 1005 | Astarte 48IS 25 | | Globalink Europe 48IS 7 | | Network Design and Analysis 93 | | Syntha-Voice 59 |
| | ATI Technologies 76 | 980 | Grolier Interactive 157 | 1021 | NewSoft 208 | | Syquest 26 |
| 1063 | Austin Computer Systems 114 | H | | 1075 | Nimantics 114 | | SystemSoft 26 |
| | Axis Communications 26 | 987 | Hantz & Partner 48IS 25 | | Nippon Telegraph and Telephone 48IS 19 | T | |
| B | | 1059 | HDS Network Systems 50 | | Novell 95 | | Tatung Co. 48IS 19 |
| 992 | BinTec Communications 48IS 25 | 1070 | Hewlett-Packard 26, 114 | | Nvidia 76 | 1038 | TDK Systems 208 |
| | Biolink 59 | I | | O | | 1077 | Texas Instruments 114, 208 |
| 1044 | Breece Hill Technologies 208 | 1071 | IBM 114 | | Oak Technologies 76 | 1045 | |
| C | | | IBM Europe 48IS 7 | 1023 | On Technology 208 | 1018 | The Database Solutions Co. 208 |
| 1007 | Caere 48IS 25 | | ImageNet 93 | P | | 1026 | TopSpeed Corp. 208 |
| | Calico Technology 93 | 1072 | Impulse Computer 114 | | Phar Lap 88NA 3 | 1078 | Toshiba America 114 |
| | Canon 26 | | Inference 26 | | Philips DVD 139 | | Toshiba DVD 139 |
| 1064 | Canon Computer Systems 114 | 1039 | Infomaging Technologies 208 | | PinPoint 95 | | Trident Microsystems 76 |
| | CenterLine Software 95 | 1015 | Information Dimensions 208 | 1014 | Planet 208 | U | |
| 1029 | CheckPoint Software Technologies 208 | 997 | Integrated Measurement 48IS 25 | 985 | Powersoft 153 | 989 | US Robotics 48IS 25 |
| 1065 | Chem USA 114 | 982 | Iomega Corp. 26, 157 | 976 | Proxima 55 | V | |
| 1047 | Cheyenne Software 145 | 1016 | Island Way Corp. 208 | 988 | Purple Software 48IS 25 | | v.Rheinbaden & Busch Electronic Publishing 48IS 7 |
| | Chromatic Research 76 | J | | Q | | | Venturcom 88NA 3 |
| 1060, 1066 | Compaq Computer 114, 154 | | John Wiley and Sons 133 | 1027 | Quarterdeck 208 | | VideoLogic 76 |
| 1028 | Coordinate.com 208 | L | | 1035 | Quick Technology 208 | | Visio 95 |
| 1010 | CSD Software 48IS 25 | 1006 | LeReseau Networksystemen 48IS 25 | | Quyen Software 95 | 981 | Visioneer 157 |
| | Cygnus Support 133 | | Lexmark 26 | R | | W | |
| 978 | Cyril Corp. 157 | 1017 | Lighten 208 | 991 | RAD Data Communications 48IS 25 | | WebTV Networks 48IS 19 |
| D | | | Logos 48IS 7 | | Rank Xerox Research Centre Grenoble 48IS 7 | 1080 | Wedge Technology 114 |
| 994 | D-Link 48IS 25 | 1049 | Lotus Development 14, 26, 49 | 1004 | Reich Technologies 48IS 25 | 1041 | Wi-LAN 208 |
| 1033 | Data Translation 208 | M | | | Rendition 76 | 1079 | WinBook 114 |
| 1037 | Dayna Communications 208 | 1003 | Magic Software Enterprises 48IS 25 | | Rogue Wave Software 216 | X | |
| 1067 | Dell Computer 114 | | | | | | Xerox 14 |
| | DenMac 95 | | | | | 1001 | Xyratex 48IS 25 |

IS pages appear only in the International edition.

The BYTE Site brings you today's hottest technologies with extended product and technology coverage that's the perfect complement to BYTE magazine.

THE **BYTE** SITE

<http://www.byte.com>

The World's Technology Authority Online!

■ The **BYTE** Archive

Two years of BYTE, more than 3,000 full-text articles, illustrations, and photos... all indexed for quick retrieval!

■ The **BYTE** Network Project

The BYTE Site... a living laboratory showcasing the best tools for building Web applications. Read about it in BYTE... try it out online!

■ The **Virtual Press Room**

Instant access to vendor press releases and white papers! Links to vendor web sites!

■ **BYTEMarks**

FREE Benchmark! Download the BYTEMark – the benchmark with teeth!

■ **Direct Access to Advertisers**

Contact Byte advertisers **DIRECTLY** through the online advertiser index!

BYTE

The BYTE Site. The World's Online Technology Authority.

A Division of The McGraw-Hill Companies







THE SYSTEMS ARE GREAT THE PRICES ARE EVEN BETTER

200MHz PENTIUM® PRO PROCESSOR DELL DIMENSION™ XPS Pro200n

- 64MB EDO Parity Memory
- 256KB Internal L2 Cache
- 4.2GB Hard Drive [10.5ms]
- 17HS Trinitron Monitor (15.9" v.i.s., .26dp, 1600 x 1200 max. res.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- 28.8 Data/Fax Modem
- MS® Office Professional with Bookshelf for Windows® 95
- Microsoft® Windows NT®/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty*
- ★ Now, MS Windows NT 4.0 Upgrade Coupon included at no extra charge*
- ★ Upgrade to a 20TD Trinitron Monitor (19.1" v.i.s.), add \$799.

\$3499

Business Lease*: \$129/Mo.
Order Code #500339

200MHz PENTIUM PRO PROCESSOR DELL DIMENSION XPS Pro200n

- 32MB EDO Memory
- 256KB Internal L2 Cache
- NEW 3.2GB Hard Drive [9.5ms]
- 17LS Monitor (15.7" v.i.s.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95
- Microsoft Windows NT/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty
- ★ Now, MS Windows NT 4.0 Upgrade Coupon included at no extra charge*
- ★ Upgrade to 64MB EDO Parity Memory, add \$399.
- ★ Upgrade to a 4.2GB hard drive, add \$119.

\$2699

Business Lease: \$100/Mo.
Order Code #500338

200MHz PENTIUM PROCESSOR DELL DIMENSION XPS P200s

- 32MB SDRAM Memory
- 512KB Pipeline Burst Cache
- NEW 3.2GB Hard Drive [9.5ms]
- 17HS Trinitron Monitor (15.9" v.i.s., .26dp, 1600 x 1200 max. res.)
- Imagine 128 Series 2 Graphics Accelerator with 4MB VRAM
- 8X EIDE CD-ROM Drive
- AWE32 Wave Table Upgrade Card
- Altec Lansing ACS-31 Speakers
- MS Office Professional with Bookshelf for Windows 95
- FREE Norton/Visio Express S/W Suite**
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty

\$3399

Business Lease: \$126/Mo.
Order Code #500337

200MHz PENTIUM PROCESSOR DELL DIMENSION XPS P200s

- 32MB SDRAM Memory
- 512KB Pipeline Burst Cache
- NEW 3.2GB Hard Drive [9.5ms]
- 15TX Trinitron Monitor (13.7" v.i.s.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- AWE32 Wave Table Upgrade Card
- Altec Lansing ACS-31 Speakers
- MS Office Professional with Bookshelf for Windows 95
- FREE Norton/Visio Express S/W Suite
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty

PICTURED AT LEFT

\$2599

Business Lease: \$96/Mo.
Order Code #500336

166MHz PENTIUM PROCESSOR DELL DIMENSION XPS P166s

- 32MB SDRAM Memory
- 512KB Pipeline Burst Cache
- 4.2GB Hard Drive [10.5ms]
- 17LS Monitor (15.7" v.i.s.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- AWE32 Wave Table Upgrade Card
- Altec Lansing ACS-5 Speakers
- MS Office Professional with Bookshelf for Windows 95
- FREE Norton/Visio Express S/W Suite
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty
- ★ Upgrade to a 17HS Trinitron Monitor (15.9" v.i.s.), add \$149.

\$2799

Business Lease: \$104/Mo.
Order Code #500335

166MHz PENTIUM PROCESSOR DELL DIMENSION XPS P166s

- 32MB SDRAM Memory
- 512KB Pipeline Burst Cache
- 1.6GB Hard Drive [11ms]
- 15LS Monitor (13.7" v.i.s.)
- NEW 2MB EDO VIRGE 3D Video Card
- 8X EIDE CD-ROM Drive
- Integrated Sound Blaster 16 Sound
- Altec Lansing ACS-31 Speakers
- MS Office Professional with Bookshelf for Windows 95
- FREE Norton/Visio Express S/W Suite
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty
- ★ Upgrade to a 15TX Trinitron Monitor (13.7" v.i.s.), add \$49.

\$2279

Business Lease: \$84/Mo.
Order Code #500334

200MHz PENTIUM PROCESSOR NEW DELL DIMENSION P200v

- 16MB SDRAM Memory
- 256KB Pipeline Burst Cache
- NEW 2.1GB Hard Drive [10.5ms]
- 15TX Trinitron Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video
- 8X EIDE CD-ROM Drive
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/Dell Mouse
- 3 Year Limited Warranty
- ★ Upgrade to 32MB SDRAM, add \$225.
- ★ Upgrade to a 3.2GB hard drive, add \$119.
- ★ 28.8 Data/Fax modem, add \$129.
- ★ ACS-5 Speakers and Sound Blaster 16 PnP Sound, add \$99.

\$1999

Business Lease: \$74/Mo.
Order Code #500333

133MHz PENTIUM PROCESSOR NEW DELL DIMENSION P133v

- 16MB SDRAM Memory
- NEW 2.1GB Hard Drive [10.5ms]
- 15LS Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video
- 8X EIDE CD-ROM Drive
- 28.8 Data/Fax Modem
- Microsoft Windows 95/MS Plus! CD/30 Days Free Support/Dell Mouse
- 3 Year Limited Warranty
- ★ Upgrade to 3 Years of On-site Service, add \$99.
- ★ Upgrade to 32MB SDRAM, add \$225.
- ★ 3Com® EtherLink® Interface Combo card, add \$139.
- ★ 256KB Pipeline Burst Cache, add \$119.

\$1799

Business Lease: \$67/Mo.
Order Code #500332

FREE Norton/Visio Express Software Suite includes Norton Navigator, Utilities, and AntiVirus, and Visio Express 4.0.

*Offer valid in the U.S. only and applies to this system if purchased between 6/1/96 and 5/30/96. Upgrade available on CD only and printed user documentation is not included. Customer is responsible for shipping and handling charges. Pricing is not discountable. For a complete copy of our Guarantee or Limited Warranties, please write Dell USA L.P., 2214 W. Broker Lane, Suite D, Austin, TX 78758. **Business leasing arranged by Leasing Group, Inc. ***Norton/Visio Express Software Suite is available only on Dell Dimension systems purchased with the combination of MS Office and Microsoft Windows 95. Visio Express 4.0 is an OEM version and a subset of Visio 4.0. Software may not include all documentation and may differ from retail version. *System weight with floppy drive in options bay. 40n-site service provided by BancTec Service Corporation. On-site service may not be available in certain remote locations. On-site service for the Poweredge 2100 Server is provided by Digital Equipment Corporation and is available in 23 metropolitan areas. *Prices and specifications valid in the U.S. only and subject to change without notice. The Intel inside logo and Pentium are registered trademarks of Intel Corporation. MS, Microsoft, Windows, Windows NT and the Windows logo are registered trademarks of Microsoft Corporation. XJACK is a registered trademark of US Robotics Mobile Communications Corporation. 3Com and EtherLink are registered trademarks of 3Com Corporation. ©1996 Dell Computer Corporation. All rights reserved.



\$2599
With Free Software

DELL DIMENSION™ XPS P200s
200MHz PENTIUM® PROCESSOR

- ★ **32MB SDRAM Memory**
- 512KB Pipeline Burst Cache
- ★ **NEW 3.2GB Hard Drive [9.5ms]**
- 15TX Trinitron Monitor (13.7" v.i.s.)
- ★ **NEW 2MB EDO VIRGE 3D Video Card**
- 8X EIDE CD-ROM Drive
- AWE32 Wave Table Upgrade Card
- Altec Lansing ACS-31 Speakers

- MS® Office Professional with Bookshelf for Windows® 95
- ★ **FREE Norton/Visio Express Software Suite™**
- Microsoft® Windows 95/MS Plus! CD/30 Days Free Support/MS Mouse
- 3 Year Limited Warranty!
- ★ **Upgrade to a 17LS monitor (15.7" v.i.s.), add \$199.**

Business Lease®: \$96/Mo.
Order Code #500336

FREE!

NORTON
AntiVirus

SYMANTEC
**Norton
Navigator**

SYMANTEC
**Norton
Utilities**

Visio
EXPRESS 4.0

HOW TO SUCCEED IN BUSINESS WITHOUT BUYING SOFTWARE.

Besides its formidable 200MHz Pentium processor, this Dell Dimension comes with a powerful package of business software** pre-loaded. Not games. Not fluff.



Designed for

Microsoft®
Windows®95

Serious stuff like
Microsoft Office
for Windows 95.
The 32-bit virus
protection of

Norton AntiVirus. The powerful file management features of Norton Navigator. The data protection and recovery tools of Norton Utilities. And the many diagramming tools of Visio Express 4.0. Of course, it also comes with built-in Dell reliability, built-in Dell value, and our guaranteed next-business-day on-site^a service. So pick up the phone and order today. It may be the fastest way to get ahead in business yet.

DELL

TO ORDER

800-225-4898

<http://www.dell.com>

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT
Sun 12pm-5pm In Canada, call 800-233-1589

Keycode #01148